



Department of Energy

Bonneville Power Administration
P.O. Box 3621
Portland, Oregon 97208-3621

FREEDOM OF INFORMATION ACT PROGRAM

October 28, 2021

In reply refer to: FOIA #BPA-2021-00875-F

Dale Church

(b) (6)

Dear Mr. Church,

This communication concerns your agency records request submitted to the Bonneville Power Administration (BPA), made via the Freedom of Information Act, 5 U.S.C. § 552 (FOIA). Your request was received on July 6, 2021 and formally acknowledged on July 15, 2021.

Request

“The complete submitted resumes, including all additionally supplied documents, certifications, veteran information, and the accompanying qualifying questionnaires for ALL electrician positions under the series 2810-BB for the last five years who were hired, or qualified for the certification, or both.”

Response

BPA collected records responsive to your request from knowledgeable agency personnel in the Recruitment and Placement office. The responsive records set of 576 pages accompanies this communication, with 263 pages having redactions applied under 5 U.S.C. § 552(b)(6) (Exemption 6), and 312 pages released in full without redactions. BPA is withholding in full the unsuccessful candidates’ applications and resumes, comprised of 4,175 pages, under Exemption 6. A more detailed explanation of the applied exemptions follows.

Explanation of Exemptions

The FOIA generally requires the release of all agency records upon request. However, the FOIA permits or requires withholding certain limited information that falls under one or more of nine statutory exemptions (5 U.S.C. §§ 552(b)(1-9)). Further, section (b) of the FOIA, which contains the FOIA’s nine statutory exemptions, also directs agencies to publicly release any reasonably segregable, non-exempt information that is contained in those records.

Exemption 6

Exemption 6 serves to protect Personally Identifiable Information (PII) contained in agency records when no overriding public interest in the information exists. BPA does not find an

overriding public interest in a release of the information redacted under Exemption 6—specifically, successful candidates’ personal information, successful candidates’ prior non-federal employment salaries, non-BPA employee PII, selecting official PII, and unsuccessful candidates’ applications and resumes. This information sheds no light on the executive functions of the agency, and there is no overriding public interest in its release. BPA cannot waive these redactions, as the PII protections afforded by Exemption 6 belong to individuals and not to the agency.

Lastly, as required by 5 U.S.C. § 552(a)(8)(A), information has been withheld only in instances where (1) disclosure is prohibited by statute, or (2) BPA foresees that disclosure would harm an interest protected by the exemption cited for the record. When full disclosure of a record is not possible, the FOIA statute further requires that BPA take reasonable steps to segregate and release nonexempt information. The agency has determined that in certain instances partial disclosure is possible, and has accordingly segregated the records into exempt and non-exempt portions.

Fees

There are no fees associated with processing your FOIA request.

Certification

Pursuant to 10 C.F.R. § 1004.7(b)(2), I am the individual responsible for the records search and information release and exemption determinations described above. Your FOIA request BPA-2021-00875-F is now closed with the responsive agency information provided.

Appeal

The adequacy of the search may be appealed within 90 calendar days from your receipt of this letter pursuant to 10 C.F.R. § 1004.8. Appeals should be addressed to:

Director, Office of Hearings and Appeals
HG-1, L’Enfant Plaza
U.S. Department of Energy
1000 Independence Avenue, S.W.
Washington, D.C. 20585-1615

The written appeal, including the envelope, must clearly indicate that it is a FOIA appeal. You may also submit your appeal by e-mail to OHA.filings@hq.doe.gov, including the phrase “Freedom of Information Appeal” in the subject line. (The Office of Hearings and Appeals prefers to receive appeals by email.) The appeal must contain all the elements required by 10 C.F.R. § 1004.8, including a copy of the determination letter. Thereafter, judicial review will be available to you in the Federal District Court either (1) in the district where you reside, (2) where you have your principal place of business, (3) where DOE’s records are situated, or (4) in the District of Columbia.

Questions about this communication may be directed to BPA FOIA Public Liaison Jason E. Taylor at 503-230-3537 or jctaylor@bpa.gov. Additionally, you may contact the Office of Government Information Services (OGIS) at the National Archives and Records Administration

to inquire about the FOIA mediation services they offer. The contact information for OGIS is as follows:

Office of Government Information Services
National Archives and Records Administration
8601 Adelphi Road-OGIS
College Park, Maryland 20740-6001
E-mail: ogis@nara.gov
Phone: 202-741-5770
Toll-free: 1-877-684-6448
Fax: 202-741-5769

Questions about this communication may be directed to the FOIA Public Liaison Jason Taylor at jetaylor@bpa.gov or 503-230-3537. Questions may also be directed to Thanh Knudson, Flux Resources LLP, at etknudson@bpa.gov or 503-230-5221.

Sincerely,



Candice D. Palen
Freedom of Information/Privacy Act Officer

[Responsive agency information accompanies this communication.](#)

Selections Made

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

Vacancy number: DOE-BPA-20-13793-MP,
Certificate number: DOE-BPA-20-13793-MP-NC-00-TFLE- Keizer
Position: High Voltage Electrician - OPEN CONTINUOUS ANNOUNCEMENT 2810-C Bonneville
Power Administration - BB
Location: Keizer, OR, US

Date Certificate Issued: 01/15/2021
Date Certificate Expires: 02/14/2021
Certificate issued by: Gary Skaggs, Jr.

Selecting Official must annotate certificate selection using the codes contained in
the HR Admin module.

Series: 2810-C

Grade: 00

AMACHER, JEFF

MIDX: 003021684

(b)(6)




EOD:
05/09/202
1

(b)(6)



MIDX: 003128742

(b)(6)



MIDX: 003151456

MIDX: 003245898

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

Indicate selectee and provide justification. If no selection is made from this certificate, provide a reason.

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-13793-MP
Position Title: High Voltage Electrician - OPEN CONTINUOUS ANNOUNCEMENT
Staging Area Number: SA-BPA-0004
Name: JEFF AMACHER

Name: JEFF D AMACHER
SSN: ***-**-****
MIDX: 003021684
Address1: (b)(6)
Address2:
City: (b)(6)
State: (b)(6)
Country: (b)(6)
Post Code: (b)(6)
Plus4:
Telephone 1: Mobile: (b)(6)
Email: (b)(6)
United States Citizen: Y
Veterans' Preference: (b)(6)
Military Service Dates (Start of Service - End of Service):
Location(s) Applied to: Hillsboro, OR(US); Keizer, OR(US)
Series Applied To: 2810-C

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents	No document submitted	
2	DD214 (Applicant)	No document submitted	
3	Other Documentation (applicant)	Preformance awards	UPLOAD
4	SF15 (Applicant)	No document submitted	
5	SF50 (Applicant)	No document submitted	
6	VA Letter (Applicant)	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

1. Yes

1.1. By what agency or department are you employed? Note: Employees of any Power Marketing Administration, including Bonneville Power Administration, must select 'U.S. Department of Energy'

Answers:

2. A Federal agency or department outside the Department of Energy

1.2. If you selected "A Federal agency or department outside the Department of Energy", please enter the agency and organization.

Answers: Department of the Interior, Bureau of Reclamation

1.3. If you are a current Federal employee, what is your duty station? List City and State, or enter "NA" if not applicable.

Answers: Shasta Lake California

1.4. If you are a current Federal employee, under what type of appointment are you serving?

Answers:

1. Permanent Career, Competitive Service

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

1.5. Are you a Federal employee who has been displaced or surplusd? For more information

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

on career transition programs,click here.

Answers:

3. Not applicable

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

8. BB / BS / BL - Negotiated Pay for BPA Employees

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

17. 00 (Federal Wage System)

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: Present

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: NA

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority?
Note: Please see the OPM Hiring Authorities website ([click here](#)) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

2. No

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please [click here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Hillsboro, OR(US)

Keizer, OR(US)

What Grades do you wish to apply to?

**Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER**

00

Grade: 00

1. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position. Your resume **MUST** support your claims otherwise you may receive a lowered or ineligible rating.

Answers:

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations regarding performance of the following duties: maintaining, installing, modifying, calibrating and repairing of; electrical sub-stations, power generation/ transmission / distribution equipment and systems at 115,000 to 500,000 volts while being the person who is the "clearance holder" (process for safely isolating equipment from the power system) for said equipment.

2. Applicants must possess at appointment, and maintain thereafter, a valid U.S. State issued Motor Vehicle Operator License (Driver's License) in order to drive and operate U.S. government owned and leased vehicles and equipment. If selected, you will be required to provide a copy of your non-employment driving abstract dated within the last 90 days, and covering the previous 36 months to prove you have good indication of driving. Traffic citations indicating poor driving habits may disqualify applicants. Note: Once employed the incumbent will also be required to provide proof of a valid commercial driver's license (CDL) with all endorsements that are required to operate substation maintenance and construction equipment from the state of residence within 120 days after appointment.

Answers:

1. Yes, I possess a current, valid driver's license. I am willing and able to operate motor vehicles and equipment when required. I have or am willing to obtain and maintain for the duration of my employment the appropriate license.

3. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (11,000 to 500,000 volts).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

3.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014

4. Repair or replace transmission or generation equipment in substations, power generating facilities, transformer vaults, and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

4.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present
John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014

5. Operate equipment such as bucket trucks, aerial booms, digger derricks, winches/capstan used in installations and repairs.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

5.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present
John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014
Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

6. Install, maintain and trouble shoot Substation emergency generators.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

6.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present

7. Apply an understanding of electrical safety practices such as: Fall protection, Hazardous Energy Control (HEC), Arc Flash, confined space entry, and grounding in the performance of daily duties.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

7.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present
John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014
Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

8. Analyze data collected from electronic test equipment such as, Doble Power Factor test set, Doble Power Circuit Breaker timing analyzers, and meggers etc. to determine the condition and/or extent of repairs needed

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

9. Testing and analyzing operating performance of electrical equipment (e.g., transformers, regulators, circuit breakers in substations) to recognize system malfunctions.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

9.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present

10. Determine types and sizes of wires, cables, conduits, transformers, and other electrical equipment and circuit elements based on guidance contained in the National Electric Safety Code.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

10.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

11. Test high voltage equipment such as transformers, regulators, cables, switches, circuit breakers, mechanical and electronic recording instruments to ensure proper operation using a Power Factor test set, Circuit Breaker Analyzer, Megger and Millivolt Drop Test set and various other testing equipment.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

11.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

12. Maintain and repair electric power-controlling equipment such as switch gear, transformer banks, and circuit breakers in substations and power-generating facilities.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am**

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

called on to do unusually difficult jobs. then answer the following questions.

12.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

13. Repair and modify items including bushings, motors, and other miscellaneous electrical items to prepare for use in testing equipment performance.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

13.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014

14. Construct and install all types of conduits. Pull in conductors, assemble bus bars, phase and connect conductors.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

14.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

15. Interpret blueprints of high voltage interconnects such as generators, buses, switches, and circuit breakers to diagnose problems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

15.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

16. Use circuit diagrams to complete installation, modification, and repair on 11,000 to

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

500,000 volt distribution systems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

16.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

17. Use schematic, wiring and one-line diagrams to install and trouble shoot electrical circuits and devices on low and high voltage control boards, alarm monitoring systems, circuit panels, metering and relay racks and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

17.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

18. Follow instructions to identify what circuit you are working on (e.g., air switches, primary risers, and secondary risers).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

18.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014

19. Use computerized diagnostic and digital test equipment as part of high voltage 11.000 to 500,000 volt electrical system maintenance and troubleshooting.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

20. Modify mechanical contacts and time-delay intervals of circuit breakers and relays using microprocessor programming equipment.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

**Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER**

21. Operate a wide variety of electrical tools such as: conduit benders, pipe threader, drills, hole saws and metal fabrication tools in performing electrical installations.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

21.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

22. Operate tools including assorted hand tools, air, electric and hydraulic power tools to repair and maintain electrical equipment to perform at peak capacity.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

22.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

23. Use hot-line tools and protective equipment (e.g. hot sticks, standoffs, insulated hoods/covers and tools, rubber gloves, sleeves, insulating blankets).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

23.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

24. Troubleshoot malfunctions with complex electrical equipment (e.g., Transformers, Power Circuit Breakers, load interrupters, reclosers, Series and Shunt Capacitor banks and similar equipment to determine corrective actions.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

24.1. Where in your resume can the information be found to support your answer to the

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

25. Diagnose commonly encountered problems such as locating defective switches or blown high voltage fuses.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

25.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

26. Troubleshoot bus and underground high voltage cable systems to locate shorts, grounds, cable breaks, etc. on circuits from 120 to 13,800 volts.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

26.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

27. Troubleshoot high and low voltage circuits to locate and correct the causes of faults or outages.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

27.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: Shasta Dam, Bureau of Reclamation, 2810 Electrician (Power Systems) 7/2014 - Present John Day Dam, Army Corp of Engineers, 2810 Journeyman Electrician I-Grade 6/2013 - 7/2014 Benton Electric, Journeyman Electrician, 6/2002 - 6/2013

28. I have worked from aerial lift equipment.

Answers:

1. Yes

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

29. I have been trained in the use and disposal of hazardous materials (e.g., lead, asbestos).

Answers:

1. Yes

30. I have installed electrical protective guards or barriers and Portable Protective Grounds for personal protection.

Answers:

1. Yes

31. I have utilized protective clothing and apparatus when in energized facilities and climbing structures.

Answers:

1. Yes

32. I have used fall protection equipment.

Answers:

1. Yes

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answers:

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answers:

1. I am a current federal employee, my last performance rating was at least fully successful or equivalent, or higher.

3. If you are a current federal employee list any incentive awards you received in the last three years.

Answers: Time off awards the last 5 years. Star Award for Achievement \$500 from 10/01/18 to 04/01/19.

4. If you are eligible for non-competitive appointment under a special appointing authority please select all that apply:

Answers:

5. None of the above, this does not apply to me

5. Please tell us how you heard about this job.

Answers:

6. I searched the USAjobs website

Resume

Jeff D Amacher

(b)(6)

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

Country of Citizenship: United States

Availability: Job Type: Permanent

Work Schedule: Full-Time

Work Experience: Bureau of Reclamation

07/2014 - Present

16349 Shasta Dam Boulevard

Salary: \$51.12 USD Per Hour

Shasta Lake, CA 96019 US

Hours per week: 40

Series: 2810

Pay Plan: BB

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Electrician (Power Systems)

Duties include perform the work of a Journeyman high voltage electrician in all 5 hydroelectric power plants, spillways, fish ladder, pumping plant, switch yards, and various commercial buildings. I am Job Lead certified and able to hold clearances for Hazardous Energy Control Procedures. I was the electrical Job Lead at Trinity power plant in charge of the unstacking and repair of generator 1. I am responsible for a crew of 4 electricians, 2 Communications and Instrumentation mechanics, and a 5 person crew electrical contractor. The scope of work includes repairs to unit 1 from the Carr Fire, upgrading the mercoid type protective devices with new resistive thermal devices (RTD's), replacing old basler type relays with new Schweitzer's, installing a shear pin indication system, replacing the DC buss work in control cabinets, supporting the replacement of our station service power transformers, and installation of a 250 kva backup generator. This includes coordinating with the mechanic crew, operations, and engineering to unstack the unit, up-date the prints, order materials, hold clearances, communicate safety procedures and production goals to both crews and management. With the help of 6 electricians I planned, coordinated and performed the work to replace the 230 KV, 115 KV and 9.6 KV GE Type U oil filled bushings on all 3 main transformers at Keswick power plant. This included creating Job Hazard Analysis documentation, holding a total plant outage clearance, identifying the lock out points, performing pre-job safety briefing for entire crew, coordinating the work of the rigging crew and the crane operator, ordering all materials needed for project, including the removal and replacement of 450 gallons of transformer oil. Worked with C&I's to perform Doble testing on power transformers, bushings, lighting arrestors. Replaced and calibrated electro-mechanical winding temperature gauges. I used Flir infrared thermography to check bushing and buss work for hot spots. Worked closely with C&I's to ramp test main generator stators and test protective relay systems including electro-mechanical and digital types. I used a bucket truck to install VHF base station, radio equipment, antenna system, uninterruptible power system, and solar charging system for the Sacramento river level gauging station. I perform annual preventive maintenance on battery banks including micro-ohmmeter (Ductor), hydrometer, temperature, and voltage readings. I helped get all our facilities back online after the Carr Fire of 7/2018. I hooked up portable generators to back feed station service, repaired the cabling for domestic water system, hi-potted the underground hi-voltage cable going into Keswick dam and checked for rotation after new poles and lines were installed. I have ran crews up to 4 people at Spring Creek Power Plant performing annual preventive maintenance on main generator units and all associated equipment and systems. I worked closely with engineering to upgrade the main unit governor systems at both Spring Creek and Keswick power plants to a hybrid electrical/mechanical system. Worked on the annual preventative maintenance crew for 144 KV generators 2, 3, and 5 at Shasta power plant. I have taken megger readings of motors, transformers, circuit breakers, and conductors. Tested and adjusted timing relays. Adjusted and tested, air blast power circuit breakers. Took oil samples from transformers for dissolved gas analysis testing. Assisted the Communication and Instrumentation electricians, (C&I's)

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

test and replace the crowbar circuit for main unit excitation systems on Unit 4, also dole test the 144 KV main generator's, the 115 KV and 230 KV transformers. Performed required NERC testing including protective relays, communication and annunciation systems. I worked on unit 2, 144 KV generator rewind at Spring Creek power plant, including unwiring, unstacking and reassembling the unit. I installed and wired new Resistive Thermal Devices, (RTU's). Replaced and troubleshoot Mercooid type 38 and 49 temperature and pressure type devices. Installed new 86 generator and 86 transformer differential relays at Keswick Power. Performed annual preventative maintenance on wound rotor motor type bridge crane and stop log crane. I worked on upgrading the power plant lighting to LED's and automating the system for energy savings. Took the lead to reinstate the circuit breaker maintenance program at Shasta. Objective to test, repair, and or upgrade all circuit breakers on the project including replacing obsolete panel boards. I have organized a circuit breaker repair shop and have started to upgrade our 480 volt station service circuit breakers to digital AC PRO overcurrent trip units. Trained fellow electricians on test equipment and procedures. Created spreadsheets to easily organize circuit breaker test results. Working with engineering department on setting trip curve parameters and new arc flash boundaries.

Army Corps of Engineers

06/2013 - 07/2014

Exit 109 Hwy 84

Salary: \$37.98 USD Per Hour

Rufus, OR 97050 US

Hours per week: 40

Series: 2810

Pay Plan: BB

Grade: I

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Journeyman Electrician I -Grade

Performed annual and 5-year P.M.'s on 500 KV transformers, 145KV main unit generators, digital governors, motors and motor control centers, navigation-lock systems, various crane systems, and spillways. Troubleshoot main generator start-up problems, motor controls, lighting systems, heating/ventilation/air conditioning (HVAC) systems, power circuit breakers, including SF-6 type. Used multimeters, meggers, dole test sets equipment to troubleshoot and perform various tests, on circuit breakers, motors, conductors, transformers, surge suppressors, generators. Used computerized test equipment to analyze opening and closing time characteristics of FS-6 type circuit breakers. Troubleshoot motor control equipment including tainter gate encoder and motor. Installed conduit used hand and powered conduit benders and threader. Work in various environments using ladders, fall protection, motorized man-lifts, boom trucks, forklift, winches/capstan, and crane trucks. Know and use hazardous energy control program, request clearances, perform power plant operations including starting, stopping and switching. Help train apprentices. Work closely with other trades, fellow electricians and engineers to complete assigned duties. Member of the John Day safety committee. Clearance holder and lead journeyman electrician on the following projects: Unstacking of main generator 6 overhaul, including AC and DC turbine bearing oil pump upgrade, turbine barrel LED lighting upgrade, performed complete wiring as-builts in generator control cabinet for new electronic governor upgrade. Test rotor and stator windings and isophase bus. Annual Navigation Lock preventive maintenance (P.M.) outage including installing temporary power distribution systems for lighting and welding, adjusting hydro ranger sonic liquid level device to lower overall water level, LED lighting upgrade pulling in new cable using man lifts Plan, layout, and install conduit and wiring for new gate position encoders. Perform P.M. on gate programmable logic controllers, and 13,800v transformer. Performed infrared testing on high voltage bushings and connections. ,

Benton Electric

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

06/2002 - 06/2013

34037 Exeter Rd

Salary: (b) (6)

Albany, OR 97321 US

Hours per week: 40

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Journeyman Electrician

Weyerhaeuser Albany, OR. Installed 12,470 volt power transformers and associated control wiring, raceways, and motor control centers for #3 paper winder. Performed annual preventive maintenance, (PMs) on 12,470 high-voltage distribution systems, including, transformers, feeders, power circuit breakers, and protective relay systems. Installed DC excitation controllers for power generators and associated Motor Control Center (MCC). Installed and maintained electrical systems for motors, Programmable Logic Controllers (PLC's), and Co-Generation power systems. Installed power electronics and instrumentation for 80% black liquor tank project including a 500 horsepower, 4160 volt motor with soft start motor control and Variable Frequency Drive, (VFD's) system, cable tray, computer interface controls, and digital processors. Installed conduit and wire for 4160 volt vacuum pump motors including high voltage termination kits. Equipment used include hand and power tools, megohm tester, multimeters analog and digital, signal generators, underground utility locator, laptop computers to troubleshoot Programmable Logic Controllers, and fiber optic cable splice kits. City of Oceanside, OR. \$22M waste water treatment plant. Duties include read and interpret engineering data, schematic diagrams, and blueprints, perform layout, install wiring systems, underground and above ground conduit systems, install main services, current transformers, transfer switches, main generators, voltage regulators, digital and analog meters, distribution panels, MCC's, instrumentation systems, lighting circuits, security systems, and data systems. Installed automation systems (PLC's and S.C.A.D.A), consisting of digital and analog I/O, to peripheral devices using various control signals. Programmed touch screens, VFD, and Uninterruptible Power Supply, (UPS) systems. Integrated HVAC controls with chemical lab ventilation system. Installed wave radar level indicators, Hydro Ranger level indicators, fiber optics, Ethernet, Remote Terminal Units (RTUs), telephone and data patch panels, electronic gate position indication, flow controls, modems, battery chargers, and inverters. Performed megohm testing, point-to-point, and function testing on all conductors and equipment. Update blueprints, write "As-Builts", prepare material lists, and order parts. Wastewater Treatment Facility Redmond, OR., \$10 million expansion and upgrade. Worked closely with engineers to install, program and troubleshoot new clarifier and aeration basins, including installation of underground utility vaults, duct banks, underground and above ground raceways, motors, MCC centers, disconnects, VFD's, wave radar level indicators, Hydro Ranger level indicators, PLC's, fiber optics, Ethernet, Supervisory Control and Data Acquisition (SCADA, also known as DACS), Remote Terminal Units (RTUs), telephone and data patch panels, electronic gate position indication, flow controls, security systems, modems, battery chargers, and inverters. Performed megohm testing for all installed conductors including motor windings. Programmed PLC's, data loggers, and the equipment they control using personal computers, laptops, and service tools. Silverton Hospital, Silverton, OR. Installed new 1 megawatt generator, governor system, voltage regulators, transfer switches, current and power transformers. Coordinated removal of old service equipment, and temporary power for emergency and life safety systems. Detroit Lake OR., City water supply system, Installed 7000+ feet of medium voltage cable. Made-up 4160 volt transformer boots and splice kits in junction boxes. Performed 5000 volt Meg-ohm tests. Installed new pumps and controllers. Photovoltaic system installation. Installed over 80 P.V. systems up to 100 KVA at 480 volt with excellent customer service leading to referral business. Help build relationships with growing solar companies. Was requested to install systems for the National Parks Service at Grand Coulee Dam and Ft. Spokane WA., Redwoods National Forest Headquarters and for VA hospitals at Mare Island CA. and Buffalo, NY. West Eugene Heated Storage Units Eugene, OR. Designed and built the power and lighting systems for 11 commercial buildings. Including

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

main service and power distribution system, exterior signs and control circuits with protective relay systems, used digger derrick to install parking lot light poles, security monitoring, security gates with remote entry control, computer and printer setup, and heating and cooling power and control wiring. South Lane Mental Health Facility, Cottage Grove, OR. \$1.2M remodel, Leading a 4 Journeyman crew, coordinated work schedules to accommodate patient treatment during construction including swing and night shift. Brought existing buildings up to current electrical codes. Installed new fire alarm system, security system, lighting, power, and voice over I.P. (internet protocol) telephone system.

Sony Disc Manufacturing

04/1997 - 06/2002

123 International Way

Salary: (b)(6)

Springfield, OR 97477 US

Hours per week: 48

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Manufacturing Technician

As a Manufacturing Technician I worked in the molding, printing, packaging, ink mixing, and the warehouse. Duties included installation, troubleshooting, diagnostic evaluation, repair, calibration, modifying, scheduled and unscheduled maintenance of high speed compact disc manufacturing equipment. My responsibilities included power distribution equipment from main distribution panels, sub-panels, backup generators, uninterrupted Power Supplies (UPS) systems, voltage regulators, current limiters, battery chargers, solid state power supplies, Programmable Logic Controllers (PLCs), and Motor Control Centers (MCCs). Software modification and maintenance for robotic conveyor system, including real-time computer control. Troubleshoot Data Acquisition and Control Systems for high speed digital inspection systems. Monitor and adjust for power factor correction. Install, troubleshoot, and modify indexing systems including, digital processors, digital communication, sequential events recorders, and rotational position transducers. Knowledge of 4-20ma, 0-24vdc, and fiber optics. Used multimeters and oscilloscopes, to monitor and troubleshoot high speed compact disc inspection equipment, repair and replace control cards and control circuitry in computer controlled equipment. Maintained both AC and DC drive motors, transformers, high voltage circuit breakers, shunt trip disconnects, digital time clocks, and electro-mechanical relays. Used schematic, ladder, and one-line diagrams to troubleshoot and repair complex electrical and electronic systems. Troubleshoot and calibrate photo optic sensors, encoders, digital counters, electro-mechanical valves, temperature probes and thermostatic control, rotational position transducers. Installed mechanical gear boxes, hydraulic systems including pumps, actuators and accumulators, pneumatic systems including pumps, actuators, switches, and control valves, vacuum systems, and conveyor systems. Performed daily, weekly, monthly, preventive maintenance and unscheduled maintenance on all equipment. Worked closely with engineering to design and build training center including fabrication. Designed and built flow bench to test rebuilt pneumatic valves, actuators, and pumps to reduce down time. Designed and implemented oil testing program to track gearbox wear to prevent unexpected failure. Responsible for ordering material, inventory reports, utilizing preventive maintenance programs, attending regular safety and production meetings.

Education: Electrical Apprenticeship Program International Brotherhood Of Electrical Workers Local 280

Tangent, OR US

Technical or Occupational Certificate - 05/2007

Relevant Coursework, Licensures and Certifications:

Earned: Oregon General Journeyman Electrician License. Five year program strong emphasis on electrical theory.

Bonneville Power Administration
All Applicant Data Report
Name: JEFF AMACHER

Lane Community College

Eugene, OR US

Associate's Degree - 06/1998

214 Semester Hours

GPA: 3.46

Relevant Coursework, Licensures and Certifications:

Associate of Science Aviation Maintenance Associate of Arts: Oregon Transfer Degree

General Aviation Maintenance Air frame and Power Plant License, # 541110081 1997-present

Job Related Training: Power System Operations for Maintenance by EPTC-WAPA (3-2019) 40 hrs. Doble Testing (9-2016) 30 hrs. Circuit Breaker Maintenance (2-13-2015) 40 hrs. Arc Flash Training (2014,2015) 32 hrs. Transformers (2-9-2013) 8hrs. Calculation & Code for Supervisors (7/21/2011) 24 hrs. Fiber Optics (2/20/2010) 8 hrs. National Electric Code Change (2008, 2011, 2013,2016,2019) First Aid/CPR (10/22/2007, 2013,2014,2015,2019) Confined Work Space Training (6/02/2007) E-70 and Arc Fault Electrical safety (6/02/2007,2019) OSHA 10 hour Job Site Safety (9/23/2002) 10 hrs. Low Voltage Electrical Safety (2/04/2000) 40 hrs. Analytical Troubleshooting (7/19/1998) 20 hrs. Servo Motor Control (6/19/1998) 40 hrs.

Languages: English

Spoken: Advanced

Written: Advanced

Read: Advanced

Announcement Number: DOE-BPA-20-13793-MP

Document Name: SF50 (Applicant)

Name: AMACHER, JEFF

AIDX: 3021684

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document SF50 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-MP

Document Name: DD214 (Applicant)

Name: AMACHER, JEFF

AIDX: 3021684

Telephone 1: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document DD214 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-MP

Document Name: Other Documentation (applicant)

Name: AMACHER, JEFF

AIDX: 3021684

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

**UNITED STATES DEPARTMENT OF THE INTERIOR
RECOMMENDATION AND APPROVAL OF AWARDS**

Agency/Bureau DOI / Bureau of Reclamation		Name Of Employee (Last, First, Middle Initial) Amacher, Jeffery	
Social Security No. (b)(6)	Position Title Electrician Power System	Pay Plan-Series/Grade/Step BB-2810-00/00	
Duty Station NCAO	Period Covered For Award (MM/DD/YY) From: 10/01/18 To: 04/01/19		Cost Center RR02341300
Fund Code XXXR4524KK	Functional Area	Work Order	WBS (Project Code) RX.42129323.1100000

COMPLETE THE APPROPRIATE AWARD SECTION BELOW

MONETARY AWARD:

Performance-Based Cash Award

Exceptional (Level 5) Performance Rating \$ _____ or % _____

Superior (Level 4) Performance Rating \$ _____ or % _____

Quality Step Increase
(Exceptional (Level 5) Performance Rating Required)

Star (Special Thanks for Achievement) Award \$ 500.00

Productivity Improvement Award \$ _____

Invention/Patent Award \$ _____

NON-MONETARY AWARD:

Time-Off Recognition
 Number of Hours: _____

Non-Monetary Recognition
 Cash Value of \$ _____

HONOR AWARD: (Requires third signature block, Reviewing Official, Denver Office)

Distinguished Service Award

Partners in Conservation Award

Valor Award

Outstanding Service Award

Meritorious Service Award

Unit Award for Excellence of Service

Superior Service Award

Exemplary Act Award

Citizen's Award for Exceptional Service Award

Citizen's Award for Bravery

Other Award _____

BUREAU-SPECIFIC AWARD:
Name of Award: _____

It is the policy of the Department to ensure that consideration for awards is made without regard to race, color, national origin, religion, sex, age, marital status, disability, or other non-merit factors. Information on this form is protected by the Privacy Act. Disclosure may be made only to authorized persons according to Title 5 U.S.C. Section 552a(b).

DI-451
BOR - Rev. 8/1/14

RECOMMENDATION AND APPROVAL

Recommending Individual – Name/Title (Print) Marie Gonnella, Administrative Officer	(Signature) (b)(6)	Date 5/31/2019
Reviewing Official – Name/Title (Print)	(Signature)	Date
Reviewing Official, Denver Office – Name/Title (Print)	(Signature)	Date
Reviewing Official – Name/Title (Print)	(Signature) (b)(6)	Date
Approving Official – Name/Title (Print) Elizabeth Hadley, Acting Area Manager	(Signature) (b)(6)	Date 6/3/19

CONVOCAION HONOR AWARD REVIEW APPROVAL

HR Review of Official Personnel Folder (Signature)	Date	Finding
Bureau/Regional Office of Civil Rights (Signature)	Date	Finding
Department Office of Civil Rights (Signature)	Date	Finding
Office of Inspector General (Signature)	Date	Finding
Office of the Solicitor (Signature)	Date	Finding

JUSTIFICATION

Summary of Accomplishments/Contributions Being Recognized by Award

Jeffery Amacher has worked hard to help accomplish the goals set this year for the Electrical Branch. His contributions have notably increased proficiency, resulting in projects being completed efficiently and prior to project deadlines. Jeffery has gone above and beyond to make his safety and the safety of his co-workers a top priority. He has done this by bringing to the attention of management, any deficiencies noticed when reviewing JHAs and when starting new projects.

Jeffery's dedication, commitment, and outstanding performance is greatly appreciated. His ongoing commitment to the success of the organization and his positive attitude help drive our vision to be an outstanding department. We thank Jeffery for all his hard work, patience, help, and support. His contributions are greatly appreciated and worth recognizing.

19-1238585

It is the policy of the Department to ensure that consideration for awards is made without regard to race, color, national origin, religion, sex, age, marital status, disability, or other non-merit factors. Information on this form is protected by the Privacy Act. Disclosure may be made only to authorized persons according to Title 5 U.S.C. Section 552a(b).

DI-151

BOR - Rev 8/1/14

RECOMMENDATION AND APPROVAL OF AWARDS
This form is used to approve and recommend awards for Department of the Interior Employees
Please fill out the appropriate section.

Employee Information

Bureau/Office NCAO Name of Employee Amacher, Jeffrey
Social Security Number _____ Position Title Electrical Maintenance
Pay Plan/Series/Grade/Step BL-2810 Duty Station Shasta Lake
Period Covered for Award (MM/DD/YY to MM/DD/YY) 10/1/18 to 9/30/19

Monetary Award

- Performance-Based Cash Award
 - Outstanding (Level 5) Performance Rating \$ _____ or _____ %
 - Exceeds Expectations (Level 4) Performance Rating \$ _____ or _____ %
 - Fully Successful (Level 3) Performance Rating \$ _____ or _____ %
- Quality Step Increase (Level 5 Performance Rating Required)
- STAR (Special Thanks for Achieving Results) Award \$ _____
- Productivity Improvement Award \$ _____
- Historic Preservation Award \$ _____
- Invention/Patent Award \$ _____

Non-Monetary Award

- Time-Off Recognition: Performance-Based or Non-Performance Based
 - Number of Hours 38 hours
- Non-Monetary Recognition: Cash Value \$ _____

Honor Awards

- Aviation Safety Award
- Citizen's Award for Bravery
- Citizen's Award for Exceptional Service
- Departmental Unsung Hero Award
- Distinguished Service Award
- Exemplary Act Award
- Meritorious Service Award
- Outstanding Service Award (for Political Appointees)
- Natural Resource Conservation Achievement Award
- Partners in Conservation Award
- Safety and Health Award of Excellence
- Superior Service Award
- Unit Award for Excellence of Service
- Valor Award
- Other Award: _____
- Bureau Specific Award Name: _____

Recommendation and Approval

Recommending Individual (Signature) _____ Date _____
Name/Title (Print) _____

Reviewing Individual (Signature) _____ Date _____
Name/Title (Print) _____

Approving Individual (Signature) (b)(6) Date 12/16/2019
Name/Title (Print) Donald Bader, Area Manager

Announcement Number: DOE-BPA-20-13793-MP

Document Name: VA Letter (Applicant)

Name: AMACHER, JEFF

AIDX: 3021684

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

August 17, 2021

Document VA Letter (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-MP

Document Name: SF15 (Applicant)

Name: AMACHER, JEFF

AIDX: 3021684

Telephone 1: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document SF15 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-MP

Document Name: Additional Veteran Documents

Name: AMACHER, JEFF

AIDX: 3021684

Telephone 1: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document Additional Veteran Documents was not submitted

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13656BL
Job Opening # 13656 Status 030 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)	Broadus Jr, James E	Electrician EOD: 1/5/2020	Vancouver	



Received
10/7/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 10-3-2019	2. Applicant Name (Last, First, Middle) Broadus James Earl	
3. Current Job Title (Including Step) Construction Electrician	4. Work Phone Number Same	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Vancouver	7. Mail Stop TFHE-CSB-1
8. BPA E-Mail Address jebroadus@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610					
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		X
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED)					
BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407 The Dalles (Celilo)			SUBSTATION OPERATOR, BB 5407 (cont) WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407 The Dalles (Celilo)			Spokane (Bell)		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407 The Dalles (Celilo)			Usk		
			Vancouver (Ross)		
			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUIP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		



3/12/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 3-12-19	2. Applicant Name (Last, First, Middle) Broadus James Earl	
3. Current Job Title (Including Step) Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station TFHE-CSB1 SUCH	7. Mail Stop TFHE-CSB1
8. BPA E-Mail Address jebroadus@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)	X	X
WASHINGTON			Vancouver (Complex)	X	X
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED)					
BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		

Bonneville Power Administration
DELEGATED EXAMINING CERTIFICATE

{C}Vacancy: DOE-BPA-20-13793-DE, Certificate: DOE-BPA-20-13793-DE-00-TFLE-
Keizer{/C}
{C}Position: High Voltage Electrician - OPEN CONTINUOUS ANNOUNCEMENT 2810-C
Bonneville Power Administration - BB{/C}
Location: Keizer, OR, US

Date Certificate Issued: 01/15/2021
Date Certificate Expires: 02/14/2021
Certificate issued by: Gary Skaggs, Jr.

In accordance with 5 USC 3319(B), you may not pass over a preference eligible to
select a lower-ranking non-preference eligible.
Selecting Official must annotate selection using the appropriate codes as listed in
the HR Admin module.

Series: 2810-C

Grade: 00

(b)(6)

MIDX: 003151456

(b)(6)

CONNERLY, DAMON

MIDX: 003196840

(b)(6)

EOD:
04/11/202
1

Indicate selectee and provide justification. If no selection is made from this
certificate, provide a reason.

1{/R}

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-13793-DE
Position Title: High Voltage Electrician - OPEN CONTINUOUS ANNOUNCEMENT
Staging Area Number: SA-BPA-0004
Name: DAMON CONNERLY

Name: DAMON CONNERLY
SSN: ***-**-****
MIDX: 003196840
Address1: (b)(6)
Address2:
City: (b)(6)
State: (b)(6)
Country: (b)(6)
Post Code: (b)(6)
Plus4:
Telephone 1: Mobile: (b)(6)
Email: (b)(6)
United States Citizen: Y
Veterans' Preference: (b)(6)
Military Service Dates (Start of Service - End of Service):
Location(s) Applied to: Hillsboro, OR(US); Keizer, OR(US)
Series Applied To: 2810-C

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents	No document submitted	
2	DD214 (Applicant)	No document submitted	
3	Other Documentation (applicant)	No document submitted	
4	SF15 (Applicant)	No document submitted	
5	VA Letter (Applicant)	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

2. No

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

10. Not applicable - I have never been a federal employee

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

18. Not applicable - I have never been a Federal employee

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply

Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY

to you.

Answers: NA

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: NA

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

1. Yes

14.1. You indicated that DOE employs a relative. Please list the full name of each relative, their relation to you, and the agency or office where they are employed.

Answers:

(b)(6) Sister in law US DOE RL Richland Operations Office

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click [here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Hillsboro, OR(US)

Keizer, OR(US)

What Grades do you wish to apply to?

00

Grade: 00

1. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position. Your resume **MUST** support your claims otherwise you may receive a lowered or ineligible rating.

Answers:

2. I have performed the majority of the following duties with minimal supervision, with help from the supervisor on more complex tasks such as: maintaining, installing, modifying, calibrating and repairing of; electrical sub-stations, power generation/transmission/distribution equipment and systems at 69,000 to 500,000 volts while working under the protection of a clearance (process of safely isolating power system equipment from the power system).

2. Applicants must possess at appointment, and maintain thereafter, a valid U.S. State issued Motor Vehicle Operator License (Driver's License) in order to drive and operate U.S. government owned and leased vehicles and equipment. If selected, you will be required to provide a copy of your non-employment driving abstract dated within the last 90 days,

Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY

and covering the previous 36 months to prove you have good indication of driving. Traffic citations indicating poor driving habits may disqualify applicants. Note: Once employed the incumbent will also be required to provide proof of a valid commercial driver's license (CDL) with all endorsements that are required to operate substation maintenance and construction equipment from the state of residence within 120 days after appointment.

Answers:

1. Yes, I possess a current, valid driver's license. I am willing and able to operate motor vehicles and equipment when required. I have or am willing to obtain and maintain for the duration of my employment the appropriate license.

3. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (11,000 to 500,000 volts).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

3.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE at the Chemawa district July 2018-present. Remove 230kv oil breaker at Santiam substation due to leaking bushing and replace with 230kv Mitsubishi breaker.

4. Repair or replace transmission or generation equipment in substations, power generating facilities, transformer vaults, and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

4.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: PAR Electric as Foreman between August 2015 and June 2018 on various projects including removal and installation of new arrestors, PTs, and switches at Chemawa, Monmouth, Burnt Woods. New relay racks at Pearl, Alvey, Albany, Santiam, Marion, Salem.

5. Operate equipment such as bucket trucks, aerial booms, digger derricks, winches/capstan used in installations and repairs.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

5.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE at Chemawa district working with TFLE July 2018-present. PAR as journeyman electrician and foreman from August 2015 to June 2018.

6. Install, maintain and trouble shoot Substation emergency generators.

**Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY**

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

6.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE in the Chemawa district from July 2018-present. PAR as a journeyman electrician and foreman from August 2015 to June 2018.

7. Apply an understanding of electrical safety practices such as: Fall protection, Hazardous Energy Control (HEC), Arc Flash, confined space entry, and grounding in the performance of daily duties.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

7.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC Company with Chemawa TFLE July 2018 to present. Reactor/Transformer complete services involving working on top of structures, confined entry for tap changer services. PAR as a journeyman electrician and foreman from August 2015 to June 2018.

8. Analyze data collected from electronic test equipment such as, Doble Power Factor test set, Doble Power Circuit Breaker timing analyzers, and meggers etc. to determine the condition and/or extent of repairs needed

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

8.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC Company with Chemawa TFLE July 2018 to present. Perform testing of breakers, transformers, and reactors utilizing Doble test equipment. Use of meggers. Millivolt drop tests. Analyze data to determine if breakers operate within specifications.

9. Testing and analyzing operating performance of electrical equipment (e.g., transformers, regulators, circuit breakers in substations) to recognize system malfunctions.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

9.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be

Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY

sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC Company with Chemawa TFLE July 2018 to present. Perform diagnostic and routine service utilizing test equipment to ensure proper functionality of breakers, transformers, disconnects, capacitors, and regulators and make any repairs needed.

10. Determine types and sizes of wires, cables, conduits, transformers, and other electrical equipment and circuit elements based on guidance contained in the National Electric Safety Code.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

10.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC Company with Chemawa TFLE July 2018 to present. As foreman for PAR from August 2015 to June 2018. Foreman at McKinstry Feb. 2014 to July 2014. Foreman at Magnum Electric June 2017 to Dec. 2013.

11. Test high voltage equipment such as transformers, regulators, cables, switches, circuit breakers, mechanical and electronic recording instruments to ensure proper operation using a Power Factor test set, Circuit Breaker Analyzer, Megger and Millivolt Drop Test set and various other testing equipment.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

11.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC Company with Chemawa TFLE July 2018 to present. Perform testing of breakers, transformers, and reactors utilizing Doble test equipment, meggers, millivolt drop test, power factor.

12. Maintain and repair electric power-controlling equipment such as switch gear, transformer banks, and circuit breakers in substations and power-generating facilities.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

12.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC Company with Chemawa TFLE July 2018 to present. Perform diagnostic and routine service utilizing test equipment to ensure proper functionality of breakers, transformers, disconnects, capacitors, and regulators and make any repairs needed.

13. Repair and modify items including bushings, motors, and other miscellaneous electrical

**Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY**

items to prepare for use in testing equipment performance.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

13.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE at the Chemawa district from July 2018-present.

14. Construct and install all types of conduits. Pull in conductors, assemble bus bars, phase and connect conductors.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

14.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as a CFTE working with TFLE at the Chemawa district. As foreman for PAR from Aug. 2014 to Feb. 2015 and August 2015 to June 2018. Foreman at McKinstry Feb. 2014 to July 2014. Foreman at Magnum Electric June 2017 to Dec. 2013.

15. Interpret blueprints of high voltage interconnects such as generators, buses, switches, and circuit breakers to diagnose problems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

15.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE at the Chemawa district from July 2018-present. PAR as a journeyman electrician and foreman from August 2015-June 2018.

16. Use circuit diagrams to complete installation, modification, and repair on 11,000 to 500,000 volt distribution systems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

16.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE at the Chemawa district from July 2018-present. As foreman for PAR from August 2015 to June 2018. Removing and Installing CTs, PTs, Switches,

**Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY**

relay racks, and battery racks at Chemawa, Pearl, Monmouth, Burnt Woods.

17. Use schematic, wiring and one-line diagrams to install and trouble shoot electrical circuits and devices on low and high voltage control boards, alarm monitoring systems, circuit panels, metering and relay racks and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

17.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE at the Chemawa district from July 2018-present. As foreman for PAR from August 2015 to June 2018.

18. Follow instructions to identify what circuit you are working on (e.g., air switches, primary risers, and secondary risers).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

18.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC working as CFTE with TFLE at the Chemawa district from July 2018-present. As a journeyman electrician and foreman for PAR from August 2015 to June 2018.

19. Use computerized diagnostic and digital test equipment as part of high voltage 11.000 to 500,000 volt electrical system maintenance and troubleshooting.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

19.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE at Chemawa July 2018 to present. Perform testing of breakers, transformers, and reactors utilizing Doble test equipment. Use of meggers. Millivolt drop tests. Power factor. TTR.

20. Modify mechanical contacts and time-delay intervals of circuit breakers and relays using microprocessor programming equipment.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

20.1. Where in your resume can the information be found to support your answer to the

Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY

question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE working with TFLE at the Chemawa district from July 2018-present.

21. Operate a wide variety of electrical tools such as: conduit benders, pipe threader, drills, hole saws and metal fabrication tools in performing electrical installations.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

21.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE from July 2018-present. PAR from August 2015-June 2018. 18 years as an Inside Wireman. Specifically for Magnum Electric, McKinstry, PAR, EC

22. Operate tools including assorted hand tools, air, electric and hydraulic power tools to repair and maintain electrical equipment to perform at peak capacity.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

22.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE from July 2018-present. PAR from August 2015-June 2018. 18 years as an Inside Wireman. Specifically for Magnum Electric, McKinstry, PAR, EC

23. Use hot-line tools and protective equipment (e.g. hot sticks, standoffs, insulated hoods/covers and tools, rubber gloves, sleeves, insulating blankets).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

23.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CFTE from July 2018-present. PAR from August 2015-June 2018.

24. Troubleshoot bus and underground high voltage cable systems to locate shorts, grounds, cable breaks, etc. on circuits from 120 to 13,800 volts.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

25. Troubleshoot high and low voltage circuits to locate and correct the causes of faults or outages.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to

Bonneville Power Administration
All Applicant Data Report
Name: DAMON CONNERLY

do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

25.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: EC as CTE from July 2018-present. PAR from August 2015-June 2018.

26. I have been trained in the use and disposal of hazardous materials (e.g., lead, asbestos).

Answers:

1. Yes

27. I have installed electrical protective guards or barriers and Portable Protective Grounds for personal protection.

Answers:

1. Yes

28. I have used fall protection equipment.

Answers:

1. Yes

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answers:

1. Yes

2. Are you eligible for non-competitive appointment under Schedule A- persons with intellectual, severe physical, or psychiatric disabilities?

Answers:

2. No

3. ES-00 Are you currently serving or have served in the last five (5) years in a Political Appointment in the Federal Government?

Answers:

2. No

4. Please tell us how you heard about this job.

Answers:

1. A BPA employee told me about it

Announcement Number: DOE-BPA-20-13793-DE

Document Name: VA Letter (Applicant)

Name: CONNERLY, DAMON

AIDX: 3196840

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document VA Letter (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-DE

Document Name: SF15 (Applicant)

Name: CONNERLY, DAMON

AIDX: 3196840

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

August 17, 2021

Document SF15 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-DE

Document Name: DD214 (Applicant)

Name: CONNERLY, DAMON

AIDX: 3196840

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document DD214 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-DE

Document Name: Other Documentation (applicant)

Name: CONNERLY, DAMON

AIDX: 3196840

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document Other Documentation (applicant) was not submitted

Announcement Number: DOE-BPA-20-13793-DE

Document Name: USJOBSResume

Name: CONNERLY, DAMON

AIDX: 3196840

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

August 17, 2021

Damon Connerly

(b)(6)

CAREER OBJECTIVE

Hard-working professional with 18+ years of experience and a proven knowledge of power systems, project planning, and equipment maintenance. Aiming to leverage my skills to successfully fill the Maintenance Electrician role at your company.

PROFESSIONAL EXPERIENCE

EC COMPANY 2121 NW THURMAN ST, Portland , OR

CFTE Journeyman Electrician, Jul 2018 - Present

- CFTE at the BPA Chemawa district with the TFLE crew.
- Perform diagnostic and routine services on 57kv, 115kv, 230kv, and 500kv SF6 and oily breakers. Services include millivolt drop tests, timing of breaker, low voltage trip, anti-pump, AC/DC transfer, alarm rundowns for sf6 gas and air, measuring spring travel, oil sampling, cleaning and inspecting of bushings.
- Complete services on MOD and manual switches for 35kv, 57kv, 115kv, 230kv, and 500kv. Tasks to include proper operation of switch and seating of blades into the harps, cleaning and lubrication, alignment of limit switches and contacts, alarm functionality, inspection and replacement of insulators as needed, replace ground straps as needed.
- Reactor service which involves removing and replacing oil, removing the radiators to clean and replace gaskets, replace line side bushings and draw leads, replace neutral bushings, power factor testing, replace all gaskets, replace bucholtz relay, replace temperature probes and calibrate.
- Transformer tap changer service to include transformer dry out and processing of oil, TTR testing and power factor, service of oil filtration units.
- Removal of 230kv oil breaker at Santiam substation due to leaking bushing and replace with new Mitsubishi 230kv breaker.
- Perform battery bank load test at Hebo substation and Adair substation.
- Adjust timing of breaker for velocity and speed of contact closing and opening.
- Removal and replacement of PTs
- Test Emergency Generators utilizing a load bank.
- Nozzle replacements for 500kv Mitsubishi breakers
- Inspect, repair, and replace capacitors
- Install, test, and replace batteries.
- Install and repair of ground grid.
- Troubleshooting of equipment by utilizing wiring diagrams, schematics, test equipment, manufacturers instruction books, one-line diagrams.
- Prior to performing any maintenance do a thorough job briefing to assess any safety concerns.
- Check for any voltage present before hanging personal protective grounds. Install PPGs
- 40 hrs a week average
- Use of Doble test equipment to test and analyze proper functionality of breakers.

PAR ELECTRIC 2340 INDUSTRIAL AVE, Hubbard , OR

Foreman Electrician, Aug 2015 - Jun 2018

- Ensure timely and accurate completion of projects awarded to Par Electric from BPA in numerous 500kv, 230kv, and 115kv substations.
- Planning and coordination of multiple crafts to ensure a safe and cohesive work environment.
- Erection of new towers, columns, and racks to support lines and equipment. Install new MODs and manual switches.

(b)(6)

- Install vaults, conduit banks, trench systems, ground grids.
- Pull new cables to all outdoor locations safely through vaults, tunnels, conduit, trench systems, and remove all retired cables and dispose of properly.
- Control house work to include removal of old racks and installation of new racks following proper drawings.
- Installation and termination of ORION racks and new wiring to all associated racks and devices.
- Install new battery racks, chargers, and new DC panels.
- Install new Yard panels for lighting, outlets, heaters.
- Perform safety watch.
- 50 hrs a week average

PREMIER ELECTRIC 275 AVERY AVE, STE C, Corvallis , OR

Electrician, Jun 2015 - Aug 2015

- Commercial and residential service work.
- 40 hrs a week average

PAR ELECTRIC 2340 INDUSTRIAL AVE, Hubbard , OR

Electrician, Aug 2014 - Feb 2015

- Work on an expansion project at the BPA Lower Monumental substation.
- Install new relay racks, pull cables, and terminate per print and T&E direction.
- Install new 500kv breakers and all associated wiring.
- Install new ground grid and repair any broken ground grid.
- Install new AC and DC yard service panels, yard lights, and 3-phase outlets.
- 50 hrs a week average

MCKINSTRY 16790 NE MASON ST, STE 100, Portland , OR

Foreman Electrician, Feb 2014 - Jul 2014

- 40 hrs a week average

MAGNUM ELECTRIC 1537 FOWLER ST SE, Richland , WA

Foreman Electrician, Jan 2002 - Dec 2013

- 40 hrs a week Average

EDUCATION

Western Baptist College

Salem, OR

Associate in Arts (A.A.) Business (May 1997)

CREDENTIALS AND LICENSES

- Wa state Licensed Journeyman Electrician
- OR state Licensed Journeyman Electrician
- Confined Space Certified through BPA
- OSHA 10

(b)(6)

Announcement Number: DOE-BPA-20-13793-DE

Document Name: Additional Veteran Documents

Name: CONNERLY, DAMON

AIDX: 3196840

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document Additional Veteran Documents was not submitted

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12828-00

Job Opening # 12828 Status 045 Type Bid List

Jobcode J00767 BB - 2810 - 00 Electrician

Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Vancouver	
(b)(6)	Cree, Mark J	Electrician	Vancouver	EOD: 7/22/2018
(b)(6)	McIntosh, Brian J	Electrician	Vancouver	EOD: 7/22/2018
(b)(6)		Electrician	Vancouver	



RECEIVED
 DEC 28 2017
 BY: _____

CALENDAR YEAR 2018 BID APPLICATION

1. Date 12-19-2017	2. Applicant Name (Last, First, Middle) Cree Mark J	
3. Current Job Title (Including Step) High voltage electrician sub maintenance	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Ross Vancouver Washington	7. Mail Stop TFVJ-AMPN-1
8. BPA E-Mail Address mjcree@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
 ATTN: Hourly Bids–NHQ-1
 PO Box 3621
 Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

RECEIVED
MAY 15 2018

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION, BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)			DISPATCHER, GENERATION (RELIEF) BB 5407		
Vancouver (DCC)			WASHINGTON		
			Spokane (MCC)		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			Vancouver (DCC)		
WASHINGTON			ELECTRICAL RIGGER, BB 5210		
Spokane (MCC)			ELECTRICAL RIGGER FOREMAN I, BL 5210		
Vancouver (DCC)			ELECTRICAL RIGGER FOREMAN II, BS 5210		
			WASHINGTON		
DISPATCHER, ASSISTANT I, BB 5407			Vancouver (Cons. & Maint. Services)		
WASHINGTON					
Spokane (MCC)			ELECT MECH T & D CRAFTSMAN, BB 2801		
Vancouver (DCC)			ELECT MECH T & D TRAINEE, BB 2801		
			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM, BB-5407					
WASHINGTON			ELECTRICIAN (CONST & MAINT SVCS) BB 2810 ★		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Field)		
			Vancouver (Complex)	X	X
DISPATCHER, SENIOR SYSTEM BS 5407			Vancouver (High Voltage EQ Repair)	X	X
WASHINGTON			Vancouver (Transformer Crew)		
Spokane (MCC)					
Vancouver (DCC)			ELECTRICIAN FOREMAN I (CONST), BL 2810		
			WASHINGTON		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex, High Voltage EQ Repair)		
Spokane (MCC)					
Vancouver (DCC)					



[Handwritten signature]
12/14/17

CALENDAR YEAR 2018 BID APPLICATION

1. Date 12-8-2017	2. Applicant Name (Last, First, Middle) McIntosh, Brian, Joseph	
3. Current Job Title (Including Step) BB2910 Construction Electrician	4. Work Phone Number	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station ROSS complex Switchboard Shop TFHE-CSB-1	7. Mail Stop Switchboard Shop TFHE-CSB-1
8. BPA E-Mail Address BSMcIntosh@BPA.GOV	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids-NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION, BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)			DISPATCHER, GENERATION (RELIEF) BB 5407		
Vancouver (DCC)			WASHINGTON		
			Spokane (MCC)		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			Vancouver (DCC)		
WASHINGTON			ELECTRICAL RIGGER, BB 5210		
Spokane (MCC)			ELECTRICAL RIGGER FOREMAN I, BL 5210		
Vancouver (DCC)			ELECTRICAL RIGGER FOREMAN II, BS 5210		
			WASHINGTON		
DISPATCHER, ASSISTANT I, BB 5407			Vancouver (Cons. & Maint. Services)		
WASHINGTON					
Spokane (MCC)			ELECT MECH T & D CRAFTSMAN, BB 2801		
Vancouver (DCC)			ELECT MECH T & D TRAINEE, BB 2801		
			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM, BB-5407					
WASHINGTON			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Field)		
			Vancouver (Complex)		
DISPATCHER, SENIOR SYSTEM BS 5407			Vancouver (High Voltage EQ Repair)		
WASHINGTON			Vancouver (Transformer Crew)		
Spokane (MCC)					
Vancouver (DCC)			ELECTRICIAN FOREMAN I (CONST), BL 2810		
			WASHINGTON		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex, High Voltage EQ Repair)		
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810 ✎			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)	✕		Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)	✕		ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		



RECEIVED DEC 08 2017

[Signature]
12/14/17

CALENDAR YEAR 2018 BID APPLICATION

1. Date 12-8-2017	2. Applicant Name (Last, First, Middle) McIntosh, Brian, Joseph	
3. Current Job Title (Including Step) BB2910 Construction Electrician	4. Work Phone Number	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station ROSS complex Switchboard Shop TFHE-CSB-1	7. Mail Stop Switchboard Shop TFHE-CSB-1
8. BPA E-Mail Address BJMcIntosh@BPA.GOV	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), and
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids-NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810 ☆			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Cello)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)		X	Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)		X	ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Cello)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Cello)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13477BL

Job Opening # 13477 Status 030 Type Bid List

Jobcode J00767 BB - 2810 - 00 Electrician

Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)	Dananiani, Behzad	Electrician	Vancouver	EOD: 9/1/2019
(b)(6)		System Protection Control Craftsman 1	Spokane	
(b)(6)		Electrician	Port Angeles	



5/21/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 5/20/2019	2. Applicant Name (Last, First, Middle) DANANIANI, BEHZAD	
3. Current Job Title (Including Step) ELECTRICIAN	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station VANCOUVER, WA	7. Mail Stop TFVJ ROSS MHQA
8. BPA E-Mail Address bxdanariani@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610					
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)	✓	✓	Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
			Spokane (Bell)		
IDAHO			LINEMAN FOREMAN I, BL-2810 (CONT)		
Idaho Falls			Vancouver (Ross)		
MONTANA			IDAHO		
Kalispell			Idaho Falls		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			MONTANA		
WASHINGTON			Kalispell		
Spokane					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED)					
BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUIP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		

McClary,Vickie L (BPA) - NHQ-1

From: Dananiani,Behzad (BPA) - TFHE-CSB-1
Sent: Tuesday, May 21, 2019 6:33 AM
To: Hourly Bids; McClary,Vickie L (BPA) - NHQ-1
Cc: Sykora,Monica J (BPA) - TFVJ-ROSS MHQA
Subject: 2019 Bid list application
Attachments: 2019-Calendar-Year-Continous-Vacancy-Announcement-Hourly-Positions.doc

Good morning,

Please open the attached file to find the application.

Thank you.

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-R-Redmond

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-R-Redmond
Series: 2810
Total Score Transmutation: On

Status: Open, expired
Expiration Date: 03/02/2021

00

[Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** 02/1/2021 **Signed By:** (b)(6) on 02/01/2021 **Action:** Selection(s) made [Comments](#) [Email to HR](#)

Showing 1 to 1 of 1 applications

BULK ACTIONS



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
<input type="checkbox"/>	DE SCHWEINITZ, WILLIAM ALEXANDER			HIRE	HIRE		Selected	3	0.00	EOD: 3/14/2021	Actions

25 results per page | Page / 1

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-J00767m-BL-R
Position Title: Electrician (Maintenance)
Name: WILLIAM DE SCHWEINITZ

Name: WILLIAM A DE SCHWEINITZ
SSN: ***-**-
MIDX: 003193441
Address1: (b)(6)
Address2:
City: (b)(6)
State: (b)(6)
Country: (b)(6)
Post Code: (b)(6)
Plus4:
Telephone 1: Mobile - (b)(6)
Email: (b)(6)
United States Citizen: Y
Veterans' Preference: (b)(6)
Military Service Dates (Start of Service - End of Service):
(b)(6)
Location(s) Applied to: Goshen, OR(US); Redmond, OR(US)
Series Applied To: 2810

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)	No document submitted	
2	Armed Forces Ltr.	No document submitted	
3	DD-214_.	DD Form 214	USAJOBS
4	Last Two (2) Performance Appraisals	PerformancePlan10-31-2019	USAJOBS
5	Most Recent SF-50	No document submitted	
6	OF 306.	No document submitted	
7	Other.	No document submitted	
8	SF-15: Application of 10-Point Veteran Preference	No document submitted	
9	SF-50.	SF-50	USAJOBS
10	Transcript	No document submitted	
11	Additional documents	No document submitted	
12	DD-214: Certificate of Discharge or Separation	No document submitted	
13	Occupational Certification or Licensure	No document submitted	
14	SF-50: Notice of Personnel Action	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

1. Yes

1.1. By what agency or department are you employed? Note: Employees of any Power Marketing Administration, including Bonneville Power Administration, must select 'U.S. Department of Energy'

Answers:

1. U.S. Department of Energy

1.2. If you selected "A Federal agency or department outside the Department of Energy", please enter the agency and organization.

Bonneville Power Administration
All Applicant Data Report
Name: WILLIAM DE SCHWEINITZ

Answers: Bonneville Power Administration Transmission

1.3. If you are a current Federal employee, what is your duty station? List City and State, or enter "NA" if not applicable.

Answers: Port Angeles, WA

1.4. If you are a current Federal employee, under what type of appointment are you serving?

Answers:

1. Permanent Career, Competitive Service

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

1.5. Are you a Federal employee who has been displaced or surplusd? For more information on career transition programs,click here.

Answers:

3. Not applicable

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

8. BB / BS / BL - Negotiated Pay for BPA Employees

3.1. If you selected "Other", please list the Pay Plan. Enter "NA" if this does not apply to you.

Answers:

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

17. 00 (Federal Wage System)

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: Present

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: Journeyman level and pay

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Bonneville Power Administration
All Applicant Data Report
Name: WILLIAM DE SCHWEINITZ

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

10.1. Which Special Appointing Authority(ies) are you eligible for?

Answers:

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother,

Bonneville Power Administration
All Applicant Data Report
Name: WILLIAM DE SCHWEINITZ

stepsister, half-brother, or half-sister

Answers:

2. No

14.1. You indicated that DOE employs a relative. Please list the full name of each relative, their relation to you, and the agency or office where they are employed.

Answers:

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click [here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Goshen, OR(US)

Redmond, OR(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answer (0.00 points):

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answer (0.00 points):

1. I am a current federal employee, my last performance rating was at least fully successful or equivalent, or higher.

3. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position.

Answer (4.00 points):

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations.

Assessment Questions

Bonneville Power Administration
All Applicant Data Report
Name: WILLIAM DE SCHWEINITZ

GRADE: All Grades

1. I understand that if I am applying for a position that will result in Promotion or Change in Craft, I must submit a complete employment application package, including: 2020 Bid Application, resume; and supplemental questionnaire. Any application for promotion or change-in-craft that is incomplete may be determined 'not qualified', and will receive no further consideration.

Answers: Yes

2. If you are bidding for a position in The Dalles, OR designate which crew you wish to be considered for. Check all that may apply.

Answers: 1 Big Eddy Maint HQ

Phase Scores

GRADE: 00

Phase: REQUIRED VACANCY QUESTIONS

Phase Date: 04/08/2020

Min Pass Score: 70.0

Phase Score: 100.0

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: (b)(6)

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

(b)(6)

was

not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Additional documents

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile -(b)(6)

Email(b)(6)

July 20, 2021

Document Additional documents was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: USJOBSResume

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

William de Schweinitz

(b)(6)

WORK EXPERIENCE

BONNEVILLE POWER ADMINISTRATION	6/2015-Present
P.O. BOX 3621	Salary 50.52/hr
PORTLAND, OR 97208-3621	Hours Per Week: 40+

Power System Electrician

Electrician experience

Perform maintenance electrician tasks with minimal or no supervision. Hold job safety briefings to explain Clearance and clearance limits, work to be performed, and safety requirements. Perform the duties of Foreman 1 when extra crews are brought in to support work load, and Foreman 2 responsibilities when Foreman 2 is away. Perform trouble shooting on equipment that is not operating properly and restore it to operational condition. Perform Timing on Circuit Breakers and Switchers, and Power factor testing of other various equipment. Maintain the electronic copies and ensure they are saved to the proper databases. Make detailed notes and reports on equipment for maintenance history database. Fall protection trainer and member of the fall protection committee.

OREGON CASCADE PLUMBING AND HEATING, INC.	9/2013-6/2018
1728 22ND ST SE	(b)(6)
SALEM, OR 97302	Hours Per Week: 40+

Project Foreman
Journeyman Plumber
Boiler Class Three

Oregon license 9647JP
Oregon license 5345CL3

Plumbing experience

Project foreman for a research company addition and remodel. Oversee layout and direction for plumbers and welders. Verify installation was to engineer's plans and

specifications and workmanship was to company standards. Coordinate scheduling and progress updates with general contractor to maintain project schedule. Maintain daily logs of work completed, materials received, safety meetings, and personnel as well as subcontractors.

Lead plumber for cancer treatment center addition and remodel. Direct plumbers and labors to meet project schedules. Verify and inspect work to meet Plans, specifications, and Oregon Specialty Plumbing code. Instruct plumbers of daily tasks and verify materials needed were available. Coordinate system shutdowns and critical path areas with general contractor and other subcontractors to not interfere with operational hospital areas and systems.

POWLEY PLUMBING, Inc.
515 Market St.
Klamath Falls, OR 97601

7/2005-9/2013

(b)(6)

Hours Per Week: 40+

Journeyman Plumber
Boiler Class Three

Oregon license 9647JP
Oregon license 5345CL3

Plumbing experience

Read and interpret blueprints, drawings, specifications and work orders. Plan water, waste, and vent pipe systems layout. Accurately sized pipe systems per Oregon Plumbing code. Interpret engineered drawings and specifications. Responsible for identifying issues in plumbing systems, and make necessary repairs efficiently. Coordinate work with other trades and examine any areas of concern. Operate all tools and equipment necessary to perform work. Maintain tools and equipment used. Responsible for making accurate material lists to complete job.

Pipefitting Experience

Read and interpret blueprints, drawings, specifications and work orders. Plan pipe system layout per drawings and specifications. Evaluate most efficient and cost effective materials to use per specifications. Accurately estimate material and labor costs for competitive bid projects. Identify areas to cut costs and labor. Value engineer costs to lower overall contract costs. Install boilers, pumps, and equipment to specifications. Proficient in grooved pipe systems, High density polyethylene HDPE fusion pipes systems, and Fiberglass pipe systems. Experience in brazing, soldering, and press copper systems, and threaded steel pipe. Operate and maintain tools necessary for projects. Instruct others on tool use and safe procedures with grooving machines, threading machines chop saws, and other necessary equipment. Coordinate schedules and layouts with other contractors to ensure efficiency and maintain contract schedules.

New Horizons Telecom, Inc
901 Cope Industrial Way
Palmer, AK 99645

2000-2005

(b)(6)
Hours 40+ per week

Field Engineer 3

Assist project manager with project documentation, supervise subcontractors, coordinating and tracking project submittals. Installation of power bay distribution. Installation of cable ladder and rack. Cellular tower construction, and cellular antenna mounting and tuning.

Logistics

Served as the logistics person of a branch office of an ISO 9001 certified Construction Company. Responsible for all the purchasing and tracking of materials and equipment. Responsible for obtaining low cost material for competitive bid jobs. Tracked the inventory and applied the cost of inventory used to the correct job.

Education

Current first aid and CPR
Bonneville Power Administration apprenticeship-Apprentice of the Year
Journeyman plumbing program Klamath Community College.
South Medford High School, Medford, Oregon, Graduated 1989.

Licenses

Power System Electrician

Oregon Journeyman Plumber

Oregon Boiler Class 3 Building Service Mechanic

Military Service

Oregon National guard. 1992-1998, Rank Corporal Fire Team Leader
United States Army 1st Battalion, 41st Infantry Division, C Company, Third Platoon,
Garlstedt, Germany, 1990-1992, Rank-PFC
Operation Desert Storm, 1991.

Vehicle Operation

Washington Class A commercial drivers license with tanker endorsement and a clean driving record.

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Other.

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Other. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Armed Forces Ltr.

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

July 20, 2021

Document Armed Forces Ltr. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Most Recent SF-50

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Most Recent SF-50 was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Occupational Certification or Licensure

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Occupational Certification or Licensure was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional Veteran Documents (Spouse PCS orders,
Scheduled Discharge, etc.) was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: SF-50: Notice of Personnel Action

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document SF-50: Notice of Personnel Action was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: DD-214: Certificate of Discharge or Separation

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214: Certificate of Discharge or Separation was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Transcript

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Transcript was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: OF 306.

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document OF 306. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Last Two (2) Performance Appraisals


Name: DE SCHWEINITZ, WILLIAM


AIDX: 3193441


Telephone 1: Mobile (b)(6)


Email: (b)(6)


July 20, 2021

















6n. Rating and/or Reviewing Official's Comments: *(Optional)*

6o. Employee Comments: *(Optional)*

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: DD-214_.


Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021



Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: SF-50.

Name: DE SCHWEINITZ, WILLIAM

AIDX: 3193441

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

NOTIFICATION OF PERSONNEL ACTION

1. Name (Last, First, Middle) DE SCHWEINITZ, WILLIAM A				2. Social Security Number (b)(6)		3. Date of Birth (b)(6)		4. Effective Date 12/20/2019							
FIRST ACTION					SECOND ACTION										
5-A. Code 846		5-B. Nature of Action Individual Time-Off Award			6-A. Code		6-B. Nature of Action								
5-C. Code		5-D. Legal Authority			6-C. Code		6-D. Legal Authority								
5-E. Code		5-F. Legal Authority			6-E. Code		6-F. Legal Authority								
7. FROM: Position Title and Number					15. TO: Position Title and Number Electrician J00767 00001582										
8. Pay Plan	9. Occ. Code	10. Grade or Level	11. Step or Rate	12. Total Salary	13. Pay Basis	16. Pay Plan	17. Occ. Code	18. Grade or Level	19. Step or Rate	20. Total Salary/Award 40.00 Hours	21. Pay Basis				
12A. Basic Pay		12B. Locality Adj.		12C. Adj. Basic Pay		12D. Other Pay		20A. Basic Pay		20B. Locality Adj.		20C. Adj. Basic Pay		20D. Other Pay	
14. Name and Location of Position's Organization					22. Name and Location of Position's Organization Bonneville Power Administration Transmission Services Olympia District Substation Maint Port Angeles TFOY Port Angeles WA USA										
EMPLOYEE DATA															
23. Veterans Preference (b)(6) 1 - None 3 - 10-Point/Disability 5 - 10-Point/Other 2 - 5-Point 4 - 10-Point/Compensable 6 - 10-Point/Compensable/30%						24. Tenure 1 0 - None 2 - Conditional 1 - Permanent 3 - Indefinite			25. Agency Use		26. Veterans Preference for RIF (b)(6)				
27. FEGLI C0 Basic Only						28. Annuitant Indicator 9 Not Applicable			29. Pay Rate Determinant Regular Rate						
30. Retirement Plan KF FERS FRAE and FICA				31. Service Comp. Date (Leave) 06/14/2013		32. Work Schedule F Full Time			33. Part-Time Hours Per Biweekly Pay Period						
POSITION DATA															
34. Position Occupied 1 1 - Competitive Service 3 - SES General 2 - Excepted Service 4 - SES Career Reserved				35. FLSA Category N E - Exempt N - Nonexempt		36. Appropriation Code RR-CF02			37. Bargaining Unit Status 1468						
38. Duty Station Code 531700009				39. Duty Station (City - County - State or Overseas Location) Port Angeles Clallam WA USA											
40. Agency Data		41. EMPLID 0015164		42.		43.		44.							
45. Remarks FY2019 Individual Time off Award. Time off awards must be used within 26 pay periods.															
46. Employing Department or Agency Department of Energy, Bonneville Power Administration						50. Signature/Authentication and Title of Approving Official Electronically Signed by: Carter, Brian E Director, Human Resources Service Center									
47. Agency Code DN82		48. Personnel Office ID 4237		49. Approval Date 12/20/2019											

Bonneville Power Administration
MERIT PROMOTION CERTIFICATE

{C}Vacancy: DOE-BPA-18-12843-MP, Certificate: DOE-BPA-18-12843-MP-00-TFHE-Kent,WA
12-18{/C}
{C}Position: High Voltage Electrician 2810-C Bonneville Power Administration -
BE{/C}
{C}Location:
Kent, WA, US {/C}

Date Certificate Issued: 02/01/2019
Date Certificate Expires: 03/25/2019
Certificate issued by: Vickie McClary

Selecting Official must annotate selection using the appropriate codes as listed in
the HR Admin module.

Number of Positions: 3

Series: 2810-C

Grade: 00

(b)(6)

MIDX: 000211974

MIDX: 002957581

(b)(6)

MIDX: 003120080

MIDX: 000215330

Bonneville Power Administration
MERIT PROMOTION CERTIFICATE

(b)(6)

DUNLAP, RODNEY

MIDX: 003070914

(b)(6)

EOD:
08/04/201
9

Status: HIRE

(b)(6)

MIDX: 000306557

MIDX: 002999597

(b)(6)

MIDX: 003069611

Bonneville Power Administration
MERIT PROMOTION CERTIFICATE

(b)(6)

MIDX: 002193172

(b)(6)

MIDX: 003131882

MIDX: 003125123

(b)(6)

MIDX: 000129309


MIDX: 002890697

(b)(6)

MIDX: 003094109

Bonneville Power Administration
MERIT PROMOTION CERTIFICATE

(b)(6)



Indicate selectee and provide justification. If no selection is made from this certificate, provide a reason.

**Bonneville Power Administration
 All Applicant Data Report
 Announcement Number: DOE-BPA-18-12843-MP
 Position Title: High Voltage Electrician
 Staging Area Number: SA-BPA-0005
 Name: RODNEY DUNLAP**

Name: RODNEY W DUNLAP

SSN: ***-**-****

MIDX: 003070914

Address1: (b)(6)

Address2:

City: (b)(6)

State: (b)(6)

Country: (b)(6)

Post Code: (b)(6)

Plus4:

Telephone 1: Mobile - (b)(6)

Telephone 2: Evening Phone - (b)(6)

Email: (b)(6)

United States Citizen: Y

Veterans' Preference: (b)(6)

Military Service Dates (Start of Service - End of Service):

(b)(6)

Location(s) Applied to: Kent, WA(US); Longview, WA(US); Snohomish, WA(US); Vancouver, WA(US)

Series Applied To: 2810-C

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents	DAV Letter	UPLOAD
2	DD214 (Applicant)	No document submitted	
3	SF15 (Applicant)	No document submitted	
4	SF50 (Applicant)	No document submitted	
5	VA Letter (Applicant)	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

2. No

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

10. Not applicable - I have never been a federal employee

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

18. Not applicable - I have never been a Federal employee

Bonneville Power Administration
All Applicant Data Report
Name: RODNEY DUNLAP

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: N/A

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: N/A

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have

Bonneville Power Administration
All Applicant Data Report
Name: RODNEY DUNLAP

you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

2. No

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click [here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Kent, WA(US)

Longview, WA(US)

Snohomish, WA(US)

Vancouver, WA(US)

What Grades do you wish to apply to?

00

Grade: 00

1. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position. Your resume **MUST** support your claims otherwise you may receive a lowered or ineligible rating.

Answers:

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations regarding performance of the following duties: maintaining, installing, modifying, calibrating and repairing of; electrical sub-stations, power generation/ transmission / distribution equipment and systems at 115,000 to 500,000 volts while being the person who is the "clearance holder" (process for safely isolating equipment from the power system) for said equipment.

2. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (11,000 to 500,000 volts).

Answers:

Bonneville Power Administration
All Applicant Data Report
Name: RODNEY DUNLAP

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

3. Repair or replace transmission or generation equipment in substations, power generating facilities, transformer vaults, and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

4. Operate equipment such as bucket trucks, aerial booms, digger derricks, winches/capstan used in installations and repairs.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

5. Install, maintain and trouble shoot Substation emergency generators.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

6. Apply an understanding of electrical safety practices such as: Fall protection, Hazardous Energy Control (HEC), Arc Flash, confined space entry, and grounding in the performance of daily duties.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

7. Analyze data collected from electronic test equipment such as, Doble Power Factor test set, Doble Power Circuit Breaker timing analyzers, and meggers etc. to determine the condition and/or extent of repairs needed

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

8. Testing and analyzing operating performance of electrical equipment (e.g., transformers, regulators, circuit breakers in substations) to recognize system malfunctions.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

9. Repair overhead bus and/or underground high voltage electrical distribution systems in substations (up to 500,000 volts) following standardized procedures.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

10. Test high voltage equipment such as transformers, regulators, cables, switches, circuit breakers, mechanical and electronic recording instruments to ensure proper operation using a Power Factor test set, Circuit Breaker Analyzer, Megger and Millivolt Drop Test set and various other testing equipment.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

11. Maintain and repair electric power-controlling equipment such as switch gear, transformer banks, and circuit breakers in substations and power-generating facilities.

Answers:

**Bonneville Power Administration
All Applicant Data Report
Name: RODNEY DUNLAP**

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

12. Repair and modify items including bushings, motors, and other miscellaneous electrical items to prepare for use in testing equipment performance.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

13. Construct and install all types of conduits. Pull in conductors, assemble bus bars, phase and connect conductors.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

14. Interpret blueprints of high voltage interconnects such as generators, buses, switches, and circuit breakers to diagnose problems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

15. Use circuit diagrams to complete installation, modification, and repair on 11,000 to 500,000 volt distribution systems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

16. Use schematic, wiring and one-line diagrams to install and trouble shoot electrical circuits and devices on low and high voltage control boards, alarm monitoring systems, circuit panels, metering and relay racks and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

17. Follow instructions to identify what circuit you are working on (e.g., air switches, primary risers, and secondary risers).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

18. Use computerized diagnostic and digital test equipment as part of high voltage 11,000 to 500,000 volt electrical system maintenance and troubleshooting.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

19. Modify mechanical contacts and time-delay intervals of circuit breakers and relays using microprocessor programming equipment.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

20. Operate a wide variety of electrical tools such as: conduit benders, pipe threader, drills, hole saws and metal fabrication tools in performing electrical installations.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

Bonneville Power Administration
All Applicant Data Report
Name: RODNEY DUNLAP

21. Operate tools including assorted hand tools, air, electric and hydraulic power tools to repair and maintain electrical equipment to perform at peak capacity.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

22. Use hot-line tools and protective equipment (e.g. hot sticks, standoffs, insulated hoods/covers and tools, rubber gloves, sleeves, insulating blankets).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

23. Troubleshoot malfunctions with complex electrical equipment (e.g., Transformers, Power Circuit Breakers, load interrupters, reclosers, Series and Shunt Capacitor banks and similar equipment to determine corrective actions.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

24. Diagnose commonly encountered problems such as locating defective switches or blown high voltage fuses.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

25. Troubleshoot bus and underground high voltage cable systems to locate shorts, grounds, cable breaks, etc. on circuits from 120 to 13,800 volts.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

26. Troubleshoot high and low voltage circuits to locate and correct the causes of faults or outages.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

27. I have worked from aerial lift equipment.

Answers:

1. Yes

28. I have been trained in the use and disposal of hazardous materials (e.g., lead, asbestos).

Answers:

1. Yes

29. I have installed electrical protective guards or barriers and Portable Protective Grounds for personal protection.

Answers:

1. Yes

30. I have utilized protective clothing and apparatus when in energized facilities and climbing structures.

Answers:

1. Yes

31. I have used fall protection equipment.

Answers:

**Bonneville Power Administration
All Applicant Data Report
Name: RODNEY DUNLAP**

1. Yes

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answers:

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answers:

4. Not applicable, I am not a current federal employee.

3. If you are a current federal employee list any incentive awards you received in the last three years.

Answers: N/A

4. If you are eligible for non-competitive appointment under a special appointing authority please select all that apply:

Answers:

1. Veterans' Recruitment Appointment (VRA)
2. 30% or More Disabled Veteran

5. This position requires a physical examination and drug testing. I am able to pass these examinations prior to entry into the position and thereafter, when required.

Answers:

1. Yes

6. My current CDL expires on:

Answers: 09/04/2023

7. I have a valid Commercial Driving License (CDL). I have attached {uploaded}, as part of my application documents, my current driving record from the Department of Motor Vehicles to verify a good driving record. I understand if selected, this position requires me to maintain a CDL with DOT Medical card.

Answers:

1. Yes

Announcement Number: DOE-BPA-18-12843-MP

Document Name: DD214 (Applicant)

Name: DUNLAP, RODNEY

AIDX: 3070914

Telephone 1: Mobile (b)(6)

Telephone 2: Evening Phone (b)(6)

Email: (b)(6)

August 17, 2021

Document DD214 (Applicant) was not submitted

Announcement Number: DOE-BPA-18-12843-MP

Document Name: SF15 (Applicant)

Name: DUNLAP, RODNEY

AIDX: 3070914

Telephone 1: Mobile - (b)(6)

Telephone 2: Evening Phone (b)(6)

Email: (b)(6)

August 17, 2021

Document SF15 (Applicant) was not submitted

Announcement Number: DOE-BPA-18-12843-MP

Document Name: USJOBSResume

Name: DUNLAP, RODNEY

AIDX: 3070914

Telephone 1: Mobile (b)(6)

Telephone 2: Evening Phone (b)(6)

Email: (b)(6)

August 17, 2021

Objective: Employment as an Electrical Construction & Maintenance Supervisor

P R O F E S S I O N A L E X P E R I E N C E

Seattle City Light

Dec 2009 to

Present

Seattle, WA

ELECTRICIAN-CONSTRUCTOR CORE CREWCHEIF:

Supervise skilled and semi-skilled workers who install, inspect and maintain the electrical equipment and facilities used in the generation, distribution and transmission of electrical power.

Positions in this class are first-line supervisors who plan, assign and monitor the work of subordinate staff. Duties include developing workload forecasts, ensuring the availability of equipment, parts and personnel to complete projects, keeping materials and job records, and compiling reports. Work is performed independently with limited review of products or outcomes. Positions in this class use judgment to select, interpret and apply a wide variety of written guidelines, regulations and reference materials.

Plans, supervises and evaluates the work of journey-level workers, apprentices, helpers and laborers.

Requisitions the materials, tools and equipment required for each job.

Compiles and prepares reports related to work activities, employee status and materials inventories.

Coordinates and monitors safety and training programs.

Assists with the development of the unit budget, policies and workload forecasts.

Plans and supervises the removal of hazardous/toxic materials.

Provides technical assistance to subordinate staff, contractors and employees of other jurisdictions.

Seattle City Light
2009
Seattle, WA

Jun 2005 to Nov

SUBSTATION OPERATOR:

Operate energized high and low voltage electrical power transmission system substations following strict procedures and safety requirements.

Check and review station conditions. Review station log book and Substation Operating Manual.

Responsible for Control of Entry, Station Security, and safety of others in the station. May be assigned other duties such as Safety Watching and escorting others.

Keep System Dispatchers and others informed of all local information pertinent to the operation of the power system.

Emergencies, critical system conditions, or outage limitations may require that work be done at night and/or under time restraints. System priorities may require extended periods of overtime, including working weekends and holidays Work both indoors and outdoors under all prevailing weather conditions during the day or night.

Monitor and operate various communications systems. These systems include mobile radios, commercial phone lines, and various SCL communications systems for purposes including voice communications, relaying, and billing and require clear oral communication.

Check for compliance with prescribed operating limits on lines and equipment (load, voltage, temperature, etc.). Periodically inspect station, including all components in switchyard, control house, relay houses, and other buildings. Check for conditions constituting hazards to personnel, property, or equipment. Take action to correct abnormal conditions or notify others concerned with the condition.

Seattle City Light
2005
Seattle, WA

Mar 2000 to May

CABLE SPLICER – NETWORK AREA:

Install, maintain and repair electrical underground equipment and cable used in underground power transmission and distribution,

Locate and repair electrical faults in the underground network, substations and other distribution systems.

Follow safety regulations and established guidelines and manuals.

Use duct maps, feeder maps and cut sheets that are necessary to perform switching and tagging under the direction of a power dispatcher to obtain clearances.

Work with energized conductors in confined working spaces, underground manholes and vaults, at elevated heights, and awkward positions.

Instruct and monitor the activities of Material Suppliers and Apprentices and perform other related duties such as Temporary Crew Chief, Locator, Vector Operator and Asbestos worker.

Seattle City Light

Nov 1993 to Mar

2000

Seattle, WA

ELECTRICIAN-CONSTRUCTOR:

Install, test, maintain and repair power circuit breakers, transformers, automatic generation control equipment and associated equipment.

Install and repair lighting and heating circuits, control relays, conduit and wiring in and about substations, powerhouses, and City Light Installations.

Diagnose and repair equipment using mechanical diagrams and electrical blueprints, install and maintain station batteries, chargers, mobile equipment and vehicles.

Seattle City Light

Sep 1989 to Nov

1993

Seattle, WA

ELECTRICIAN-CONSTRUCTOR APPRENTICE:

Train under the guidance of journey-level Electrician-Constructors, assist in the planning, preparation, installation, maintenance, and repair procedures of electrical power equipment and facilities.

Install, repair, and conduct maintenance of circuit breakers, transformers, switch controls, generators, motors, capacitor banks, relays and other related equipment.

Seattle City Light

Nov 1987 to Sep 1989

Seattle, WA

ELECTRICAL HELPER:

Performed tasks as an assistant to skilled trade workers in the construction and maintenance of overhead, underground, generation and substation electrical equipment energized up to 240,000 volts. Typical work included the assembly of electrical equipment and supplying it to journey level workers when needed; cleaning, maintaining and supplying electrical buildings, vehicles and other equipment as required.

E D U C A T I O N

**City of Seattle Electrician-
to 1993**

1989

Constructor Apprenticeship

A four year apprenticeship approved by the Joint Advisory Apprenticeship Committee. A total of 144 hours was spent on classroom instructions yearly in addition to normal working hours.

**Bates technical Institute of Technology
1989**

1987 to

Tacoma, WA

MAJOR: Industrial Electricity

**Saint Martins College
1987**

1984 to

Lacey, WA

Major: Information Systems Management

**Community College of the Airforce
1983**

1981 to

Major: Transportation and Traffic Management

R E F E R E N C E S

O N R E Q U E S T

Announcement Number: DOE-BPA-18-12843-MP

Document Name: SF50 (Applicant)

Name: DUNLAP, RODNEY

AIDX: 3070914

Telephone 1: Mobile (b)(6)

Telephone 2: Evening Phone - (b)(6)

Email: (b)(6)

August 17, 2021

Document SF50 (Applicant) was not submitted

Announcement Number: DOE-BPA-18-12843-MP

Document Name: Additional Veteran Documents

Name: DUNLAP, RODNEY


AIDX: 3070914

Telephone 1: Mobile - (b)(6)

Telephone 2: Evening Phone (b)(6)

Email: (b)(6)

August 17, 2021



Announcement Number: DOE-BPA-18-12843-MP

Document Name: VA Letter (Applicant)

Name: DUNLAP, RODNEY

AIDX: 3070914

Telephone 1: Mobile (b)(6)

Telephone 2: Evening Phone (b)(6)

Email: (b)(6)

August 17, 2021

Document VA Letter (Applicant) was not submitted

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFIO- Idaho Falls, ID

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFIO- Idaho Falls, ID
Series: 2810
Total Score Transmutation: On

Status: Open, expired
Expiration Date: 01/13/2021

[Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** 12/17/2020 **Signed By:** (b)(6) 12/17/2020 **Action:** Selection(s) made [Comments](#) [Email to HR](#)

Showing 1 to 3 of 3 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
<input type="checkbox"/>	ETZEL, BLAKE		(b)(6)	HIRE	HIRE		Selected	0	0.00	EOD: 2/28/2021	Actions
	(b)(6)							6	0.00		Actions
	(b)(6)							2	0.00		Actions

25 results per page | Page 1 / 1

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-J00767m-BL
Position Title: Electrician (Maintenance)
Name: BLAKE ETZEL

Name: BLAKE ETZEL

SSN: ***-**-****

MIDX: 003043864

Address1: (b)(6)

Address2:

City: (b)(6)

State: (b)(6)

Country: (b)(6)

Post Code: (b)(6)

Plus4:

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

United States Citizen: Y

Veterans' Preference: (b)(6)

Military Service Dates (Start of Service - End of Service):

(b)(6)

Location(s) Applied to: Burley, ID(US); Idaho Falls, ID(US); Spokane, WA(US)

Series Applied To: 2810

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)	No document submitted	
2	Armed Forces Ltr.	No document submitted	
3	DD-214_.	No document submitted	
4	Last Two (2) Performance Appraisals	No document submitted	
5	Most Recent SF-50	No document submitted	
6	OF 306.	No document submitted	
7	Other.	No document submitted	
8	SF-15: Application of 10-Point Veteran Preference	No document submitted	
9	SF-50.	No document submitted	
10	Transcript	No document submitted	
11	Additional documents	No document submitted	
12	DD-214: Certificate of Discharge or Separation	No document submitted	
13	Occupational Certification or Licensure	No document submitted	
14	SF-50: Notice of Personnel Action	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

1. Yes

1.1. By what agency or department are you employed? Note: Employees of any Power Marketing Administration, including Bonneville Power Administration, must select 'U.S. Department of Energy'

Answers:

1. U.S. Department of Energy

1.2. If you selected "A Federal agency or department outside the Department of Energy", please enter the agency and organization.

Answers: Bonneville Power Administration

1.3. If you are a current Federal employee, what is your duty station? List City and

Bonneville Power Administration
All Applicant Data Report
Name: BLAKE ETZEL

State, or enter "NA" if not applicable.

Answers: Umatilla, OR

1.4. If you are a current Federal employee, under what type of appointment are you serving?

Answers:

1. Permanent Career, Competitive Service

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

1.5. Are you a Federal employee who has been displaced or surplusd? For more information on career transition programs,click here.

Answers:

3. Not applicable

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

8. BB / BS / BL - Negotiated Pay for BPA Employees

3.1. If you selected "Other", please list the Pay Plan. Enter "NA" if this does not apply to you.

Answers:

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

17. 00 (Federal Wage System)

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: Present

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: NA

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click

Bonneville Power Administration
All Applicant Data Report
Name: BLAKE ETZEL

here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

1. Yes, I will specify which authority I qualify for AND provide appropriate supporting documentation with my application.

10.1. Which Special Appointing Authority(ies) are you eligible for?

Answers: Veterans Recruitment Appointment (VRA) Veterans Employment Opportunity Authority

(b)(6)

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

**Bonneville Power Administration
All Applicant Data Report
Name: BLAKE ETZEL**

Answers:

2. No

14.1. You indicated that DOE employs a relative. Please list the full name of each relative, their relation to you, and the agency or office where they are employed.

Answers:

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click [here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Burley, ID(US)

Idaho Falls, ID(US)

Spokane, WA(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answer (0.00 points):

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answer (0.00 points):

1. I am a current federal employee, my last performance rating was at least fully successful or equivalent, or higher.

3. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position.

Answer (4.00 points):

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations.

Assessment Questions

Bonneville Power Administration
All Applicant Data Report
Name: BLAKE ETZEL

GRADE: All Grades

1. I understand that if I am applying for a position that will result in Promotion or Change in Craft, I must submit a complete employment application package, including: 2020 Bid Application, resume; and supplemental questionnaire. Any application for promotion or change-in-craft that is incomplete may be determined 'not qualified', and will receive no further consideration.

Answers: Yes

2. If you are bidding for a position in The Dalles, OR designate which crew you wish to be considered for. Check all that may apply.

Answers: 1 Big Eddy Maint HQ

Phase Scores

GRADE: 00

Phase: REQUIRED VACANCY QUESTIONS

Phase Date: 11/25/2020

Min Pass Score: 70.0

Phase Score: 100.0

Resume

Blake Etzel

(b)(6)

Work Experience: Bonneville Power Administration

07/2016 - Present

1910 3rd St.

McNary Maintenance Building

Hours per week: 40

Series: 2810

Pay Plan: BB

Grade: EW58

McNary, OR 97882 US

Power System Electrician

McNary Substation Maintenance

Education: BPA Power System Electrician Apprenticeship

Vancouver, WA US

Technical or Occupational Certificate

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Last Two (2) Performance Appraisals

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Last Two (2) Performance Appraisals was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Other.

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Other. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: (b) (6)

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document (b) (6)

(b) (6)

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: OF 306.

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document OF 306. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Occupational Certification or Licensure

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Occupational Certification or Licensure was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional Veteran Documents (Spouse PCS orders,
Scheduled Discharge, etc.) was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Armed Forces Ltr.

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Armed Forces Ltr. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: DD-214: Certificate of Discharge or Separation

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214: Certificate of Discharge or Separation was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: SF-50.

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document SF-50. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: DD-214_.

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214_ . was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Most Recent SF-50

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Most Recent SF-50 was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Transcript

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Transcript was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Additional documents

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional documents was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: SF-50: Notice of Personnel Action

Name: ETZEL, BLAKE

AIDX: 3043864

Telephone 1: Mobile (b)(6)

Email (b)(6)

July 20, 2021

Document SF-50: Notice of Personnel Action was not submitted

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 13011-00
 Job Opening # 13011 Status 045 Type Bid List
 Jobcode J00767 BB - 2810 - 00 Electrician
 Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	
(b)(6)	Griffin,Ryan D	Electrician Apprentice VII	Vancouver	EOD: 1/6/2019
(b)(6)	(b)(6)	Electrician	Vancouver	
(b)(6)	(b)(6)	Electrician	Vancouver	



RECEIVED JUL 25 2018

CALENDAR YEAR 2018 BID APPLICATION

1. Date 2/2/2018	2. Applicant Name (Last, First, Middle) Griffin, Ryan D.	
3. Current Job Title (Including Step) Electrician Apprentice VI	4. Work Phone Number N/A	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station LMHQ (Longview)	7. Mail Stop LMHQ (Longview)
8. BPA E-Mail Address rdgriffin@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		x y
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		x z
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		x
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		x
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)	x	✓	Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)	x	✓	Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)	x	x	Vancouver (Ross)		
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)	x	x	MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED)					
BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407 The Dalles (Celilo)			SUBSTATION OPERATOR, BB 5407 (cont) WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407 The Dalles (Celilo)			Spokane (Bell) Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407 The Dalles (Celilo)			Vancouver (Ross) East Wenatchee (Sickler)		
SUBSTATION OPERATOR, BB 5407			IDAHO		
OREGON			Burley		
Albany (Alvey District)			Idaho Falls		
Arlington			Lewiston		
Bandon			Sandpoint		
Coquille (Fairview)			MONTANA		
Florence (Wendson)			Columbia Falls (Conkelley)		
Gold Beach (Rogue)			Goldcreek (Garrison)		
Goshen (Alvey District)			Hot Springs		
Hillsboro (Keeler)			Kalispell		
Keizer (Chemawa)			Libby		
La Pine			Missoula		
Malin			Saltese (Taft)		
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			TF-Wide		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC SPC CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC SPC CRAFTSMAN II, BB-2606			OREGON		
HVDC SPC CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC SPC CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC SPC CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC SPC CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC SPC CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC SPC CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MACHINIST, BB 8852		
Burley			AIRCRAFT MACHINIST FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUIP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)					
EU MATERIAL HANDLER FOREMAN I A BB 6907			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
WASHINGTON			OREGON		
Vancouver (Mat. Hand. & Trans Svc)			Redmond		
			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907					
WASHINGTON			Spokane (Bell)		
			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)					
WASHINGTON			Spokane (Bell)		
			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		



RECEIVED JUL 10 2018

CALENDAR YEAR 2018 BID APPLICATION

1. Date 2/2/2018	2. Applicant Name (Last, First, Middle) Griffin, Ryan D.	
3. Current Job Title (Including Step) Electrician Apprentice VI	4. Work Phone Number N/A	5. Daytime Phone Number 0015343 (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station LMHQ (Longview)	7. Mail Stop LMHQ (Longview)
8. BPA E-Mail Address rdgriffin@bpa.gov	9. Home E-Mail Address N/A

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), and
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		x ✓
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)	x	✓	Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)	x	✓	Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
			The Dalles (Big Eddy Maint HQ)		
ELECTRICIAN HELPER, BB 2810			WASHINGTON		
WASHINGTON			Chehalis		
Vancouver (Const & Maint Services)			Ellensburg		
			Grand Coulee		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Kent (Covington)		
WASHINGTON			Olympia		
Vancouver (Eng. & Tech. Services)			Pasco		
			Snohomish		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Spokane (Bell)		
WASHINGTON			Vancouver (Ross)		
Vancouver (Eng. & Tech. Services)		x			
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)		x	MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
			Keizer (Chemawa)		
The Dalles (Big Eddy Maint HQ)			North Bend		
WASHINGTON			Redmond		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Ellensburg			WASHINGTON		
Grand Coulee			Chehalis		
Kent (Covington)			Ellensburg		
Olympia			Grand Coulee		
Pasco			Kent (Covington)		
Snohomish			Olympia		
Spokane (Bell)			Pasco		
Vancouver (Ross)			Snohomish		
Vancouver (Equipment Pool Services)			Spokane (Bell)		
IDAHO			LINEMAN FOREMAN I, BL-2810 (CONT)		
Idaho Falls			Vancouver (Ross)		
MONTANA			IDAHO		
Kalispell			Idaho Falls		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			MONTANA		
WASHINGTON			Kalispell		
Spokane					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED)					
BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			TF-Wide		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC SPC CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC SPC CRAFTSMAN II, BB-2606			OREGON		
HVDC SPC CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC SPC CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC SPC CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC SPC CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC SPC CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC SPC CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MACHINIST, BB 8852		
Burley			AIRCRAFT MACHINIST FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

Vacancy number: DOE-BPA-20-13794-MP,
Certificate number: DOE-BPA-20-13794-MP-NC-00-TFHE-2
Position: Electrician - OPEN CONTINUOUS ANNOUNCEMENT 2810-C Bonneville Power
Administration - BB
Location: Vancouver, WA, US

Date Certificate Issued: 02/04/2021
Date Certificate Expires: 03/05/2021
Certificate issued by: Gary Skaggs, Jr.

Selecting Official must annotate certificate selection using the codes contained in
the HR Admin module.

Series: 2810-C

Grade: 00

(b)(6)

MIDX: 001003775

MIDX: 003128742

HAMMIT, RANDY

MIDX: 001413380

(b)(6)

EOD:
06/06/202
1

Status: HIRE


(b)(6)

MIDX: 000021987


1{/R}

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

(b)(6)

A large black rectangular redaction box covers the majority of the page's content.

(b)(6)

A large black rectangular redaction box covers the majority of the page's content.

MIDX: 003070815

MIDX: 003198875

Indicate selectee and provide justification. If no selection is made from this certificate, provide a reason.

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-13794-MP
Position Title: Electrician - OPEN CONTINUOUS ANNOUNCEMENT
Staging Area Number: SA-BPA-0002
Name: RANDY HAMMIT

Name: RANDY L HAMMIT
SSN: (b)(6)
MIDX: 001413380
Address1: (b)(6)
Address2: (b)(6)
City: (b)(6)
State: (b)(6)
Country: (b)(6)
Post Code: (b)(6)
Plus4:
Telephone 1: Mobile - (b)(6)
Telephone 2: Mobile - (b)(6)
Email: (b)(6)
United States Citizen: Y
Veterans' Preference: (b)(6)
Military Service Dates (Start of Service - End of Service):
(b)(6)
Location(s) Applied to: Vancouver, WA(US)
Series Applied To: 2810-C

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents	No document submitted	
2	DD214 (Applicant)	No document submitted	
3	Other Documentation (applicant)	Lineman and Pilot License	USAJOBS
4	SF15 (Applicant)	No document submitted	
5	SF50 (Applicant)	No document submitted	
6	VA Letter (Applicant)	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

1. Yes

1.1. By what agency or department are you employed? Note: Employees of any Power Marketing Administration, including Bonneville Power Administration, must select 'U.S. Department of Energy'

Answers:

1. U.S. Department of Energy

1.2. If you selected "A Federal agency or department outside the Department of Energy", please enter the agency and organization.

Answers: I am in the Department of Energy, Western Area Power Administration, Desert Southwest, Phoenix Office

1.3. If you are a current Federal employee, what is your duty station? List City and State, or enter "NA" if not applicable.

Answers: Western Area Power Administration, Phoenix Office, Phoenix Arizona

1.4. If you are a current Federal employee, under what type of appointment are you serving?

Answers:

1. Permanent Career, Competitive Service

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

1.5. Are you a Federal employee who has been displaced or surplusd? For more information on career transition programs,click here.

Answers:

3. Not applicable

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

9. Other

3.1. If you selected "Other", please list the Pay Plan. Enter "NA" if this does not apply to you.

Answers: WS - Federal Wage System Work Supervisor, Management, Grade Level 10

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

10. 10

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: 08-2015 to 05-2016

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: Level 10, Federal Wage System, Work Supervisor

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website ([click here](#)) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

1. Yes

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

2. No

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please [click here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

Vacancy Questions and Responses

What locations do you wish to apply to?

Vancouver, WA(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answers:

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answers:

1. I am a current federal employee, my last performance rating was at least fully successful or equivalent, or higher.

3. If you are a current federal employee list any incentive awards you received in the last three years.

Answers: Safety Awards each year Gold Star awards 2 Ea Performance Awards each year

4. If you are eligible for non-competitive appointment under a special appointing authority please select all that apply:

Answers:

4. Other (provide appropriate supporting documentation with your application)

5. Please tell us how you heard about this job.

Answers:

3. I found it on a job board or search agent other than USAjobs

If you answered **I found it on a job board or search agent other than USAjobs** then answer the following questions.

5.1. Please explain

Answers: USA Jobs

6. Select the one statement that best describes your highest level of experience as it relates to your ability to perform the duties of the Electrician, BB-2810-00 position.

Answers:

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations regarding performance of the following duties: maintaining or installing, modifying, initial setup and testing or calibrating and repairing of; electrical sub-stations, power generation/transmission/distribution equipment and systems at 115,000 to 500,000 volts while being the person who is the "clearance holder" (process for safely isolating equipment from the power system) for said equipment.

If you answered **I have independently performed all of the following duties. I am consulted by other employees in difficult situations regarding performance of the following duties: maintaining or installing, modifying, initial setup and testing or calibrating and**

**Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT**

repairing of; electrical sub-stations, power generation/transmission/distribution equipment and systems at 115,000 to 500,000 volts while being the person who is the "clearance holder" (process for safely isolating equipment from the power system) for said equipment. then answer the following questions.

6.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

7. Applicants must possess at appointment, and maintain thereafter, a valid U.S. State issued Motor Vehicle Operator License (Driver's License) in order to drive and operate U.S. government owned and leased vehicles and equipment. If selected, you will be required to provide a copy of your non-employment driving abstract dated within the last 90 days, and covering the previous 36 months to prove you have good indication of driving. Traffic citations indicating poor driving habits may disqualify applicants. Note: Once employed the incumbent will also be required to provide proof of a valid commercial driver's license (CDL) with all endorsements that are required to operate substation maintenance and construction equipment from the state of residence within 120 days after appointment.

Answers:

1. Yes, I possess a current, valid driver's license. I am willing and able to operate motor vehicles and equipment when required. I have or am willing to obtain and maintain for the duration of my employment the appropriate license.

8. Install, repair, replace transmission or generation equipment in substations, power generating facilities, transformer vaults, and distribution centers.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

9. Operate equipment such as bucket trucks, aerial booms, digger derricks, winches/capstan used in installations and repairs.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

9.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

10. Install and setup Substation emergency generators.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

11. Apply an understanding of electrical safety practices such as: Fall protection, Hazardous Energy Control (HEC), Arc Flash, confined space entry, and grounding in the performance of daily duties.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

11.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

12. Analyze data collected from electronic test equipment such as, Doble Power Factor test set, Doble Power Circuit Breaker timing analyzers, and meggers etc. used to install and perform initial setup of high voltage power equipment or to determine the condition and/or extent of repairs needed.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

13. Testing and analyzing operating performance or initial setup and testing of electrical equipment (e.g., transformers, regulators, circuit breakers in substations) to recognize system malfunctions.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

14. Installation or repair overhead bus and/or underground high voltage electrical distribution systems in substations (up to 500,000 volts) following standardized procedures.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

14.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

15. Determine types and sizes of wires, cables, conduits, transformers, and other electrical equipment and circuit elements based on guidance contained in the National Electric Safety Code.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

15.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

16. Installation, setup, or test high voltage equipment such as transformers, regulators, cables, switches, circuit breakers, mechanical and electronic recording instruments to ensure proper operation using a Power Factor test set, Circuit Breaker Analyzer, Megger and Millivolt Drop Test set and various other testing equipment.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to

**Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT**

do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

16.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

17. Install, setup or maintain and repair electric power-controlling equipment such as switch gear, transformer banks, and circuit breakers in substations and power-generating facilities.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

18. Install, setup or repair and modify items including bushings, motors, and other miscellaneous electrical items to prepare for use in testing equipment performance.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

19. Construct and install all types of conduits. Pull in conductors, assemble bus bars, phase and connect conductors.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

19.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

20. Interpret blueprints of high voltage interconnects such as generators, buses, switches, and circuit breakers to diagnose problems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

20.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

21. Implement installation drawings for customized devices of high voltage electrical components.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

**Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT**

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

21.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

22. Use schematic, wiring and one-line diagrams to install and trouble shoot electrical circuits and devices on low and high voltage control boards, alarm monitoring systems, circuit panels, metering and relay racks and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

22.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

23. Install, setup or modify mechanical contacts and time-delay intervals of circuit breakers and relays using microprocessor programming equipment.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

23.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

24. Operate a wide variety of electrical tools such as: conduit benders, pipe threader, drills, hole saws and metal fabrication tools in performing electrical installations.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

24.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

25. Operate tools including assorted hand tools, air, electric and hydraulic power tools to repair and maintain electrical equipment to perform at peak capacity.

Answers:

**Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT**

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

25.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

26. Use hot-line tools and protective equipment (e.g. hot sticks, standoffs, insulated hoods/covers and tools, rubber gloves, sleeves, insulating blankets).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

26.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

27. Troubleshoot malfunctions with complex electrical equipment (e.g., Transformers, Power Circuit Breakers, load interrupters, reclosers, Series and Shunt Capacitor banks and similar equipment to determine corrective actions.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

28. Diagnose commonly encountered problems such as locating defective switches or blown high voltage fuses.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

28.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

29. Troubleshoot bus and underground high voltage cable systems to locate shorts, grounds, cable breaks, etc. on circuits from 120 to 13,800 volts.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

29.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be

**Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT**

sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

30. Troubleshoot high and low voltage circuits to locate and correct the causes of faults or outages.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

30.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

31. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (12.5KV to 69KV).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

31.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

32. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (115KV to 500KV).

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

33. Use circuit diagrams to complete installation, modification, and repair on volt distribution systems (12.5KV to 69KV).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

33.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

34. Use circuit diagrams to complete installation, modification, and repair on volt distribution systems (115KV to 500KV).

Answers:

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

34.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: 2009-2020 High Voltage Supervisor, High Voltage Electrician, and Substation High Voltage Electrician.

35. I have been trained in the use and disposal of hazardous materials (e.g., lead, asbestos).

Answers:

1. Yes

36. I have installed electrical protective guards or barriers and Portable Protective Grounds for personal protection.

Answers:

1. Yes

37. I have utilized protective clothing and apparatus when in energized facilities and climbing structures.

Answers:

1. Yes

38. I have used fall protection equipment.

Answers:

1. Yes

Resume

Randy Lee Hammit

(b)(6)

Mobile: (b)(6)

Day Phone: (b)(6)

Email: (b)(6)

Country of Citizenship: United States

(b)(6)

Highest Grade: 10

Availability: Job Type: Permanent

Work Schedule: Full-Time

Desired locations: US

Work Experience: Western Area Power Administration

05/2016 - Present

Glen Canyon Switchyard

Salary: \$50.31 USD Per Hour

Page, AZ 86040 US

Hours per week: 45

Series: 2810

Pay Plan: WB

Grade: 00

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

Supervisor: (b)(6)

Okay to contact this Supervisor: Contact me first

Journeyman High Voltage Electrician

I am a Journeyman High Voltage Electrician with the Department of Energy, Western Area Power Administration, Desert Southwest (DSW) Region, Glen Canyon, Page Arizona. I have over 30 years experience working in the high voltage electrical industry as both Journeyman Electrician and Journeyman Lineman. I am a trainer for Fall Protection and Confined Space in DSW. I am an Authorized Switchman. I have over 10 years of Supervision experience both active duty and as a civilian supervisor. I was a WS-10 Civilian Supervisor with the Department of Defense. I can Install, train and or supervise the construction, commissioning, maintenance, troubleshooting, inspection and repair of equipment in high voltage switchyards, substations, communication facilities and power operations centers. I currently maintain, operate, test and repair equipment in 345kV - 230kV substations/switchyards located at Glen Canyon Arizona, Kayenta Arizona, Longhouse Valley Arizona, and Flagstaff Arizona. This includes Power distribution transformers, grounding transformers, phase shifting transformers, and instrument transformers. I also can maintain, operate, test (includes Doble and Ductor) and repair hydraulic, air, vacuum and gas (SF6) circuit breakers. I have worked on HVB, ABB, ELF, Siemens, General Electric Alstrom FX-12, and Mitsubishi circuit breakers; circuit switchers; step voltage regulators; reactor and capacitor banks, motor and manually operated disconnecting switches; air compressors; uninterruptible power supply (UPS) equipment, alternate power systems, stand-by generators, transfer switches; batteries and battery chargers; motors; contactors and motor control switchgear; relays, indicating and recording instruments, condition monitoring devices, control switches, and related equipment; lighting and miscellaneous power distribution equipment; wire and cable raceway systems, and station groundings. Substation station service systems, station grounding systems, a.c. and d.c. distribution and control system wiring. I can terminate, splice, (direct buried or in conduit) high voltage cable up to 34.5 kV. Install and wire equipment on switchboards, control panels, relay panels, and in all types of electrical enclosures. Work from schematic and wiring diagrams, control board physical layouts, manufacturer's instructions, oral and written instructions. Mark up wiring diagrams and schematics when field changes are made. I have completely tested two different Capacitor Banks to include testing all the capacitors and current transformers. I have Doble tested a 345kV Phase Shifter. I have completely disassembled and rebuilt three live tank SF6 breakers (replaced gaskets, O-rings, and contacts) . I have replaced insulator stacks on Motor Operated Interrupters. I have upgraded a SF6 circuit breaker hydraulic mechanism to a spring mechanism to include all applicable wiring. I have replaced motors, compressors, and air tanks on pneumatic circuit breakers. I have a Commercial Drivers License. I am a certified Mobile Crane Operator. I am an experienced operator of bucket trucks, utility line trucks (digger derricks), skid steers, trenchers, aerial man lifts, loaders, diggers, cranes, forklifts, normally used in construction and maintenance activities of transmission/distribution line, substation and communication facilities. I have worked, inspected, and repaired HVB, ABB, ELF, Siemens, GE Alstrom FX-12, and Mitsubishi breakers dead tank and live tank SF6 circuit breakers; circuit switchers; step voltage regulators; reactor and capacitor banks, motor and manually operated disconnecting switches; air compressors; uninterruptible power supply (UPS) equipment, alternate power systems, stand-by generators, transfer switches; batteries and battery chargers; motors; contactors and motor control switchgear; relays, indicating and recording instruments, condition monitoring devices, control switches, and related equipment; lighting and miscellaneous power distribution equipment; wire and cable raceway systems, and station groundings. Substation station service systems, station grounding systems, a.c. and d.c. distribution and control system wiring. I can terminate, splice, (direct buried or in conduit) high voltage cable up to 34.5 kV. Install and wire equipment on switchboards, control panels, relay panels, and in all types of electrical enclosures. Work from schematic and wiring diagrams, control board physical layouts, manufacturer's instructions, oral and written instructions. Mark up wiring diagrams and schematics when field changes are made.

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

United States Air Force
08/2015 - 05/2016
2050A Wyoming Blvd SE
Salary: \$67,704.00 USD Per Year
Building 20678 Kirtland AFB
Hours per week: 45
Series: 2810
Pay Plan: WS
Grade: 10
Albuquerque, NM 87117 US

Supervisor High Voltage Electric Shop (Exterior Electric)
Management position in the Federal Government. Supervised 8 employees. Provided Performance Evaluations and Feedbacks. Scheduled work, accounted for materials and time, charged labor for the installation, construction, maintenance, troubleshooting, and repair of high voltage electrical equipment and lines consisting of a 46,000 volt transmission system feeding 20 substations and associated high voltage distribution equipment and power lines on Kirtland Air Force Base. This included a main substation converting 115,000 volts to 46,000 volts and 19 substations stepping down 46,000 volts to two different distribution systems, a 12,470 volt and 4,160 volt systems, both overhead and underground. I have installed BASLER relays on medium voltage distribution feeder circuit breakers, including connecting a laptop to the relay, uploading and downloading settings provided by the Electrical Engineer. I have worked on, troubleshot, and repaired medium voltage main and feeder breakers, relays, current transformers, battery banks, Uninterruptable Power Supplies. Since being an employee at Kirtland AFB (during the last 6 years), I have been a part of the oversight and acceptance of three new Substations. As a Supervisor I am currently working on the design review stage of a new substation installation going on now and a new 46,000 volt transmission circuit. I am also responsible for the maintenance and inspection of 20 Air Force owned Substations that date from 1978 to 2012. I am the installation Electrical Supervisor responsible for all high voltage switching on Kirtland AFB and I authored the Standard Operating Procedures (SOP) for the high voltage switching on Kirtland AFB. I am an Expert on OSHA 1910.269, NFPA 70E, NESC and all the Military and Air Force Instructions dealing with safety from Personal Protective Equipment, FR clothing, Hot Sticks, Fall Protection, Rubber Goods, Di-electric testing of Boom Trucks, and testing of equipment from cables to transformers.

United States Air Force
09/2009 - 08/2015
2050A Wyoming SE
Salary: \$50,000.00 USD Per Year
Albuquerque, NM 87111 US
Hours per week: 40
Series: 2810
Pay Plan: WG
Grade: 10
Supervisor: (b)(6)
Okay to contact this Supervisor: Yes

Journeyman High Voltage Electrician
I led and trained others in the installation, construction, maintenance, troubleshooting, and repair of high voltage electrical equipment in 20 substations 46,000 volt Transmission lines and associated high voltage distribution equipment and power lines on Kirtland Air Force Base. This includes a main substation stepping 115,000 volts to 46,000 volts and 19 substations stepping 46,000 volts to two high voltage distribution systems 12,470 volt and 4160 volt, both overhead and underground. I am an expert on lightning protection and grounding and just built Kirtland's first ever Electrical Substation Grounding Program to be in full compliance with the new Air Force Instruction (AFI) 32-1065, 1 Jan 2015. I can climb wooden poles up to 65 feet and train others to do so as well. I informed the

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

existing supervisor of new OSHA fall protection requirements and provided him with part numbers and prices of the equipment to meet or exceed the standards for fall protection. I have been the Noncommissioned Officer in Charge or Shop/Section supervisor for over 10 years while on active duty. During that time I have used the Civil Engineer Material Acquisition System (CEMAS) and the Interim Work Information Management System (IWIMS). I have had an IWIMS logon for over five years in my current position. I have assisted the shop supervisor on numerous occasions, as an example, I planned, ordered (created CSL numbers in CEMAS), installed, and programmed a Schweitzer Engineering Laboratories (SEL) SEL-2523 annunciator panel and SEL-3010 Event Messenger (Text to Speech Converter Auto-dial) at our main substation (115kV-46kV) protecting a 5 million dollar investment. I can also use AutoCAD software although Kirtland AFB and the drafting department no longer uses this software for map viewing or modification. While the supervisor is on leave I input labor into the IWIMS system, I am the shop trainer for High Reach, Auger Truck, and Forklift vehicles. I provide the training before new employees can receive an operator license. I also have a State of New Mexico Commercial Driver's License. I am the resident expert at Kirtland AFB on transmission and distribution switching. I have trained two former shop supervisors and all current employees on the applicable Air Force Instructions, OSHA, and Unified Facility Criteria. I routinely perform switching in high voltage substations and on transmission/distribution circuits up to and including 46kV. I routinely coordinate with all base agencies including the Fire Department, Security Forces, Public Service Company of New Mexico (PNM), Sandia National Laboratories, and the Department of Energy. I am the lead when it comes to troubleshooting substation equipment and power line faults, because of my experience and because I always get results. I routinely create and receive clearances and hotline orders. I am recognized as a technical expert in Civil Engineering/Electrical/Facility Management functions and the Air Force Instructions that apply to them. In both May 2010 and May 2011 I was picked to augment the Air Force Material Command (AFMC) Inspector General Team for Unit Compliance Inspections at Warner Robins AFB and Wright Patterson AFB respectively. I inspected numerous areas within Civil Engineering and Facility Maintenance to include all electrical functions such as, High Voltage Distribution, Power Production, Aircraft Arresting Systems, Fire Alarms, Airfield Lighting, Interior Distribution, Cathodic Protection, Security Alarms, HVAC, and all the applicable safety standards that apply to these functions. I received Letters of Appreciation from the AFMC Inspector General for outstanding work performed. Experience and training received from augmenting the inspections, directly contributed to being selected as an Inspector General Professional Performer during the March 2013 Air Force Nuclear Weapons Center Unit Compliance Inspection at Kirtland AFB. I am a team player and have always applied Equal Employment Opportunity and Equal Opportunity Treatment principles and requirements in dealing with all personnel both on and off duty. I have always ensured all personnel are treated in a manner free of discrimination. I have also maintained my education in and compliance with all standards, I practice security directives, good safety, and health habits in all work areas. I am currently an Inspector General in training for the New Mexico Wing Civil Air Patrol. I am a member of the 377 Mission Support Group Confined Space Team, the 58 SOW/377 ABW/150 SOW Foreign Object Damage and Dropped Object Manager, I am a Kirtland AFB Airfield Driving Program Manager, Shop Confined Space Supervisor, Shop CACRL Monitor (Responsible and Accountable for all equipment and tools), Shop Safe Clearance and Lockout Tagout Program Manager, Electrical Substation Grounding Program Manager, and Shop Safety Monitor.

Readiness Management Corporation
05/2007 - 09/2007
Panama City Florida
Kirkuk Regional AB, IZ
Hours per week: 80

Journeyman High Voltage Electrician

I was embedded with the Civil Engineer Squadron at Kirkuk Regional Air Base (KRAB), Iraq. I performed high voltage electrical work on the Air Force side of the base. I worked on the Harvest Falcon style distribution equipment (4,160 volt) and the host nation style

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

equipment (11,000 volt). I won the Team Safety Award for my company (Readiness Management Support) while in a war zone, working as an Air Force contractor.

My duties included performing high voltage electrical work on underground distribution systems. While I was there I also installed and maintained three facility Uninterruptible Power Supplies (UPS) for the Base Headquarters Facility, the Alternate Base Headquarters Facility, and an Army Drone Unmanned Airborne Vehicle Operation called Shadow Pad. While working as a team member we were able to eliminate extensive power outages by using infrared technology to find and repair problems before they occurred. Because of our accomplishments we were requested numerous times by the active duty Army stationed on the other side of the base. The other side of the base was called the "Darkside" because their contractor, Kellogg Brown and Root (KBR) had difficulty maintaining their power to Air Force Standards like the contractor I worked for. Since the Army side of the base went without power quite a bit "in the dark", most of the time, the name was quite fitting.

United States Air Force
01/2005 - 02/2007
Ramstein AFB, Germany
Salary: \$45,000.00 USD Per Year
Ramstein AB, GM
Hours per week: 60
Pay Plan: ZY
Grade: E-7

Chief Electrical Systems/Electrical Superintendent

Managed and supervised 90 employees (70 Military and 20 German Civilian). In all aspects related to electrical systems base wide to include: High voltage distribution, Electrical Generation, Aircraft Arresting Systems, Interior distribution, Airfield Lighting, Fire Alarms, Security Alarms, Lightning Protection, Street Lighting, Area Lighting, Security Lighting, and Cathodic Protection. Plus managing all training and safety. Individually responsible for all electrical functions on the largest overseas United States Air Force Base. Oversaw the installation of an entire new runway to include the runway lighting system and aircraft arresting system.

I appraised subordinates and wrote over 15 Enlisted Performance Reports along with any feedbacks, and decorations I deemed appropriate. I also wrote over 10 civilian appraisals including awards. I held high standards, but also recognized anyone who met or exceeded those standards.

Managed a complex and hazardous job while following numerous Air Force Instructions. Recognized for superior efforts by the Inspector General United States Forces in Europe (USAFE). Awarded the Meritorious Service Medal 2nd Oak Leaf Cluster.

United States Air Force
09/2003 - 12/2004
Anderson AFB, Guam
Salary: \$45,000.00 USD Per Year
Anderson AFB, GU 00000 US
Hours per week: 60
Pay Plan: ZY

Superintendent Electrical Systems

In charge of 15 military and 10 civilian employees responsible for the Base 13,800 Volt High Voltage Distribution System, Fire and Security Alarm Systems, and Airfield Lighting Systems. Authored the Electrical Privatization contract worth upwards of 22 million Dollars annually. Rewrote all of the Electrical Safety programs ensuring zero discrepancies during the Pacific Air Forces 2003 Unit Compliance Inspection. I also performed duties as acting First Sergeant on many occasions, I made all arrangements including counseling member, contacting the American Red Cross, emergency leave travel orders, and flight reservations to ensure Air Force members successfully traveled from the overseas location to the funeral of their family member. Included in the duties was

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

managing the section responsible for the clerical administration of approximately 750 individuals. During Typhoon recovery actions led a team of 15 electricians over 4 days restoring power to Anderson Air Force Base and assisting with the recovery of island power by supporting the Public Works Center (PWC) the energy provider/utility on Guam. Awarded the Air Force Achievement Medal during the deployment to Al Udeid AB Qatar, in support of "Operation Enduring Freedom" and "Operation Iraqi Freedom." Also awarded the Meritorious Service Medal 1st Oak Leaf Cluster

United States Air Force
09/1999 - 09/2003
Elmendorf AFB, Alaska
Salary: \$45,000.00 USD Per Year
Elmendorf AFB, AK 00000 US
Hours per week: 60
Pay Plan: ZY

Chief, Electrical Quality Assurance

Performed Quality Assurance Evaluations on the three largest contracts in the Pacific Air Forces Theater of Operations. I was the Subject Matter Expert (SME) for High Voltage Distribution, Low Voltage Distribution, Fire Alarm Systems, Cathodic Protection, Security Detection Systems, Airfield Lighting, Lightning Protection and Grounding, and Street/Area/Security Lighting. Performed evaluations also on Generators and Aircraft Arresting Systems. I was instructed and had a working knowledge of the Federal Acquisition Regulations (FARs). I authored the electrical portions on two of the contracts worth over 150 million dollars. Which included the Statement of Work (SOW), Delivery, and Quality Assurance Surveillance Plan. During the 4 year assignment I performed over 100 days a year temporary duty in remote Alaska performing on site evaluations (over one year in the four year time frame). I was responsible for all electrical systems mentioned above at 18 remote radar stations and three Forward Operating Bases from the tip of the Aleutian Chain, the North Slope, Western Coast, and everywhere in between. I also wrote SOWs for numerous new electrical projects in Alaska that were separate from the Base Maintenance and Operation Contracts I evaluated. I assisted the Engineering Flight with facility inspections and Engineering Studies at Eareckson AFB, King Salmon AS, and Galena AS. I also compiled an extensive facility condition survey for the FOBs, so the Air Force could better distribute funds for facility maintenance and facility replacement. Appointed as a member of the Source Selection Board for the award of two of the three contracts. This assignment is where I truly became a technical expert in many areas of Civil Engineering and Facility Maintenance. Awarded the Meritorious Service Medal.

United States Air Force
09/1992 - 09/1999
Malmstrom AFB, Montana
Salary: \$30,000.00 USD Per Year
Malmstrom AFB, MT 00000 US
Hours per week: 60

Lead High Voltage Electrician/NCOIC

As Lead High Voltage Electrician Attended the first AMMO Lightning Protection for Air Force Facilities Course. Recognized expert in Lightning Protection Systems. Maintained all the base systems to include the Nuclear Weapons Maintenance Facility, 4 Nuclear Certified Facilities and numerous conventional explosive storage facilities. I was named a Professional Performer during the 1997 Nuclear Surety Inspection and awarded one of my Air Force Achievement Medals specifically for the knowledge of and maintenance of LPS. Developed and implemented procedures for working on energized overhead lines up to 15kV using both rubber insulated protective equipment while working from an insulated aerial platform (bucket truck) and hotsticking while working off of a wooden pole. Insured all Personnel Protective Equipment was properly tested and inspected. Developed a in-house dielectric testing program for class 2 rubber gloves one of the few programs Air Force

**Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT**

wide. Ordered and implemented a boom mounted fiberglass "Christmas Tree" able to support the energized lines with the boom of the digger derrick while the pole is changed out eliminating the need for power outages or downtime. During this time frame I was awarded Two Air Force Commendation Medals for meritorious service and three Air Force Achievement Medals one for Lightning Protection and Grounding, one for deployment to Somalia in support of "Operation Restore Hope", and one to a classified location in support of "Operation Desert Storm".

Education: Certified Infrared Thermographer
Page, AZ US
Technical or Occupational Certificate - 05/2017
Relevant Coursework, Licensures and Certifications:
Level 1
Certificate number 170506

Commercial Drivers License
Page, AZ US
Technical or Occupational Certificate - 05/2016
Relevant Coursework, Licensures and Certifications:
Commercial Drivers License
License number D09816098

FAA Unmanned Aircraft System Pilot (Drone)
Page, AZ US
Technical or Occupational Certificate
Relevant Coursework, Licensures and Certifications:
Remote, Drone Pilot
Unmanned Aircraft System
Certificate Number 4164574

Department of Labor Electrical (Substation) Apprenticeship
Page, AZ US
Technical or Occupational Certificate - 03/2018
Relevant Coursework, Licensures and Certifications:
Department of Labor Electrical Craftsman in Training Program Electrical Substations

Certified Operator Mobile Crane
Phoenix, AZ US
Technical or Occupational Certificate - 12/2018
Relevant Coursework, Licensures and Certifications:
National Commission for the Certification of Crane Operators
Certificate number 1812166911

Journeyman Lineman New Mexico
Albuquerque, NM US
Technical or Occupational Certificate - 05/2013
Relevant Coursework, Licensures and Certifications:
EL-1J Journeyman Lineman Certificate number 378566

FAA Private Pilot Single Engine Land
Albuquerque, NM US
Technical or Occupational Certificate - 05/2013
Relevant Coursework, Licensures and Certifications:
Private Pilot Certificate, Single Engine Land
Certificate number: 3705124

Portales High School

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

Portales, NM US
High School or equivalent - 05/1984

Job Related Training: MITSUBISHI ELECTRIC POWER PRODUCTS INC, Sep 2019
MOBILE CRANE TRAINING AND CERTIFICATION, Dec 2018
DOBLE TESTING TRAINING, Sep 2018
SD MEYERS OIL TESTING AND TRANSFORMER TRAINING, Jul 2018
POWER SYSTEMS OPERATIONS FOR MAINTENANCE PERSONNEL, Oct 2017
CERTIFIED INFRARED THERMOGRAPHER LEVEL 1, May 2017
ABB POWER CIRCUIT BREAKER, Jan 2017
PRINT READING AND TRANSFORMER TRAINING (EPTC), Dec 2016
ADVANCED USAF SUPERVISOR COURSE MAFHRMS418, Dec 2015
CIVILIAN PERSONNEL MANAGEMENT COURSE, Dec 2015
AIR FORCE COURSE: MAFSNCOA 100, USAF Senior NCO Academy, May 2001
AIR FORCE COURSE: J3AZR3E051 02AA, Cathodic Protection Maintenance, May 2000
AIR FORCE COURSE: PME CODE T, USAF NCO Academy, Jul 1998
AIR FORCE COURSE: J5AZB3E051 000, Lightning Protection For Air Force Facilities (AMMO-47-OS), Feb 1997
AIR FORCE COURSE: J3AZR54251 004, High Voltage Cable Testing and Splicing, JUL 1996 and Sep 1989
AIR FORCE COURSE: J3AZR54271 100, Power Distribution Systems Maintenance and Repair, Mar 1991
AIR FORCE COURSE: PME CODE U, NCO Leadership School, Mar 1990
AIR FORCE COURSE: J4AJF75000 011, OJT Trainer/Supervisor Familiarization, Aug 1989
AIR FORCE COURSE: PME CODE X, NCO Preparatory Course, MAY 1987
J3AZR54251 001, Electric Distribution System Maintenance, APR 1986
J3AZR54251 000, Airfield Approach Lighting, Condenser Discharge, AUG 1985
AIR FORCE COURSE: J3ABR54231 001, Electric Power Line Specialist, OCT 1984
Federal Emergency Management Agency Courses (FEMA): These courses helped to qualify me as and Air Operations and Branch Director (AOBD). I am qualified to operate and or participate in any incident anywhere in the United States.
Basic National Inland Search and Rescue Planning Course (16 Hours), 5 Mar 2014
FEMA, Incident Command System 100, (Online) 13 Jan 2012
FEMA, Incident Command System 200, (Online) 26 Jan 2012
FEMA, Incident Command System 300, (24 Hours) 28 Feb 2014
FEMA, Incident Command System 700, (Online) 26 Jan 2012
FEMA, Incident Command System 800, (Online) 28 May 2012
I am always looking for ways to better myself and strengthen my weaknesses. I have taken the following courses:
- Communicating with Diplomacy (6 Professional Development Hours)
- Advances Secrets of Access (18 Professional Development Hours)

(b)(6)

(b)(6)

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

(b)(6)



Additional Information: Attended the following courses with WAPA:

- MEPPI Training
- Infrared Technician Training
- Print Reading and Instrument Transformer Training
- EPTC for Maintenance Personnel
- Doble Testing
- SD Myers Oil Processing and Sampling
- ABB Breaker Training
- Crane Training/Certification

Miscellaneous:

Dec 2016 Gold Star Award (WAPA)

Chairman of the Page Arizona Airport Board Advisory Council

2014 Outstanding Civil Engineer Manager (Technician Category) of the Year, Kirtland AFB

2014 Civilian of the Quarter (Category II), Third Quarter, Mission Support Group, Kirtland AFB

2013 Nuclear Weapons Center Unit Compliance Inspection Professional Performer (only 26 awarded throughout the installation).

Commercial Driver's License, Class B with Air Break

New Mexico Journeyman Lineman Certificate, Class EL-1J

FAA Fixed Wing Pilot Certificate: Single Engine Land

FAA Small Unmanned Aircraft System (UAS): Remote Pilot

Mobile Crane Certificate NCCCO

AIR FORCE MEDALS AWARDED: -Meritorious Service Medal w/ 2 Oak Leaf Clusters

-Air Force Commendation Medal w/ 5 Oak Leaf Clusters

-Air Force Achievement Medal w/ 3 Oak Leaf Clusters

-Air Force Good Conduct Medal w/ 6 Oak Leaf Clusters

-National Defense Service Medal w/ Star

-Armed Forces Expeditionary Medal

-Southwest Asia Medal w/ Star

-Global War on Terrorism Expeditionary Medal

-Global War on Terrorism Service Medal

-Nuclear Deterrence Operations Service Medal w/ N Device

Air Force Ribbons Awarded:-Joint Meritorious Unit Award w/ Clasp

-Meritorious Unit Award

-Air Force Outstanding Unit Award w/ 11 Oak Leaf Clusters

-Air Force Overseas Ribbon (Short) w/ 3 Oak Leaf Clusters

-Air Force Overseas Ribbon (Long) w/ 1 Oak Leaf Cluster

Bonneville Power Administration
All Applicant Data Report
Name: RANDY HAMMIT

- Air Force Expeditionary Service Ribbon w/ Clasp
- Air Force Longevity Service Award w/ 4 Oak Leaf Clusters
- USAF NCO PME Graduate Ribbon w/ 2 Oak Leaf Clusters
- Small Arms Expert Marksmanship Ribbon w/ Star
- Air Force Training Ribbon

Awarded the "Effective Writing award", Air Force Leadership School.

Awarded the "Commandants Award" Air Force Leadership School.

UNITED STATES AIR FORCE AUXILIARY CIVIL AIR PATROL: I volunteer an average of 8-10 hours a week! Beyond the Search and Rescue support I provide to the State of Arizona, I also assist in the protection of the Southern Border. I have participated in 10 Border Protection and Counter Drug Operations to date.

I hold the rank of Major/Air Operations Branch Director/Transport Mission Pilot/Emergency Services Officer/Emergency Services Training Officer. Awarded the following:

2014 Margaret Kilgore Memorial Emergency Services Senior Member of the Year Award (1 of 564 Senior Members in New Mexico)

2012 1st Air Force (AF North) Commanders Trophy, Civil Air Patrol. South West Region (South West Region, Includes: Texas, New Mexico, Arizona, Oklahoma, Arkansas, and Louisiana)

CIVIL AIR PATROL DECORATIONS AND RIBBONS:- Five Search "Find" Medals w/Propeller (Aircrew)

- Air Search and Rescue Medal w/Propeller (Aircrew)-Counter Drug Medal

-Red Service Medal

-Leadership Medal

-Civil Air Patrol Membership Medal

-Yeager Ribbon

-Senior Recruiter Ribbon

CIVIL AIR PATROL AWARDS:

General Benjamin O. Davis, Jr. Leadership Award

Brigadier General Charles E. "Chuck" Yeager

Aerospace Education Achievement Award

Commanders Commendation Award

Air Force Exceptional Organization Award

CIVIL AIR PATROL QUALIFICATIONS:

Air Operations Branch Director

Transport Mission Pilot

Mission Observer

Airborne Photographer

Mission Scanner

Mission Radio Operator

Mission Staff Assistant

Operations Senior Technician Rating

Emergency Services Technician Rating

Announcement Number: DOE-BPA-20-13794-MP

Document Name: VA Letter (Applicant)

Name: HAMMIT, RANDY

AIDX: 1413380

Telephone 1: Mobile (b)(6)

Telephone 2: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document VA Letter (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: Additional Veteran Documents

Name: HAMMIT, RANDY

AIDX: 1413380

Telephone 1: Mobile - (b)(6)

Telephone 2: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document Additional Veteran Documents was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: DD214 (Applicant)

Name: HAMMIT, RANDY

AIDX: 1413380

Telephone 1: Mobile (b)(6)

Telephone 2: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document DD214 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: SF15 (Applicant)

Name: HAMMIT, RANDY

AIDX: 1413380

Telephone 1: Mobile - (b)(6)

Telephone 2: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document SF15 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: Other Documentation (applicant)

Name: HAMMIT, RANDY

AIDX: 1413380

Telephone 1: Mobile - (b)(6)

Telephone 2: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

*** cannot process : Other Documentation (applicant) not supported file format

Announcement Number: DOE-BPA-20-13794-MP

Document Name: SF50 (Applicant)

Name: HAMMIT, RANDY

AIDX: 1413380

Telephone 1: Mobile - (b)(6)

Telephone 2: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document SF50 (Applicant) was not submitted

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12678-00

Job Opening # 12678 Status 045 Type Bid List

Jobcode J00767 BB - 2810 - 00 Electrician

Location East Wenatchee

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)	Hoppen, Brett M	Electrician	Port Angeles	EOD: 5/13/2018
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Kent	



RECEIVED
DEC 28 2017
BY: [Signature]

CALENDAR YEAR 2018 BID APPLICATION

1. Date 12/28/2017	2. Applicant Name (Last, First, Middle) Hoppen, Brett, Matthew	
3. Current Job Title (Including Step) Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Port Angeles	7. Mail Stop TFOY
8. BPA E-Mail Address bmhoppen@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)	*	
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)	/x	/x
OREGON			Vancouver (Ross)	/x	/x
Goshen (Alvey)			East Wenatchee (Sickler)	/x	/x
Hillsboro			IDAHO		
Malin			Lewiston	/x	/x
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)	x ✓	x ✓	Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)	x ✓	x ✓	Goldcreek (Garrison)		
East Wenatchee (Sickler)	x ✓	x ✓	ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston	x ✓	x ✓	The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-R-TFPO-Umatilla, OR

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-R-TFPO-Umatilla, OR
Series: 2810
Total Score Transmutation: On

Status: Open, expired
Expiration Date: 04/09/2021

00

[Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** 03/12/2021 **Signed By:** (b)(6) on 03/15/2021 **Action:** Selection(s) made [Comments](#) [Email to HR](#)

Showing 1 to 1 of 1 applications

BULK ACTIONS



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
<input type="checkbox"/>	MANNING, PATRICK A			HIRE	HIRE		Selected	1	0.00	EOD: 4/11/2021	Actions

25 results per page | Page / 1

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-J00767m-BL-R
Position Title: Electrician (Maintenance)
Name: PATRICK MANNING

Name: PATRICK A MANNING

SSN: ***-**-****

MIDX: 003069746

Address1: (b)(6)

Address2:

City: (b)(6)

State: (b)(6)

Country: (b)(6)

Post Code: (b)(6)

Plus4:

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

United States Citizen: Y

Veterans' Preference: (b)(6)

Military Service Dates (Start of Service - End of Service):

Location(s) Applied to: Pasco, WA(US); Richland, WA(US); Umatilla, OR(US)

Series Applied To: 2810

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)	No document submitted	
2	Armed Forces Ltr.	No document submitted	
3	DD-214_.	No document submitted	
4	Last Two (2) Performance Appraisals	No document submitted	
5	Most Recent SF-50	No document submitted	
6	OF 306.	No document submitted	
7	Other.	No document submitted	
8	SF-15: Application of 10-Point Veteran Preference	No document submitted	
9	SF-50.	SF 50 01-08-21	USAJOBS
10	Transcript	No document submitted	
11	Additional documents	No document submitted	
12	DD-214: Certificate of Discharge or Separation	No document submitted	
13	Occupational Certification or Licensure	No document submitted	
14	SF-50: Notice of Personnel Action	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

1. Yes

1.1. By what agency or department are you employed? Note: Employees of any Power Marketing Administration, including Bonneville Power Administration, must select 'U.S. Department of Energy'

Answers:

1. U.S. Department of Energy

1.2. If you selected "A Federal agency or department outside the Department of Energy", please enter the agency and organization.

Answers: N/A

1.3. If you are a current Federal employee, what is your duty station? List City and

Bonneville Power Administration
All Applicant Data Report
Name: PATRICK MANNING

State, or enter "NA" if not applicable.

Answers: Umatilla, OR

1.4. If you are a current Federal employee, under what type of appointment are you serving?

Answers:

1. Permanent Career, Competitive Service

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

1.5. Are you a Federal employee who has been displaced or surplusd? For more information on career transition programs,click here.

Answers:

3. Not applicable

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

10. Not applicable - I have never been a federal employee

3.1. If you selected "Other", please list the Pay Plan. Enter "NA" if this does not apply to you.

Answers:

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

18. Not applicable - I have never been a Federal employee

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: NA

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: NA

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a

Bonneville Power Administration
All Applicant Data Report
Name: PATRICK MANNING

copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

10.1. Which Special Appointing Authority(ies) are you eligible for?

Answers:

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

1. Yes

14.1. You indicated that DOE employs a relative. Please list the full name of each

**Bonneville Power Administration
All Applicant Data Report
Name: PATRICK MANNING**

relative, their relation to you, and the agency or office where they are employed.

Answers:

(b)(6) Bonneville Power Administration Department of Energy

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click here to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Pasco, WA(US)

Richland, WA(US)

Umatilla, OR(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answer (0.00 points):

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answer (0.00 points):

1. I am a current federal employee, my last performance rating was at least fully successful or equivalent, or higher.

3. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position.

Answer (4.00 points):

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations.

Assessment Questions

GRADE: All Grades

**Bonneville Power Administration
All Applicant Data Report
Name: PATRICK MANNING**

1. I understand that if I am applying for a position that will result in Promotion or Change in Craft, I must submit a complete employment application package, including: 2020 Bid Application, resume; and supplemental questionnaire. Any application for promotion or change-in-craft that is incomplete may be determined 'not qualified', and will receive no further consideration.

Answers: Yes

2. If you are bidding for a position in The Dalles, OR designate which crew you wish to be considered for. Check all that may apply.

Answers: 1 Big Eddy Maint HQ

Phase Scores

GRADE: 00

Phase: REQUIRED VACANCY QUESTIONS

Phase Date: 04/30/2021

Min Pass Score: 70.0

Phase Score: 100.0

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Most Recent SF-50

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Most Recent SF-50 was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Armed Forces Ltr.

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Armed Forces Ltr. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Transcript

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Transcript was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: OF 306.

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document OF 306. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: DD-214: Certificate of Discharge or Separation

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214: Certificate of Discharge or Separation was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: SF-50: Notice of Personnel Action

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

July 20, 2021

Document SF-50: Notice of Personnel Action was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: SF-50.

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

NOTIFICATION OF PERSONNEL ACTION

1. Name (Last, First, Middle) MANNING, PATRICK A				2. Social Security Number (b)(6)		3. Date of Birth		4. Effective Date 12/30/2020							
FIRST ACTION					SECOND ACTION										
5-A. Code 840		5-B. Nature of Action INDIVIDUAL CASH AWARD RB			6-A. Code		6-B. Nature of Action								
5-C. Code		5-D. Legal Authority			6-C. Code		6-D. Legal Authority								
5-E. Code		5-F. Legal Authority			6-E. Code		6-F. Legal Authority								
7. FROM: Position Title and Number					15. TO: Position Title and Number ELECTRICIAN J00767 00003247										
8. Pay Plan	9. Occ. Code	10. Grade or Level	11. Step or Rate	12. Total Salary	13. Pay Basis	16. Pay Plan	17. Occ. Code	18. Grade or Level	19. Step or Rate	20. Total Salary/Award \$2,848.00	21. Pay Basis				
12A. Basic Pay		12B. Locality Adj.		12C. Adj. Basic Pay		12D. Other Pay		20A. Basic Pay		20B. Locality Adj.		20C. Adj. Basic Pay		20D. Other Pay	
14. Name and Location of Position's Organization					22. Name and Location of Position's Organization DEPARTMENT OF ENERGY, BPA TRANSMISSION SERVICES CONSTRUCTION & MAINTENANCE SVCS CENTRAL ELECTRICAL SERVICES DN00820TFHE VANCOUVER WA USA										
EMPLOYEE DATA															
23. Veterans Preference (b)(6) 1 - None 3 - 10-Point/Disability 5 - 10-Point/Other 2 - 5-Point 4 - 10-Point/Compensable 6 - 10-Point/Compensable/30%						24. Tenure 1 0 - None 2 - Conditional 1 - Permanent 3 - Indefinite			25. Agency Use		26. Veterans Preference for RIF (b)(6)				
27. FEGLI C0 BASIC ONLY						28. Annuitant Indicator 9 NOT APPLICABLE			29. Pay Rate Determinant REGULAR RATE						
30. Retirement Plan KF FERS FRAE AND FICA				31. Service Comp. Date (Leave) 01/22/2017		32. Work Schedule F FULL TIME			33. Part-Time Hours Per Biweekly Pay Period						
POSITION DATA															
34. Position Occupied 1 1 - Competitive Service 3 - SES General 2 - Excepted Service 4 - SES Career Reserved				35. FLSA Category N E - Exempt N - Nonexempt		36. Appropriation Code RR-CF02			37. Bargaining Unit Status 1468						
38. Duty Station Code 532370011				39. Duty Station (City - County - State or Overseas Location) VANCOUVER CLARK WA USA											
40. Agency Data		41. EMPLID 0016095		42.		43.		44.							
45. Remarks FY2020 EMPLOYEE PERFORMANCE AWARD															
46. Employing Department or Agency DEPARTMENT OF ENERGY						50. Signature/Authentication and Title of Approving Official ELECTRONICALLY SIGNED BY: BRIAN E CARTER DIRECTOR, HUMAN RESOURCES SERVICE CENTER									
47. Agency Code DN00		48. Personnel Office ID 4237		49. Approval Date 12/30/2020											

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: DD-214_.

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214_ . was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: USJOBSResume

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

July 20, 2021

Patrick Manning

(b)(6)

EXPERIENCE

Bonneville Power Administration, Portland, OR – *Electrician*

January 2017 - PRESENT

Have completed a 120 day detail as a Foreman I on an Electrician construction crew.

As FMN I led a crew of Journeymen Electricians in the installation of 500kv Metering CTs, surge arrestors, and CCVTs for Grid Modernization projects.

Directed, as FMN I, a crew of Journeymen Electricians in the installation and calibration of 500kv MODs.

AS FMN I, coordinated with T&E engineers and Substation Operators to verify newly installed equipment was connected to the system true to construction drawings and wiring terminations aligned with wiring diagrams.

As FMN I, coordinated with transportation in the delivery and removal of equipment from substations.

As FMN I, used problem solving abilities to resolve interpersonal conflicts with members of the crew to maintain a comfortable and safe working environment for each individual.

As FMN I, worked with supply techs to order materials for the successful completion of projects as well as required and necessary safety equipment.

Install and calibrate high voltage disconnect switches from 115kV to 230kV some with ground switch.

Install and calibrate motor operated disconnects from 345kV to 500kV.

Install power transformer banks up to 500kV.

Install current limiting reactors up to 115kV.

Install SF-6 PCBs from 230kV to 500kV.

Install CCVTs for hot line indication.

Install 4/0 bare copper for complete station ground mat upgrade.

As temporary foreman I oversaw replacement of 115kV sectionalizing disconnect and removal and re-installation of bus and supports.

Install, route, and terminate indoor wiring for SCADA and RAS systems while working with T and E engineers.

Assist TLM in replacement of glass insulators on 230kV wooden transmission structures.

Assist TLM with protective grounding and rigging involved with replacement of 230 kV transmission structures.

Install bird deflectors on transmission towers while assisting TLM.

Install and monitor step and touch meters.

Install new equipment and cabling, 480V and below, for station service upgrades, occasionally as temporary foreman 1.

Perform moisture tests on SF-6 gas, vacuum dryouts.

Power factor and dole tests for PCBs, power transformers, and bushings.

Replace high voltage bushings in SF-6 and oily PCBs and power transformers.
Check phase rotation on URD transformers using rotation meters.
Install load interrupters up to 115kV.
Install CTs, PTs, load interrupters and surge arrestors from 115kV to 500kV.
Assist cable splicer with cable routing and 15kv stress cone and load break elbow terminations installed with preferred strain relief methods.
Communicate with system dispatch centers to hold clearances for outages on high voltage equipment up to 500kV.

IBEW Local Union 191, Everett, WA – *Electrician*
September 2008 - January 2017

Install wireways including cable tray sizes 12" to 36" and electrical conduit $\frac{1}{2}$ " to 6" in both steel and PVC.

Installation, maintenance, and troubleshooting of lighting and branch circuits from 120/240VAC to 480/277VAC.

Install dry type and oil insulated URD transformers from 120/240VAC to 15kV on both delta and wye systems.

Install and make terminations for power and controls of emergency generators.

Install electrical switchgear including motor control centers, automatic transfer switches and uninterruptible power supplies.

Install motors and pumps and make proper electrical terminations in various industrial facilities.

Install bare 4/0 copper wire using cad weld systems for ground grid.

As foreman oversaw installation of underground utility vaults and duct banks and temporary power on large scale construction projects.

Used electrical testing equipment including phase rotation meters, VOM multimeters, Megaohmmeters for insulation integrity tests, and toning gear for tracing circuits.

Wrap 15kV cables with fire retardant tape in preparation of racking underground vaults.

Install load break and dead break elbows and stress cone type kits on 15kV cables.

All installations made from reading and interpreting blueprints and schematics and in accordance with the National Electric Code.

Take oil samples from high voltage power transformers.

Assist in routine maintenance and inspection of 500kV motor operated disconnects and SF-6 gas insulated PCBs.

Install capacitor groups, reactors, SF-6 PCBs, disconnects, MODs and CCVTs from 69kV to 500kV.

Install bus and supports up to 500kV.

Install corona shielding up to 500kV.

Build substation structures including lattice type steel, static towers, pedestals and station post type insulators.

Indoor control house relay wiring.

IBEW Local Union 191, Everett, WA– *Material Handler*

July 2007 - September 2008

Inventory tools and material for various electrical construction projects.

Receive and fulfill tool and parts orders made by electrician foremen.

Operate all-terrain forklifts for safe, effective, transportation and unloading of equipment and switchgear.

EDUCATION

Northwest Joint Apprenticeship Training Committee, Mount Vernon, WA – *WA State Electrician License EL01 WA # MANNIPA870JW*

September 2008 - May 2013

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore.

Smokiam High School, Soap Lake, WA – *High School Diploma*

Graduating Class of 2003

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Occupational Certification or Licensure

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Occupational Certification or Licensure was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Other.

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Other. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional Veteran Documents (Spouse PCS orders,
Scheduled Discharge, etc.) was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Last Two (2) Performance Appraisals

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Last Two (2) Performance Appraisals was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: (b)(6)

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

(b)(6)

was

not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Additional documents

Name: MANNING, PATRICK

AIDX: 3069746

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

July 20, 2021

Document Additional documents was not submitted



RECEIVED
FEB 28 2018
BY: [Signature]

CALENDAR YEAR 2018 BID APPLICATION

1. Date 01/02/2017	2. Applicant Name (Last, First, Middle) McMichael, Joshua, Daniel	
3. Current Job Title (Including Step) Journeyman Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Longview Sub Maint.	7. Mail Stop TFVE
8. BPA E-Mail Address jdmcmichael@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810 ✕		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		✕
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		✕
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)	x	x
Vancouver (Transformer Crew)			Longview (Maintenance HQ)	x	x
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia	x	x
WASHINGTON			Pasco	x	x
Vancouver (Field)			Richland (Ashe)	x	x
Vancouver (Complex, Transformer)			Snohomish	x	x
ELECTRICIAN (MAINTENANCE) BB 2810 ✕			Spokane (Bell)	x	x
OREGON			Vancouver (Ross)	x	x
Goshen (Alvey)			East Wenatchee (Sickler)	x	x
Hillsboro			IDAHO		
Malin			Lewiston	x	x
North Bend			MONTANA		
Redmond			Kalispell	x	x
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles	x	x	IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)	x	x	Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell	x	x	Umatilla (McNary)		
Goldcreek (Garrison)	x	x	WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810 ✕			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)	x	x	Olympia		
Keizer (Chemawa)	x	x	Pasco		
Redmond	x	x	Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)	x	x	Snohomish		
The Dalles (Celilo)	x	x	Spokane (Bell)		
Umatilla (McNary)	x	x	Vancouver (Ross)		
Hillsboro (Keeler)	x	x	East Wenatchee (Sickler)		



RECEIVED
JAN 02 2018
BY: [Signature]

CALENDAR YEAR 2018 BID APPLICATION

1. Date 01/02/2017	2. Applicant Name (Last, First, Middle) McMichael, Joshua, Daniel	
3. Current Job Title (Including Step) Journeyman Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Longview Sub Maint.	7. Mail Stop TFVE
8. BPA E-Mail Address jdmcmichael@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), and
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

RECEIVED
MAY 10 2018

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810 ★		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Vancouver (Transformer Crew)			Longview (Maintenance HQ)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Vancouver (Complex, Transformer)			Snohomish	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Hillsboro			IDAHO		
Malin			Lewiston	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
North Bend			MONTANA		
Redmond			Kalispell	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Umatilla (McNary)		
Goldcreek (Garrison)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Olympia		
Keizer (Chemawa)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Pasco		
Redmond	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Snohomish		
The Dalles (Celilo)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Spokane (Bell)		
Umatilla (McNary)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Vancouver (Ross)		
Hillsboro (Keeler)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	East Wenatchee (Sickler)		

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12838-00
 Job Opening # 12838 Status 045 Type Bid List
 Jobcode J00767 BB - 2810 - 00 Electrician
 Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	
(b)(6)	McMichael, Joshua D	Electrician	Longview	EOD: 7/22/2018

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

Vacancy number: DOE-BPA-20-13794-MP,
Certificate number: DOE-BPA-20-13794-MP-VRA-00-TFHE-Vancouver
Position: Electrician - OPEN CONTINUOUS ANNOUNCEMENT 2810-C Bonneville Power
Administration - BB
Location: Vancouver, WA, US

Date Certificate Issued: 02/04/2021
Date Certificate Expires: 03/05/2021
Certificate issued by: Gary Skaggs, Jr.

Selecting Official must annotate certificate selection using the codes contained in
the HR Admin module.

Series: 2810-C

Grade: 00

(b)(6)

MIDX: 001003775

(b)(6)

MIDX: 003128742

(b)(6)

MIDX: 000211255

(b)(6)

MELLIICK, TYLER

MIDX: 003070815

(b)(6)

(b)(6)


EOD:

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

05/09/202
1

Status: HIRE


(b)(6)



MIDX: 003198875

MIDX: 001413380

(b)(6)




MIDX: 000021987

MIDX: 001213373

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

(b)(6)



MIDX: 002517374

MIDX: 003241289

Indicate selectee and provide justification. If no selection is made from this certificate, provide a reason.

3{/R}

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-13794-MP
Position Title: Electrician - OPEN CONTINUOUS ANNOUNCEMENT
Staging Area Number: SA-BPA-0002
Name: TYLER MELLICK

Name: TYLER A MELLICK
SSN: ***-**-****
MIDX: 003070815
Address1: (b)(6)
Address2: (b)(6)
City: (b)(6)
State: (b)(6)
Country: (b)(6)
Post Code: (b)(6)
Plus4:
Telephone 1: Day Phone: (b)(6)
Email: (b)(6)
United States Citizen: Y
Veterans' Preference: (b)(6)
Military Service Dates (Start of Service - End of Service):
 (b)(6)
Location(s) Applied to: Vancouver, WA(US)
Series Applied To: 2810-C

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents	No document submitted	
2	DD214 (Applicant)	No document submitted	
3	Other Documentation (applicant)	No document submitted	
4	SF15 (Applicant)	No document submitted	
5	SF50 (Applicant)	No document submitted	
6	VA Letter (Applicant)	VA	USAJOBS

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

2. No

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

8. BB / BS / BL - Negotiated Pay for BPA Employees

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

17. 00 (Federal Wage System)

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: 11-2015

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: BB-2810-00

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority?

Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

2. No

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click [here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Vancouver, WA(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answers:

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answers:

4. Not applicable, I am not a current federal employee.

3. If you are a current federal employee list any incentive awards you received in the last three years.

Answers: N/A

4. If you are eligible for non-competitive appointment under a special appointing

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

authority please select all that apply:

Answers:

5. None of the above, this does not apply to me

5. Please tell us how you heard about this job.

Answers:

6. I searched the USAjobs website

6. Select the one statement that best describes your highest level of experience as it relates to your ability to perform the duties of the Electrician, BB-2810-00 position.

Answers:

2. I have performed the majority of the following duties with minimal supervision, with help from the supervisor on more complex tasks such as: maintaining or installing, modifying, initial setup and testing or calibrating and repairing of; electrical substations, power generation/transmission/distribution equipment and systems at 69,000 to 500,000 volts while working under the protection of a clearance (process of safely isolating power system equipment from the power system).

7. Applicants must possess at appointment, and maintain thereafter, a valid U.S. State issued Motor Vehicle Operator License (Driver's License) in order to drive and operate U.S. government owned and leased vehicles and equipment. If selected, you will be required to provide a copy of your non-employment driving abstract dated within the last 90 days, and covering the previous 36 months to prove you have good indication of driving. Traffic citations indicating poor driving habits may disqualify applicants. Note: Once employed the incumbent will also be required to provide proof of a valid commercial driver's license (CDL) with all endorsements that are required to operate substation maintenance and construction equipment from the state of residence within 120 days after appointment.

Answers:

1. Yes, I possess a current, valid driver's license. I am willing and able to operate motor vehicles and equipment when required. I have or am willing to obtain and maintain for the duration of my employment the appropriate license.

8. Install, repair, replace transmission or generation equipment in substations, power generating facilities, transformer vaults, and distribution centers.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

9. Operate equipment such as bucket trucks, aerial booms, digger derricks, winches/capstan used in installations and repairs.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

10. Install and setup Substation emergency generators.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

11. Apply an understanding of electrical safety practices such as: Fall protection, Hazardous Energy Control (HEC), Arc Flash, confined space entry, and grounding in the performance of daily duties.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

12. Analyze data collected from electronic test equipment such as, Doble Power Factor test set, Doble Power Circuit Breaker timing analyzers, and meggers etc. used to install and perform initial setup of high voltage power equipment or to determine the condition and/or extent of repairs needed.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

13. Testing and analyzing operating performance or initial setup and testing of electrical equipment (e.g., transformers, regulators, circuit breakers in substations) to recognize system malfunctions.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

14. Installation or repair overhead bus and/or underground high voltage electrical distribution systems in substations (up to 500,000 volts) following standardized procedures.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

15. Determine types and sizes of wires, cables, conduits, transformers, and other electrical equipment and circuit elements based on guidance contained in the National Electric Safety Code.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

16. Installation, setup, or test high voltage equipment such as transformers, regulators, cables, switches, circuit breakers, mechanical and electronic recording instruments to ensure proper operation using a Power Factor test set, Circuit Breaker Analyzer, Megger and Millivolt Drop Test set and various other testing equipment.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

17. Install, setup or maintain and repair electric power-controlling equipment such as switch gear, transformer banks, and circuit breakers in substations and power-generating facilities.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

18. Install, setup or repair and modify items including bushings, motors, and other miscellaneous electrical items to prepare for use in testing equipment performance.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

19. Construct and install all types of conduits. Pull in conductors, assemble bus bars, phase and connect conductors.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

20. Interpret blueprints of high voltage interconnects such as generators, buses, switches, and circuit breakers to diagnose problems

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

21. Implement installation drawings for customized devices of high voltage electrical components.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

22. Use schematic, wiring and one-line diagrams to install and trouble shoot electrical circuits and devices on low and high voltage control boards, alarm monitoring systems, circuit panels, metering and relay racks and distribution centers.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

23. Install, setup or modify mechanical contacts and time-delay intervals of circuit breakers and relays using microprocessor programming equipment.

Answers:

3. I have used my knowledge or ability, but I have been closely supervised.

24. Operate a wide variety of electrical tools such as: conduit benders, pipe threader, drills, hole saws and metal fabrication tools in performing electrical installations.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

25. Operate tools including assorted hand tools, air, electric and hydraulic power tools to repair and maintain electrical equipment to perform at peak capacity.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

26. Use hot-line tools and protective equipment (e.g. hot sticks, standoffs, insulated hoods/covers and tools, rubber gloves, sleeves, insulating blankets).

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

27. Troubleshoot malfunctions with complex electrical equipment (e.g., Transformers, Power Circuit Breakers, load interrupters, reclosers, Series and Shunt Capacitor banks and similar equipment to determine corrective actions.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

28. Diagnose commonly encountered problems such as locating defective switches or blown high voltage fuses.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

29. Troubleshoot bus and underground high voltage cable systems to locate shorts, grounds, cable breaks, etc. on circuits from 120 to 13,800 volts.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

30. Troubleshoot high and low voltage circuits to locate and correct the causes of faults or outages.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

31. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (12.5KV to 69KV).

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

32. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (115KV to 500KV).

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

33. Use circuit diagrams to complete installation, modification, and repair on volt distribution systems (12.5KV to 69KV).

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

34. Use circuit diagrams to complete installation, modification, and repair on volt distribution systems (115KV to 500KV).

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

35. I have been trained in the use and disposal of hazardous materials (e.g., lead, asbestos).

Answers:

1. Yes

36. I have installed electrical protective guards or barriers and Portable Protective Grounds for personal protection.

Answers:

1. Yes

37. I have utilized protective clothing and apparatus when in energized facilities and climbing structures.

Answers:

1. Yes

38. I have used fall protection equipment.

Answers:

1. Yes

Resume

Tyler Alan Mellick

(b)(6)

Day Phone: (b)(6)

Email: (b)(6)

Country of Citizenship: United States

Veterans' Preference: (b)(6)

(b)(6)

Availability: Job Type: Permanent

Work Schedule: Full-Time

Shift Work

Work Experience: Ahearn Electrical

11/2015 - Present

4843 Auto Center Way Ste D

Salary: (b)(6)

Bremerton, WA 98312 US

Hours per week: 40

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Journeyman Electrician

Journeyman Electrician worked on Commercial & Residential Services, Data Communications, Fire Alarm Services and Audio & Video Services serving the Kitsap Peninsula region, including security clearance for Puget Sound Naval Shipyard, Subase Bangor, NUWC Keyport, Manchester Fuel Depot and NAS Whidbey, as well as various other federal sites . Experience in installing all phases of electrical installations, capable of performing home repairs, fuse box, service changes, generator hook-ups, alterations and electric heat, conducting inspection reports and underground fault test. Professional Installation and repair various facility services and support equipment such as fire protection systems, entrance controls, and various domestic and office appliances and constantly ensure work is of highest quality and performed in the most cost effective manner. Perform and coordinate with other trades, owners, engineers and general contractors. Monitor work progress after

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

installing work effectively. Knowledge and ability to write, read, interpret, and follow electrical drawings, specifications, site work directions, the National Electrical Code, written guidelines, and instructional manuals. Provide to bend conduit through hand with benders. Utilize power tools, wire tuggers, saws, knockout punches, threaders and hydraulic benders. Practice and study to understand safe work methods as outlined in handbooks of employees. Implement and comply with Hazcom policy, safety policies and procedures. Lockout Tag Out trained and makes sure all safety is followed. Oversee and direct site employees and apprentices working on assigned task for project completion. Head responsibility for components, tools and apt paperwork. Lead and perform with other journeyman, helpers and apprentices.

USBR

03/2009 - 11/2015

P.O. Box 620

Salary: \$40.26 USD Per Hour

Grand Coulee, WA 99133 US

Hours per week: 40

Series: 0028

Pay Plan: BB

Grade: 10

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Electrician (This is a federal job)

Locates trouble and maintains electrical equipment and circuits in high voltage switchyards, hydroelectric generating stations and associated buildings and facilities. Installs, modifies, repairs and tests new and existing electrical circuits, systems, fixtures, controls and equipment using specialized tools and vehicles. Installs and maintains electrical equipment including; station batteries, lighting, power circuits, cable trays, conduit, wiring, control devices, annunciator panels, circuitry devices and makes terminations in accordance with electrical drawings. Tests the installed systems and makes modifications, adjustments and settings as needed. Terminates cable and wiring in accordance with electrical drawings. Connects and services high and low voltage power transformers, distribution transformers, instrument transformers, circuit breakers, bus work and various types of switches that use a variety of insulating media including oil, and SF-6 gas. Installs, tests, and repairs the simpler metering, relaying and control equipment. Wires and installs Programmable Logic Controllers (PLC) and may perform routine maintenance on other electronic based equipment such as electronic governors and digital exciters not requiring component level repairs, i.e., removing and replacing entire boards. The incumbent may be required to install, inspect, and/or maintain other solid state equipment where a full Journeyman Power System Control Craftsman is not required. Operates high-voltage switches and related devices in connection with his/her work. Properly installs protective grounds to protect workers. Observes safety practices recognized by the electrical industry. Possesses working knowledge of, and ability to use, electrical drawings for all phases of the work such as three-line, single-line, installation, wiring, schematic and block diagrams for installation, troubleshooting, repair and maintenance of electrical equipment. Works on distribution voltage circuits. Performs electrical maintenance and repair of bridge and gantry cranes, and elevators, utilizing a variety of logic sequences and solid state circuitry. Performs maintenance and modification work on circuit breakers, transformers, switches, high voltage cables and other switchyard and substation equipment. Works on distribution systems and troubleshoots and repairs power and control circuits for service water, drainage pumps and street lighting. Installs switchboards, relays, contactors, motor controllers and other electrical equipment as needed in switchyards and hydroelectric generating plants in a neat and workmanlike manner. Splices and terminates all types of cable. Handles, tests and reconditions liquid dielectrics such as transformer oil and askarels. Assists in maintaining and repairing air conditioning and heating systems. Operates hydraulic benders and power pipe threaders. Operates motorized vehicles. Operates and maintains specialized

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

mobile equipment. PAL 2

CBRE Richard Ellis

03/2008 - 03/2009

unk

Salary: (b)(6)

George, WA 98848 US

Hours per week: 42

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Facilities Engineer Step 3

Worked as a contractor for a Yahoo data center. I am a licensed electrician. My duties are to maintain a 15 megawatt data center and a 5 megawatt data center. General electrical maintenance, plumbing, and HVAC. Knowledge of troubleshooting with and without electrical instruments. Knowledge on cooling and heating troubleshooting as long with plumbing. My shifts consist of daily logs and scheduled maintenance. We have 13 generators at one plant and 4 at the other we check. Expertise installing, maintaining, and repairing electrical lighting and power distribution wiring systems and associated electrical equipment. Install raceways, supports, conductors, switches, outlets, panels, meters, indicating and recording instruments, transformers, converters, and circuit breakers. Efficiently and effectively test load, electrical controls, and safety devices. Locates faults in all circuitry and underground systems. Repair various facility services and support equipment such as fire protection systems, entrance controls, and various domestic and office appliances and constantly ensure work is of highest quality and performed in the most cost effective manner. Proficient in hydraulic and manual benders, all hand and specialty tools. Knowledge and ability to read, interpret, and follow electrical drawings, schematics, installation drawings, the National Electrical Code, and reference manuals or operation and maintained bulletins. Lockout Tag Out trained and makes sure all safety is followed.

Cupertino Electrical

08/2007 - 03/2008

unk

Salary: (b)(6)

George, WA 98848 US

Hours per week: 60

Journeyman Electrician

Worked for the union as a journeyman wireman. Help build Quincey Data center which now I work at. Expertise installing, maintaining, and repairing electrical lighting and power distribution wiring systems and associated electrical equipment. Install raceways, supports, conductors, switches, outlets, panels, meters, indicating and recording instruments, transformers, converters, and circuit breakers. Efficiently and effectively test load, electrical controls, and safety devices. Locates faults in all circuitry and underground systems. Repair various facility services and support equipment such as fire protection systems, entrance controls, and various domestic and office appliances and constantly ensure work is of highest quality and performed in the most cost effective manner. Proficient in hydraulic and manual benders, all hand and specialty tools. Knowledge and ability to read, interpret, and follow electrical drawings, schematics, installation drawings, the National Electrical Code, and reference manuals or operation and maintained bulletins. Lockout Tag Out trained and makes sure all safety is followed.

D & S Electrical

02/2007 - 09/2007

unk

Salary: (b)(6)

Cashmere, WA 98815 US

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

Hours per week: 40

Foreman Journeyman Electrician

Foreman for Cashmere middle school remodel. Ran a crew of 15 journeyman electricians. Responsible for the following: •Planning, direction, monitoring, execution and supervision of the Project Maintenance portion of the Project Managers Program to include budget and maintenance program. •Managed these functions and operational activities in compliance with governing public laws, regulations, interagency and labor agreements, District and higher Headquarters policy and directives, and engineering, natural resource, or other technical requirements. •Coordinated directly with representatives from the various Federal, State, and local organizations or governmental entities to ensure compliance. •Implemented local and higher authority established maintenance programs related policies and directives. •Developed and managed overall Project Maintenance and Preventative Maintenance plan. •Planned and assigned work directly and indirectly to subordinate staff. Laid out daily projects while planning out a month in advance. Proficient at reading prints and putting the right person on the right project. Worked with my tools also to gain respect of my workers and keep a fast paced job going. Expertise installing, maintaining, and repairing electrical lighting and power distribution wiring systems and associated electrical equipment. Install raceways, supports, conductors, switches, outlets, panels, meters, indicating and recording instruments, transformers, converters, and circuit breakers. Efficiently and effectively test load, electrical controls, and safety devices. Locates faults in all circuitry and underground systems. Repair various facility services and support equipment such as fire protection systems, entrance controls, and various domestic and office appliances and constantly ensure work is of highest quality and performed in the most cost effective manner. Proficient in hydraulic and manual benders, all hand and specialty tools. Knowledge and ability to read, interpret, and follow electrical drawings, schematics, installation drawings, the National Electrical Code, and reference manuals or operation and maintained bulletins. Lockout Tag Out trained and makes sure all safety is followed.

Allstate Electrician

06/2005 - 02/2007

unk

Salary: (b)(6)

Arlington, WA 98223 US

Hours per week: 40

Forman and Journeyman Electrician

Foreman for a remodel at Chief Sealth High School with a crew of 12 journeyman electricians. Remodel at Sammamish Middle School. As foreman/supervisor duties included by but not limited to: •Supervision and/or prepared periodic progress reports and partial time estimates related to contracts by using appropriate methods based on proper measurement, computation and familiarity with electrical progress. •Performed on site safety inspections to assure compliance with safety manual and OSHA. •Supervised projects (before and after) completion •Directed field inspection documentation and keeping of records necessary for contract requirements of subcontractors. •Assured that adequate quality assurance tests were performed, consulted with sub-contractors to resolve differences and problems as they arose. •Assured required contract obligations were met and obtained the necessary approvals prior to initiating a new phase of work. •Performed duties for reviewing assigned contracts such as reviewing proposals, including shop drawings, materials and methods in terms of contract requirements. •Prepared draft plans and specifications for future contracts requirements as needed. •Initiated field changes and modifications (RED/GREENS) as required by higher authority or by conditions encountered during construction. Journeyman at Pioneer middle school. Expertise installing, maintaining, and repairing electrical lighting and power distribution wiring systems and associated electrical equipment. Install raceways, supports, conductors, switches, outlets, panels, meters, indicating and recording instruments, transformers, converters, and circuit breakers. Efficiently and effectively test load, electrical controls, and

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

safety devices. Locates faults in all circuitry and underground systems. Repair various facility services and support equipment such as fire protection systems, entrance controls, and various domestic and office appliances and constantly ensure work is of highest quality and performed in the most cost effective manner. Proficient in hydraulic and manual benders, all hand and specialty tools. Knowledge and ability to read, interpret, and follow electrical drawings, schematics, installation drawings, the National Electrical Code, and reference manuals or operation and maintained bulletins. Lockout Tag Out trained and makes sure all safety is followed.

USAF

10/1998 - 06/2002

Eielson AFB

Salary: \$21,000.00 USD Per Year

Eielson AFB, AK 99702 US

Hours per week: 40

Supervisor: (b) (6)

Okay to contact this Supervisor: Yes

Journeyman Lineman

Reported to Alaska on 30 August 1999 until 20 June 2002. Awarded Journeyman Status (level 5) upon completion of all required core tasks and Career Development Courses as annotated in AF Form 623, record of training. While at Eielson AFB I maintained 150 miles of primary and secondary overhead and underground electrical distribution. Inspects and repairs 350,000 feet of airfield lighting circuitry, runway lighting, and associated equipment. Installs and maintains 5,000 streetlights, hanger lights, airfield ramp lights, and security lighting. Inspects and maintains two electrical substations, coal generation power plant, 250 high voltage switches, and 1,100 transformers. Locates electric cable, shorts opens and grounds using cable locators, megohmmeters, voltmeters, and ammeters. Performs all assigned work orders utilizing electric code book, technical orders, and local directives. Climb utility poles and lighting towers, and operates special purpose vehicles to include line auger and high reach trucks, trenching machines, and bobcat loaders. Proficient in cardiopulmonary resuscitation, self-aid, and buddy care. Member of the Prime Beef Emergency Force Lead Team.

Ahearn Electrical

02/2002 - 05/2005

4843 Auto Center Way Ste D

Salary: (b) (6)

Bremerton, WA 98312 US

Hours per week: 40

Journeyman Electrician

Journeyman Electrician worked only on Navel Installations. Expertise installing, maintaining, and repairing electrical lighting and power distribution wiring systems and associated electrical equipment. Install raceways, supports, conductors, switches, outlets, panels, meters, indicating and recording instruments, transformers, converters, and circuit breakers. Efficiently and effectively test load, electrical controls, and safety devices. Locates faults in all circuitry and underground systems. Repair various facility services and support equipment such as fire protection systems, entrance controls, and various domestic and office appliances and constantly ensure work is of highest quality and performed in the most cost effective manner. Proficient in hydraulic and manual benders, all hand and specialty tools. Knowledge and ability to read, interpret, and follow electrical drawings, schematics, installation drawings, the National Electrical Code, and reference manuals or operation and maintained bulletins. Lockout Tag Out trained and makes sure all safety is followed.

Education: USAF

Bonneville Power Administration
All Applicant Data Report
Name: TYLER MELLICK

Sheppard AFB, TX US
Technical or Occupational Certificate - 07/2007
Major: Electrical Journeyman
Relevant Coursework, Licensures and Certifications:
Electrical Trade License & Certificate

Job Related Training: OSHA 30-July 2016 Army Corp DM 385 1st Aid/CPR-Nov. 2017 FS 6
Breaker Rebuild-May 2015 Transformer Oil Processing- Sept. 2014

References: (b)(6)
Allstate Electric
Owner
Phone Number: (b)(6)
Email Address:
Reference Type: Professional

(b)(6)
Ahearn
Service Manager
Phone Number: (b)(6)
Email Address: (b)(6)
Reference Type: Professional

(b)(6)
BPA
ELECTRICIAN
Phone Number: (b)(6)
Email Address:
Reference Type: Professional

Announcement Number: DOE-BPA-20-13794-MP

Document Name: SF50 (Applicant)

Name: MELLICK, TYLER

AIDX: 3070815

Telephone 1: Day Phone (b)(6)

Email: (b)(6)

August 17, 2021

Document SF50 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: DD214 (Applicant)

Name: MELLICK, TYLER

AIDX: 3070815

Telephone 1: Day Phone - (b)(6)

Email: (b)(6)

August 17, 2021

Document DD214 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: SF15 (Applicant)

Name: MELLICK, TYLER

AIDX: 3070815

Telephone 1: Day Phone (b)(6)

Email: (b)(6)

August 17, 2021

Document SF15 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: Additional Veteran Documents

Name: MELLICK, TYLER

AIDX: 3070815

Telephone 1: Day Phone (b)(6)

Email: (b)(6)

August 17, 2021

Document Additional Veteran Documents was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: VA Letter (Applicant)


Name: MELLICK, TYLER

AIDX: 3070815

Telephone 1: Day Phone (b)(6)

Email: (b)(6)

August 17, 2021



Announcement Number: DOE-BPA-20-13794-MP

Document Name: Other Documentation (applicant)

Name: MELLICK, TYLER

AIDX: 3070815

Telephone 1: Day Phone (b)(6)

Email: (b)(6)

August 17, 2021

Document Other Documentation (applicant) was not submitted

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-R-TFOY- Port Angeles

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-R-TFOY- Port Angeles
Series: 2810
Total Score Transmutation: On

Status: Open, expired
Expiration Date: 04/09/2021

00

[Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** 03/11/2021 **Signed By:** (b)(6) 3/11/2021 **Action:** Selection(s) made [Email to HR](#)

Showing 1 to 2 of 2 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
<input type="checkbox"/>	(b)(6)							3	0.00		Actions
<input type="checkbox"/>	MILLER, JOSEPH SCOTT			HIRE	HIRE		Selected	0	0.00	EOD: 5/9/2021	Actions

25 results per page | Page / 1

**Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-J00767m-BL-R
Position Title: Electrician (Maintenance)
Name: JOSEPH MILLER**

Name: JOSEPH S MILLER

SSN: ***-**-****

MIDX: 003044667

Address1: (b)(6)

Address2:

City: (b)(6)

State: (b)(6)

Country: (b)(6)

Post Code: (b)(6)

Plus4:

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

United States Citizen: Y

Veterans' Preference: (b)(6)

Military Service Dates (Start of Service - End of Service):

(b)(6)

Location(s) Applied to: Port Angeles, WA(US); Spokane, WA(US)

Series Applied To: 2810

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)	No document submitted	
2	Armed Forces Ltr.	No document submitted	
3	DD-214_.	No document submitted	
4	Last Two (2) Performance Appraisals	No document submitted	
5	Most Recent SF-50	No document submitted	
6	OF 306.	No document submitted	
7	Other.	No document submitted	
8	SF-15: Application of 10-Point Veteran Preference	No document submitted	
9	SF-50.	No document submitted	
10	Transcript	No document submitted	
11	Additional documents	No document submitted	
12	DD-214: Certificate of Discharge or Separation	No document submitted	
13	Occupational Certification or Licensure	No document submitted	
14	SF-50: Notice of Personnel Action	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

1. Yes

1.1. By what agency or department are you employed? Note: Employees of any Power Marketing Administration, including Bonneville Power Administration, must select 'U.S. Department of Energy'

Answers:

1. U.S. Department of Energy

1.2. If you selected "A Federal agency or department outside the Department of Energy", please enter the agency and organization.

Answers: NA

1.3. If you are a current Federal employee, what is your duty station? List City and

Bonneville Power Administration
All Applicant Data Report
Name: JOSEPH MILLER

State, or enter "NA" if not applicable.

Answers: Goshen, OR

1.4. If you are a current Federal employee, under what type of appointment are you serving?

Answers:

1. Permanent Career, Competitive Service

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

1.5. Are you a Federal employee who has been displaced or surplusd? For more information on career transition programs,click here.

Answers:

3. Not applicable

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

8. BB / BS / BL - Negotiated Pay for BPA Employees

3.1. If you selected "Other", please list the Pay Plan. Enter "NA" if this does not apply to you.

Answers:

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

17. 00 (Federal Wage System)

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: NA

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: NA

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click

**Bonneville Power Administration
All Applicant Data Report
Name: JOSEPH MILLER**

here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

10.1. Which Special Appointing Authority(ies) are you eligible for?

Answers:

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

2. No

Bonneville Power Administration
All Applicant Data Report
Name: JOSEPH MILLER

14.1. You indicated that DOE employs a relative. Please list the full name of each relative, their relation to you, and the agency or office where they are employed.

Answers:

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click here to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Port Angeles, WA(US)

Spokane, WA(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answer (0.00 points):

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answer (0.00 points):

1. I am a current federal employee, my last performance rating was at least fully successful or equivalent, or higher.

3. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position.

Answer (4.00 points):

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations.

Assessment Questions

GRADE: All Grades

1. I understand that if I am applying for a position that will result in Promotion or

Bonneville Power Administration
All Applicant Data Report
Name: JOSEPH MILLER

Change in Craft, I must submit a complete employment application package, including: 2020 Bid Application, resume; and supplemental questionnaire. Any application for promotion or change-in-craft that is incomplete may be determined 'not qualified', and will receive no further consideration.

Answers: Yes

2. If you are bidding for a position in The Dalles, OR designate which crew you wish to be considered for. Check all that may apply.

Answers: 1 Big Eddy Maint HQ
2 Celilo

Phase Scores

GRADE: 00

Phase: REQUIRED VACANCY QUESTIONS
Phase Date: 10/22/2020
Min Pass Score: 70.0
Phase Score: 100.0

Resume

Joseph Scott Miller

(b)(6)

Availability: Job Type: Permanent
Temporary
Term
Detail
Seasonal
Summer
Presidential Management Fellows
Recent Graduates
Multiple Appointment Types
Internships
Intermittent
Telework
Work Schedule: Full-Time
Part-Time
Shift Work
Intermittent
Job Sharing
Multiple Schedules

Work Experience: Bonneville Power Administration
07/2016 - Present
905 NE 11th Ave.
Salary: \$45.00 USD Per Hour
Portland, OR 97232 US
Hours per week: 40
Series: 2810
Pay Plan: ZY
Supervisor: (b) (6)
Okay to contact this Supervisor: Yes

Bonneville Power Administration
All Applicant Data Report
Name: JOSEPH MILLER

Substation Maintenance Electrician

Perform scheduled preventative maintenance tasks on power system equipment such as Power Circuit Breakers, Circuit Switchers, Transformers, and Disconnect Switches. Install and/or modify control panels on substation switchboard racks. Inspect and repair various hydraulic, spring, pneumatic, and solenoid operated Power Circuit Breaker mechanisms. Perform Power Factor and Timing diagnostic testing on Power Circuit Breakers and Transformers rated from 12.5kV to 500kV. Analyze test data in order to diagnose equipment malfunctions and develop plans for repairs. Inspect, test and repair equipment and circuits under emergency equipment failure conditions. Conduct testing and maintenance on 48V-130V DC battery backup systems.

United States Army

05/2011 - 08/2013

1400 Defense Pentagon

Salary: \$21,000.00 USD Per Year

Washington DC, DC 20301 US

Hours per week: 60

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Field Artillery Cannon Crew Member

ABILITY TO FOLLOW DIRECTIONS: Carried out operator maintenance on electrical and mechanical vehicle systems in accordance with operator's manuals and guidance from leadership. Served in an environment where an inability to follow directions of superiors can cause serious, life-threatening situations. Worked as an integral member of a six-man crew, recognized as "top gun", for outperforming other crews in multiple training exercises. ADDITIONAL DUTIES: Drove and operated various heavy trucks and tracked vehicles. Worked effectively in groups with culturally diverse team members. Used computer generated data to align cannon for safe loading and firing. Used multiple hand and power tools to perform repairs on vehicles and equipment. Ensured proper PPE was worn and proper safety procedures were being followed by other crew-members. HONORS: Awarded the Army Achievement Medal twice based on outstanding performance and hard work.

United States Army

09/2013 - 09/2014

1400 Defense Pentagon

Salary: \$23,000.00 USD Per Year

Washington DC, DC 20301 US

Hours per week: 60

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Field Artillery Ammunition Team Chief

RELIABILITY AND DEPENDABILITY: Appointed by senior leadership to assume Ammunition Team Chief responsibilities based on successful performance and a flawless record of being at work every day and on-time. Displayed excellent attention to detail by verifying safe and accurate firing data for over 1,000 missions with zero incidents. Maintained clean and accurate accountability of over 15,000 rounds of ammunition. LEARNING TRADE THEORY: Conducted troubleshooting and repair on integrated electrical communications equipment. Oversaw operator maintenance of electrical, mechanical and hydraulic systems on equipment valued in excess of \$1,200,000. Performed routine inspection and repair on various electrical systems. Executed weekly preventative maintenance on tracked vehicles, wheeled vehicles, as well as electronic radio equipment in order to ensure operational readiness. ADDITIONAL DUTIES: Assisted leadership in the planning, preparation and execution of collective training for over 3,500 personnel. Conducted periodic systems tests to ensure proper operations of vehicles and equipment in accordance with unit guidelines. Supervised handling and storage of ammunition. Performed physically demanding tasks in cramped

Bonneville Power Administration
All Applicant Data Report
Name: JOSEPH MILLER

quarters; often in a wet, high-noise environment. HONORS: Soldier of the Month - October 2013, Soldier of the Quarter - Q4 2013

JC Penney

09/2009 - 01/2011

4730 N Division St

Salary: (b)(6)

Spokane, WA 99207 US

Hours per week: 25

Supervisor: (b)(6)

Okay to contact this Supervisor: Yes

Replenishment Associate

Demonstrated professionalism in communication and attitude with customers, co-workers and supervisors. Ensured merchandise was represented on the sales floor in accordance with corporate standards. Consistently kept a neat, clean and orderly stockroom. Inspected shipments for broken or defective merchandise. Maintained a track-record of being hardworking, dedicated, and able to follow directions. Performed additional duties such as moving merchandise, assembling fixtures, completing price changes, and preparing inventory.

Education: Spokane Community College

Spokane, WA US

Associate's degree - 06/2016

Major: Electrical Maintenance and Automation

GPA: 3.32

Relevant Coursework, Licensures and Certifications:


Throughout my education, I have gained a vast amount of knowledge of the electrical field. Specifically, I am knowledgeable in: Proper safety procedures for an industrial setting Designing and installing electrical controls Electrical theory Troubleshooting and repairing various electrical systems Computerized schematic design software such as AutoCAD Installing and bending electrical conduit, ensuring defined standards are met Reading and understanding electrical wiring diagrams, sketches, and other schematics Installation/maintenance of AC/DC motors and generators Proper lock-out/tag-out procedures CAD-Welding Operating various trade tools; oscilloscope, porta-band, rotary hammer, etc. Programmable logic controllers Pneumatic, mechanical, hydraulic, and electronic systems Honors: President's Honor Roll- Fall 2015 Vice President's Honor Roll- Fall 2014/ Spring 2015

Job Related Training: Associate's Degree in Electrical Maintenance and Automation Spokane Community College, Spokane, WA, expected to graduate June, 2016

(b)(6)

Bonneville Power Administration
All Applicant Data Report
Name: JOSEPH MILLER

(b)(6)

A large black rectangular redaction box covers the majority of the page content below the header.

Reference Type: Professional

Additional Information: AutoCAD RSLogix 5 RSLogix 500 Microsoft Office Proficient Typing
Speed: 70 WPM

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Additional documents

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional documents was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Last Two (2) Performance Appraisals

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Last Two (2) Performance Appraisals was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Other.

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Other. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: (b)(6)

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: (b)(6)

Email: (b)(6)

July 20, 2021

(b)(6)

was

not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Occupational Certification or Licensure

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Occupational Certification or Licensure was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: OF 306.

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document OF 306. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Most Recent SF-50

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Most Recent SF-50 was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: SF-50.

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document SF-50. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: SF-50: Notice of Personnel Action

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document SF-50: Notice of Personnel Action was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Transcript

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Transcript was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Armed Forces Ltr.

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Armed Forces Ltr. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional Veteran Documents (Spouse PCS orders,
Scheduled Discharge, etc.) was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: DD-214_.

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214_ . was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL-R

Document Name: DD-214: Certificate of Discharge or Separation

Name: MILLER, JOSEPH

AIDX: 3044667

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214: Certificate of Discharge or Separation was not submitted

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12703-00


Job Opening # 12703 Status 045 Type Bid List

Jobcode J00767 BB - 2810 - 00 Electrician

Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)	Blumenthal, Clifford J	Electrician	East Wenatchee	EOD: 5/13/2018
(b)(6)	Olson, Gregory A	Electrician	Kent	EOD: 5/13/2018
(b)(6)		Electrician	Vancouver	



CALENDAR YEAR 2018 BID APPLICATION

1. Date 3-29-2018	2. Applicant Name (Last, First, Middle) BLUMENTHAL, CLIFFORD, J	
3. Current Job Title (Including Step) SUBSTATION MAINT. ELECTRICIAN	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station SICKLER	7. Mail Stop TFWE
8. BPA E-Mail Address CJBLUMENTHAL@BPA.GOV	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered (**NOTE: Every time you submit an updated bid, you must select any and all locations and positions you are interested in.**),
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621


If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810 *		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		X
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810 ★			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)		X	Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		



CALENDAR YEAR 2018 BID APPLICATION

1. Date 2-12-2018	2. Applicant Name (Last, First, Middle) BLUMENTHAL, CLIFFORD, J	
3. Current Job Title (Including Step) SUBSTATION MAINT. ELECTRICIAN	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station SICKLER	7. Mail Stop TFWE
8. BPA E-Mail Address CJBLUMENTHAL@BPA.GOV	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered (**NOTE: Every time you submit an updated bid, you must select any and all locations and positions you are interested in.**),
- Completed Supplemental Questionnaire (if applicable), and
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids-NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)					
Vancouver (DCC)			ELECTRICAL RIGGER, BB 5210		
			ELECTRICAL RIGGER FOREMAN I, BL 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN II, BS 5210		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Cons. & Maint. Services)		
Vancouver (DCC)					
DISPATCHER, ASSISTANT I, BB 5407			ELECT MECH T & D CRAFTSMAN, BB 2801		
WASHINGTON			ELECT MECH T & D TRAINEE, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Engineering & Tech Services)		
DISPATCHER, ASSISTANT II, BB 5407					
WASHINGTON			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM, BB-5407					
WASHINGTON			ELECTRICIAN (CONST & MAINT SVCS) BB 2810 ★		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Field)		X
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Complex)		
WASHINGTON			Vancouver (High Voltage EQ Repair)		
Spokane (MCC)			Vancouver (Transformer Crew)		
Vancouver (DCC)					
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					



RECEIVED
 DEC 04 2017
 BY: *[Signature]*

[Handwritten signature]
 12/20/17

CALENDAR YEAR 2018 BID APPLICATION

1. Date 12/4/2017	2. Applicant Name (Last, First, Middle) Blumenthal, Clifford, J	
3. Current Job Title (Including Step) Substation Maintenance Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Sickler	7. Mail Stop TFWE
8. BPA E-Mail Address CJBlumenthal@BPA.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
 ATTN: Hourly Bids–NHQ-1
 PO Box 3621
 Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION, BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)			DISPATCHER, GENERATION (RELIEF) BB 5407		
Vancouver (DCC)			WASHINGTON		
			Spokane (MCC)		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			Vancouver (DCC)		
WASHINGTON			ELECTRICAL RIGGER, BB 5210		
Spokane (MCC)			ELECTRICAL RIGGER FOREMAN I, BL 5210		
Vancouver (DCC)			ELECTRICAL RIGGER FOREMAN II, BS 5210		
			WASHINGTON		
DISPATCHER, ASSISTANT I, BB 5407			Vancouver (Cons. & Maint. Services)		
WASHINGTON					
Spokane (MCC)			ELECT MECH T & D CRAFTSMAN, BB 2801		
Vancouver (DCC)			ELECT MECH T & D TRAINEE, BB 2801		
			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM (RELIEF) BB 5407					
WASHINGTON			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Field)		
			Vancouver (Complex)		
DISPATCHER, SENIOR SYSTEM BS 5407			Vancouver (High Voltage EQ Repair)		
WASHINGTON			Vancouver (Transformer Crew)		
Spokane (MCC)					
Vancouver (DCC)			ELECTRICIAN FOREMAN I (CONST), BL 2810		
			WASHINGTON		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex, High Voltage EQ Repair)		
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810 ★			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)		X	Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
			The Dalles (Big Eddy Maint HQ)		
ELECTRICIAN HELPER, BB 2810			WASHINGTON		
WASHINGTON			Chehalis		
Vancouver (Const & Maint Services)			Ellensburg		
			Grand Coulee		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Kent (Covington)		
WASHINGTON			Olympia		
Vancouver (Eng. & Tech. Services)			Pasco		
			Snohomish		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Spokane (Bell)		
WASHINGTON			Vancouver (Ross)		
Vancouver (Eng. & Tech. Services)					
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
			Keizer (Chemawa)		
The Dalles (Big Eddy Maint HQ)			North Bend		
WASHINGTON			Redmond		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Ellensburg			WASHINGTON		
Grand Coulee			Chehalis		
Kent (Covington)			Ellensburg		
Olympia			Grand Coulee		
Pasco			Kent (Covington)		
Snohomish			Olympia		
Spokane (Bell)			Pasco		
Vancouver (Ross)			Snohomish		
Vancouver (Equipment Pool Services)			Spokane (Bell)		
IDAHO			LINEMAN FOREMAN I, BL-2810 (CONT)		
Idaho Falls			Vancouver (Ross)		
MONTANA			IDAHO		
Kalispell			Idaho Falls		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			MONTANA		
WASHINGTON			Kalispell		
Spokane					



RECEIVED
 NOV 20 2017
 BY: *[Signature]*

[Signature]
 12/15/17

CALENDAR YEAR 2018 BID APPLICATION

1. Date 11/20/2017	2. Applicant Name (Last, First, Middle) Olson Gregory Alan	
3. Current Job Title (Including Step) Maintenance Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Covington	7. Mail Stop TFCE
8. BPA E-Mail Address GAOLSON@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
 ATTN: Hourly Bids–NHQ-1
 PO Box 3621
 Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.



CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION, BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)			DISPATCHER, GENERATION (RELIEF) BB 5407		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)			ELECTRICAL RIGGER, BB 5210		
Vancouver (DCC)			ELECTRICAL RIGGER FOREMAN I, BL 5210		
DISPATCHER, ASSISTANT I, BB 5407			ELECTRICAL RIGGER FOREMAN II, BS 5210		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Cons. & Maint. Services)		
Vancouver (DCC)					
DISPATCHER, ASSISTANT II, BB 5407			ELECT MECH T & D CRAFTSMAN, BB 2801		
WASHINGTON			ELECT MECH T & D TRAINEE, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Engineering & Tech Services)		
DISPATCHER, SYSTEM, BB-5407					
WASHINGTON			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM (RELIEF) BB 5407					
WASHINGTON			ELECTRICIAN (CONST & MAINT SVCS) BB 2810 ★		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Field)	x	✓
DISPATCHER, SENIOR SYSTEM BS 5407			Vancouver (Complex)	x	✓
WASHINGTON			Vancouver (High Voltage EQ Repair)	x	✓
Spokane (MCC)			Vancouver (Transformer Crew)	x	✓
Vancouver (DCC)					
DISPATCHER, SYSTEM, (OUTAGE), BB 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810 *			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED)					
BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407 The Dalles (Celilo)			SUBSTATION OPERATOR, BB 5407 (cont) WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407 The Dalles (Celilo)			Spokane (Bell) Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407 The Dalles (Celilo)			Vancouver (Ross) East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			TF-Wide		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chahalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC SPC CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC SPC CRAFTSMAN II, BB-2606			OREGON		
HVDC SPC CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC SPC CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC SPC CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC SPC CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC SPC CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC SPC CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MACHINIST, BB 8852		
Burley			AIRCRAFT MACHINIST FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Kent (Covington)		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Olympia		
Vancouver (Field) (Material Mgmt)			Pasco		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
			MONTANA		
FACILITIES MAINTENANCE WORKER, BB 4749			Kalispell		
OREGON					
Goshen (Alvey)			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
Keizer			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
Umatilla (McNary)			Main		
WASHINGTON			North Bend		
Kent (Covington)			WASHINGTON		
Longview			Ellensburg		
Olympia			Grand Coulee		
Pasco (Franklin)			IDAHO		
Snohomish			Idaho Falls		
Spokane (Bell)			MONTANA		
Vancouver (Const & Maint Svc)			Kalispell		
East Wenatchee (Sickler)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
IDAHO			OREGON		
Idaho Falls			Redmond		
Lewiston			The Dalles (Bid Eddy Maint HQ)		
MONTANA			WASHINGTON		
Kalispell			Kent (Covington)		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Olympia		
WASHINGTON			Pasco		
Spokane (MCC)			Snohomish		
			Spokane (Bell)		
			Vancouver		
			MONTANA		
			Kalispell		

CALENDAR YEAR 2018 HOURLY BID APPLICATION

Deguzman Jr, Jose R (BPA) - NHQ-1

From: Hourly Bids
To: Olson, Gregory A (BPA) - TFCE-COVINGTON
Subject: RE: 2018-Calendar-Year-Continous-Vacancy-Announcement-Hourly-Positions.doc

Sincerely,

Jun Deguzman

Human Resources Assistant (Recruitment & Placement)
Bonneville Power Administration
503.230.3109 email: jrdeguzman@bpa.gov
Fax 503.230.3816
HR Help 503.230.3230 | HRHelp@bpa.gov

From: Olson, Gregory A (BPA) - TFCE-COVINGTON
Sent: Monday, November 27, 2017 6:35 AM
To: Hourly Bids
Subject: RE: 2018-Calendar-Year-Continous-Vacancy-Announcement-Hourly-Positions.doc

(b)(6)



From: Hourly Bids
Sent: Friday, November 24, 2017 2:03 PM
To: Olson, Gregory A (BPA) - TFCE-COVINGTON
Subject: RE: 2018-Calendar-Year-Continous-Vacancy-Announcement-Hourly-Positions.doc

Hi Gregory,

I noticed that you submitted new Bid list application dated 11/20/17 and your application is only for Electrician (Const & Maint Svcs).

ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
WASHINGTON		
Vancouver (Field)	x	
Vancouver (Complex)	x	
Vancouver (High Voltage EQ Repair)	x	
Vancouver (Transformer Crew)	x	
ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON		
Vancouver (Field)		
Vancouver (Complex, High Voltage EQ Repair)		

Are you withdrawing your current bid below, which you submitted on 11/15/17? Please verify. If this is not your intention, you need to submit a new bid list that includes your previous bid application. Let me know if you have any questions.

Name Olson, Gregory A Pref
 Applicant ID ██████████
 Applicant Type Employee
 Status 010 Active

Applicant Activity | Notes | Applicant Data | Interested Parties
 Current Status | Interview Schedule/Evaluation | Expenses | History

Applicant Activity ?

Select	Job Opening	Job Opening ID	Disposition
<input type="checkbox"/>	2017 Hourly Bid List-Electrician (Maintenance)	12099	010 Applied
<input type="checkbox"/>	Electrician	12440	100 Hold
<input type="checkbox"/>	2018 Hourly Bid List-Electrician (Maintenance)	12488	010 Applied
<input type="checkbox"/>	2018 Hourly Bid List-Electrician (Maintenance) (MCC)	12490	010 Applied
<input type="checkbox"/>	2018 Hourly Bid List-Electrician (Maintenance) (Celilo)	12489	010 Applied

Select All Deselect All ▼ Group Actions

Save | Return | Recruiting Home | Search Applicants | Previous | Next | Create Applicant | Add

Sincerely,

Jun Deguzman

Human Resources Assistant (Recruitment & Staffing)
 Bonneville Power Administration
 503.230.3109 email: jrdeguzman@bpa.gov
 Fax 503.230.3816
 HR Help 503.230.3230 | HRHelp@bpa.gov

From: Olson, Gregory A (BPA) - TFCE-COVINGTON
Sent: Monday, November 20, 2017 6:59 AM
To: Hourly Bids
Subject: 2018-Calendar-Year-Continous-Vacancy-Announcement-Hourly-Positions.doc

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13596BL
Job Opening # 13569 Status 030 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location East Wenatchee

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician Apprentice VIII	East Wenatchee	
(b)(6)	Pearson, Jesse R	Electrician	Lewiston	EOD: 11/10/2019



5/7/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 05/02/2019	2. Applicant Name (Last, First, Middle) Pearson Jesse Ray	
3. Current Job Title (Including Step) Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Lewiston id	7. Mail Stop TFSW
8. BPA E-Mail Address Jrpearson@bpa.gov	9. Home E-Mail Address

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), and
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)					
Vancouver (DCC)			ELECTRICAL RIGGER, BB 5210		
			ELECTRICAL RIGGER FOREMAN I, BL 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN II, BS 5210		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Cons. & Maint. Services)		
Vancouver (DCC)					
DISPATCHER, ASSISTANT I, BB 5407			ELECT MECH T & D CRAFTSMAN, BB 2801		
WASHINGTON			ELECT MECH T & D TRAINEE, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Engineering & Tech Services)		
DISPATCHER, ASSISTANT II, BB 5407					
WASHINGTON			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM, BB-5407			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex)		
			Vancouver (High Voltage EQ Repair)		
			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)	x	x	Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)	x	x	ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
			Spokane (Bell)		
IDAHO			LINEMAN FOREMAN I, BL-2810 (CONT)		
Idaho Falls			Vancouver (Ross)		
MONTANA			IDAHO		
Kalispell			Idaho Falls		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			MONTANA		
WASHINGTON			Kalispell		
Spokane					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER. (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations	x	x
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)			AIRCRAFT MAINT TECH, BB 8852		
IDAHO			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Burley			OREGON		
Idaho Falls			Portland (BPA Hanger)		
Lewiston					
MONTANA			EU CARPENTER, BB 4607		
Goldcreek (Garrison)			EU CARPENTER FOREMAN I, BL 4607		
Kalispell			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUIP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Main					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations	X	
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Main		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chelan			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13623BL
Job Opening # 13623 Status 030 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Lewiston

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician Apprentice VII	Umatilla	
(b)(6)		Electrician	Olympia	
(b)(6)		Electrician Foreman II	Idaho Falls	
(b)(6)		Electrician	The Dalles	
(b)(6)		Electrician Foreman III (Construction)	Vancouver	
(b)(6)	Rowden, Christopher J	Electrician	Hillsboro	EOD: 11/24/2019



CALENDAR YEAR 2019 BID APPLICATION

1. Date 10-3-2019	2. Applicant Name (Last, First, Middle) Rowden, Christopher Jason	
3. Current Job Title (Including Step) Power systems electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station TFLJ- Keeler	7. Mail Stop TFLJ- Keeler
8. BPA E-Mail Address cjrowden@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston	X ✓	X ✓
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston	X ✓	X ✓
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUIP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		



Received
10/26/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 6-25-2019	2. Applicant Name (Last, First, Middle) Rowden, Christopher Jason	
3. Current Job Title (Including Step) Power systems electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station TFLJ- Keeler	7. Mail Stop TFLJ- Keeler
8. BPA E-Mail Address cjrowden@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)					
Vancouver (DCC)			ELECTRICAL RIGGER, BB 5210		
			ELECTRICAL RIGGER FOREMAN I, BL 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN II, BS 5210		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Cons. & Maint. Services)		
Vancouver (DCC)					
DISPATCHER, ASSISTANT I, BB 5407			ELECT MECH T & D CRAFTSMAN, BB 2801		
WASHINGTON			ELECT MECH T & D TRAINEE, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Engineering & Tech Services)		
DISPATCHER, ASSISTANT II, BB 5407					
WASHINGTON			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM, BB-5407					
WASHINGTON			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Field)		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Complex)		
WASHINGTON			Vancouver (High Voltage EQ Repair)		
Spokane (MCC)			Vancouver (Transformer Crew)		
Vancouver (DCC)					
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)	X ✓	X ✓	ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro	X ✓	X ✓
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley	X ✓	X ✓
Snohomish			Idaho Falls	X ✓	X
Spokane (Bell)	X ✓	X ✓	Lewiston		
Spokane (MCC)	X ✓	X ✓	MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley	X ✓	X ✓	Goshen (Alvey)		
Idaho Falls	X ✓	X ✓	Keizer (Chemawa)		
Lewiston	X ✓	X ✓	The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)	X ✓	X ✓	Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)	X ✓	X ✓	East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407 The Dalles (Celilo)			SUBSTATION OPERATOR, BB 5407 (cont) WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407 The Dalles (Celilo)			Spokane (Bell)		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407 The Dalles (Celilo)			Usk		
			Vancouver (Ross)		
			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER, BB 6907			HEAVY EQP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		



4/8/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 4-8-2019	2. Applicant Name (Last, First, Middle) Rowden, Christopher Jason	
3. Current Job Title (Including Step) Power systems electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station TFLJ- Keeler	7. Mail Stop TFLJ- Keeler
8. BPA E-Mail Address cjrowden@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)	X ✓	X ✓	ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro	X ✓	X ✓
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley	X ✓	X ✓
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley	X ✓	X ✓	Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)	X ✓	X ✓	Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)	X ✓	X ✓	East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407 The Dalles (Celilo)			SUBSTATION OPERATOR, BB 5407 (cont) WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407 The Dalles (Celilo)			Spokane (Bell)		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407 The Dalles (Celilo)			Usk		
			Vancouver (Ross)		
			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUIP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		



3/4/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 3-4-2019	2. Applicant Name (Last, First, Middle) Rowden, Christopher Jason	
3. Current Job Title (Including Step) Power systems electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station TFLJ- Keeler	7. Mail Stop TFLJ- Keeler
8. BPA E-Mail Address cjrowden@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610					
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)	X	X	ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro	X	X
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)	X	X	Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)	X	X	East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMAN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
			Keizer (Chemawa)		
The Dalles (Big Eddy Maint HQ)			North Bend		
WASHINGTON			Redmond		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Ellensburg			WASHINGTON		
Grand Coulee			Chehalis		
Kent (Covington)			Ellensburg		
Olympia			Grand Coulee		
Pasco			Kent (Covington)		
Snohomish			Olympia		
Spokane (Bell)			Pasco		
Vancouver (Ross)			Snohomish		
Vancouver (Equipment Pool Services)			Spokane (Bell)		
IDAHO			LINEMAN FOREMAN I, BL-2810 (CONT)		
Idaho Falls			Vancouver (Ross)		
MONTANA			IDAHO		
Kalispell			Idaho Falls		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			MONTANA		
WASHINGTON			Kalispell		
Spokane					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Main					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUIP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12791-00
Job Opening # 12791 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)	Salsbery, Jeffrey W	Electrician	Richland	EOD: 6/10/2018
(b)(6)		Electrician	Vancouver	



RECEIVED
APR 02 2018

CALENDAR YEAR 2018 BID APPLICATION

1. Date 4/2/18	2. Applicant Name (Last, First, Middle) Salsbery, Jeffrey, William	
3. Current Job Title (Including Step) Maint Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Ashe Substation	7. Mail Stop tfpj
8. BPA E-Mail Address jwsalsbery@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2018 to receive hiring consideration.

Your application must include:

- The Calendar Year 2018 BID Application clearly identifying the positions and duty locations to which you wish to be considered (**NOTE: Every time you submit an updated bid, you must select any and all locations and positions you are interested in.**),
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2018 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN II, BB 2610			WASHINGTON		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			Spokane (MCC)		
WASHINGTON			Vancouver (DCC)		
Spokane (MCC)					
Vancouver (DCC)			ELECTRICAL RIGGER, BB 5210		
			ELECTRICAL RIGGER FOREMAN I, BL 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN II, BS 5210		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Cons. & Maint. Services)		
Vancouver (DCC)					
DISPATCHER, ASSISTANT I, BB 5407			ELECT MECH T & D CRAFTSMAN, BB 2801		
WASHINGTON			ELECT MECH T & D TRAINEE, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Engineering & Tech Services)		
DISPATCHER, ASSISTANT II, BB 5407					
WASHINGTON			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Construction & Maint Svcs)		
DISPATCHER, SYSTEM, BB-5407					
WASHINGTON			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Field)		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Complex)		
WASHINGTON			Vancouver (High Voltage EQ Repair)		
Spokane (MCC)			Vancouver (Transformer Crew)		
Vancouver (DCC)			ELECTRICIAN FOREMAN I (CONST), BL 2810		
DISPATCHER, SENIOR SYSTEM BS 5407			WASHINGTON		
WASHINGTON			Vancouver (Field)		
Spokane (MCC)			Vancouver (Complex, High Voltage EQ Repair)		
Vancouver (DCC)					
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-J00767m-BL
Position Title: Electrician (Maintenance)
Name: TROY SCHMIDT

Name: TROY SCHMIDT
SSN: ***-**-****
MIDX: 003175049
Address1: (b)(6)
Address2:
City: (b)(6)
State: (b)(6)
Country: (b)(6)
Post Code: (b)(6)
Plus4:
Telephone 1: Mobile - (b)(6)
Email: (b)(6)
United States Citizen: Y
Veterans' Preference: (b)(6)
Military Service Dates (Start of Service - End of Service):
 (b)(6)
Location(s) Applied to: Lewiston, ID(US); Pasco, WA(US); Redmond, OR(US); Spokane, WA(US); Umatilla, OR(US)
Series Applied To: 2810

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)	No document submitted	
2	Armed Forces Ltr.	No document submitted	
3	DD-214_.	No document submitted	
4	Last Two (2) Performance Appraisals	No document submitted	
5	Most Recent SF-50	No document submitted	
6	OF 306.	No document submitted	
7	Other.	No document submitted	
8	SF-15: Application of 10-Point Veteran Preference	No document submitted	
9	SF-50.	No document submitted	
10	Transcript	No document submitted	
11	Additional documents	No document submitted	
12	DD-214: Certificate of Discharge or Separation	No document submitted	
13	Occupational Certification or Licensure	No document submitted	
14	SF-50: Notice of Personnel Action	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

1. Yes

1.1. By what agency or department are you employed? Note: Employees of any Power Marketing Administration, including Bonneville Power Administration, must select 'U.S. Department of Energy'

Answers:

1. U.S. Department of Energy

1.2. If you selected "A Federal agency or department outside the Department of Energy", please enter the agency and organization.

Answers: Bonneville Power Administration

Bonneville Power Administration
All Applicant Data Report
Name: TROY SCHMIDT

1.3. If you are a current Federal employee, what is your duty station? List City and State, or enter "NA" if not applicable.

Answers: Covington, Wa

1.4. If you are a current Federal employee, under what type of appointment are you serving?

Answers:

1. Permanent Career, Competitive Service

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

1.5. Are you a Federal employee who has been displaced or surplusd? For more information on career transition programs,click here.

Answers:

3. Not applicable

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

8. BB / BS / BL - Negotiated Pay for BPA Employees

3.1. If you selected "Other", please list the Pay Plan. Enter "NA" if this does not apply to you.

Answers:

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

17. 00 (Federal Wage System)

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: NA

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: NA

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Bonneville Power Administration
All Applicant Data Report
Name: TROY SCHMIDT

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority? Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

10.1. Which Special Appointing Authority(ies) are you eligible for?

Answers:

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

2. No

**Bonneville Power Administration
All Applicant Data Report
Name: TROY SCHMIDT**

14.1. You indicated that DOE employs a relative. Please list the full name of each relative, their relation to you, and the agency or office where they are employed.

Answers:

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click [here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

3. Please contact me first

Vacancy Questions and Responses

What locations do you wish to apply to?

Lewiston, ID(US)

Pasco, WA(US)

Redmond, OR(US)

Spokane, WA(US)

Umatilla, OR(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answer (0.00 points):

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answer (0.00 points):

1. I am a current federal employee, my last performance rating was at least fully successful or equivalent, or higher.

3. Ability To Do The Work Of The Position Without More Than Normal Supervision: Read all of the statements below and select the response that best describes your highest level of experience and/or training, as it relates to your ability to perform the duties of the position.

Answer (4.00 points):

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations.

Assessment Questions

Bonneville Power Administration
All Applicant Data Report
Name: TROY SCHMIDT

GRADE: All Grades

1. I understand that if I am applying for a position that will result in Promotion or Change in Craft, I must submit a complete employment application package, including: 2020 Bid Application, resume; and supplemental questionnaire. Any application for promotion or change-in-craft that is incomplete may be determined 'not qualified', and will receive no further consideration.

Answers: Yes

2. If you are bidding for a position in The Dalles, OR designate which crew you wish to be considered for. Check all that may apply.

Answers: 1 Big Eddy Maint HQ

Phase Scores

GRADE: 00

Phase: REQUIRED VACANCY QUESTIONS

Phase Date: 01/09/2020

Min Pass Score: 70.0

Phase Score: 100.0

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Transcript

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Transcript was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Occupational Certification or Licensure

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

July 20, 2021

Document Occupational Certification or Licensure was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: SF-50: Notice of Personnel Action

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document SF-50: Notice of Personnel Action was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: OF 306.

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document OF 306. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: SF-15: Application of 10-Point Veteran Preference

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document SF-15: Application of 10-Point Veteran Preference was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: DD-214: Certificate of Discharge or Separation

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214: Certificate of Discharge or Separation was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Additional documents

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional documents was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Additional Veteran Documents (Spouse PCS orders, Scheduled Discharge, etc.)

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Additional Veteran Documents (Spouse PCS orders,
Scheduled Discharge, etc.) was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: DD-214_.

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document DD-214_ . was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Last Two (2) Performance Appraisals

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document Last Two (2) Performance Appraisals was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Most Recent SF-50

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Most Recent SF-50 was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Armed Forces Ltr.

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Armed Forces Ltr. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: USJOBSResume

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Troy Schmidt
BPA-TFCE-Covington

Currently, a High Voltage Substation Maintenance Electrician with 6+ years of experience working with BPA to maintain and update/expand critical equipment within the NW Power system. Additionally, vast technical knowledge and skills, with excellent interpersonal and communication abilities.

SKILLS:

HV transformer: Accessory-Diagnostic service, processing & dry-out, assembly & disassembly
Power Circuit Breakers: Oil & SF6, Routine, diagnostic and complete service Disconnect and Circuit Switcher service
Capacitors: Series and Shunt
Station batteries and chargers: maintenance and installation
Sub-station Construction
Troubleshooting
Hazardous Waste handling

Experience:

Substation Maintenance Electrician
Bonneville Power Administration 6/2013 to present
*Completed BPA Sub Maintenance Electrician Apprenticeship
*Working as 1 of 2 qualified electricians in a district designated to have 5
*Approximately 1/3 of my time as a yellow hat has been upgraded to F1
*Supervise and train our district contract electrician in the jobs required in Sub Maintenance

Marine Engineer
Washington State Ferries 1998 to 6/2013
*Assistant Chief Marine Engineer MV Walla Walla

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: Other.

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile (b)(6)

Email: (b)(6)

July 20, 2021

Document Other. was not submitted

Announcement Number: DOE-BPA-20-J00767m-BL

Document Name: SF-50.

Name: SCHMIDT, TROY

AIDX: 3175049

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

July 20, 2021

Document SF-50. was not submitted

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFPO-Umatilla, OR

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFPO-Umatilla, OR

Status: Open, expired

Series: 2810

Expiration Date: 05/20/2020

Total Score Transmutation: On

00

[Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** 04/24/2020 **Signed By:** (b)(6) on 04/24/2020 **Action:** Selection(s) made [Comments](#) [Email to HR](#)

Showing 1 to 1 of 1 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
<input type="checkbox"/>	SCHMIDT, TROY			HIRE	HIRE		Selected	0	0.00	EOJ: 8/2/2020	Actions

25 results per page | Page 1 / 1



2/26/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 02/26/2019	2. Applicant Name (Last, First, Middle) SOMMER BRET DALE	
3. Current Job Title (Including Step) JOURNEYMAN ELECTRICIAN	4. Work Phone Number	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station VANCOUVER WASHINGTON	7. Mail Stop CSB-1
8. BPA E-Mail Address bdsommer@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley	x	x	Goshen (Alvey)		
Idaho Falls	x	x	Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER., (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		



11/15/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 10/24/2018	2. Applicant Name (Last, First, Middle) Sommer Bret D	
3. Current Job Title (Including Step) Construction Electrician	4. Work Phone Number	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Vancouver	7. Mail Stop TFHE CSB-1
8. Work E-Mail bdsummer@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), and
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610					
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls	X	X	Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407			SUBSTATION OPERATOR, BB 5407 (cont)		
The Dalles (Celilo)			WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407			Spokane (Bell)		
The Dalles (Celilo)			Usk		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407			Vancouver (Ross)		
The Dalles (Celilo)			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907					
WASHINGTON			Spokane (Bell)		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)					
WASHINGTON			Spokane (Bell)		
Spokane (MCC)			Vancouver		
			MONTANA		
			Kalispell		
			I		

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13406BL
 Job Opening # 13406 Status 045 Type Bid List
 Jobcode J00767 BB - 2810 - 00 Electrician
 Location Burley

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician Apprentice VI	Spokane	
(b)(6)		Electrician	The Dalles	
(b)(6)		Electrician	Hillsboro	
(b)(6)	Sommer, Bret D	Electrician	Vancouver	EOD: 8/4/2021
(b)(6)		Electrician	Vancouver	

Bonneville Power Administration
All Applicant Data Report
Announcement Number: DOE-BPA-20-13794-MP
Position Title: Electrician - OPEN CONTINUOUS ANNOUNCEMENT
Staging Area Number: SA-BPA-0002
Name: SCOTT SWAN

Name: SCOTT SWAN
SSN: ***-**-****
MIDX: 003241289
Address1: (b)(6)
Address2:
City: (b)(6)
State: (b)(6)
Country: (b)(6)
Post Code: (b)(6)
Plus4:
Telephone 1: Mobile - (b)(6)
Email: (b)(6)
United States Citizen: Y
Veterans' Preference: (b)(6)
Military Service Dates (Start of Service - End of Service):

(b)(6)
Location(s) Applied to: Vancouver, WA(US)
Series Applied To: 2810-C

Doc #	Document Type	Description	Submission Type
1	Additional Veteran Documents	No document submitted	
2	DD214 (Applicant)	No document submitted	
3	Other Documentation (applicant)	No document submitted	
4	SF15 (Applicant)	No document submitted	
5	SF50 (Applicant)	No document submitted	
6	VA Letter (Applicant)	No document submitted	

Applicant Level Assessments:

Eligibility Questions and Responses

1. Are you a current Federal employee?

Answers:

2. No

(Note: If you are unsure, refer to blocks 24 and 34 on your most recent "Notification of Personnel Action" (SF-50); OR ask your servicing Human Resources Specialist.)

2. If you are NOT currently serving in the competitive service as a Permanent Career or Career-Conditional Federal employee, are you eligible for reinstatement based on Career or Career-Conditional Federal status in the Competitive Service?

Answers:

3. This does not apply to me

(Note: You will be required to submit a copy of your most recent "Notification of Personnel Action" (SF-50) as proof of reinstatement eligibility.)

3. If you are, or ever were, a Federal civilian employee, please indicate the pay plan of the highest graded position you held on a permanent basis:

Answers:

10. Not applicable - I have never been a federal employee

4. If you are, or ever were, a Federal civilian employee, please indicate the highest grade level you held on a permanent basis:

Answers:

18. Not applicable - I have never been a Federal employee

Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN

5. If you are, or ever were, a Federal civilian employee, please indicate the dates of the highest-graded position you held. Enter the dates in the format of MM-YYYY and enter "Present" if you are still currently in this position. Enter "NA" if this does not apply to you.

Answers: NA

6. If you are, or were, a Federal employee who held a permanent position in the competitive service, what is the highest full performance level and pay plan of that position? Enter "NA" if this does not apply to you.

Answers: E3

7. Are you a preference eligible OR a veteran who was separated from the armed forces under honorable conditions after completing an initial continuous tour of duty of 3 years (or may have been released just short of 3 years)?

Answers:

(b)(6)

Note: For more info on the Veterans Employment Opportunities Act of 1998 (VEOA), click here and go to "Special Appointing Authorities for Veterans". You will need to submit a copy of your DD-214, "Certificate of Release or Discharge from Active Duty - Member #4 Copy", or other proof of eligibility. Additionally, applicants claiming 10 point preference will need to submit SF-15, "Application for 10 Point Veteran's Preference".

8. Are you a current Federal employee serving under a Veterans' Recruitment Authority? For more info on VRA, click here and go to "Special Appointing Authorities for Veterans".

Answers:

(b)(6)

(Note: If you are unsure, refer to your most recent Standard Form 50 (SF-50), look in blocks 24 and 34; OR ask your servicing Human Resources Specialist.)

9. Are you a student appointee under the Pathways Internship Program? Have you completed all requirements for graduation and are you in the 120-day period for conversion to term (1-4 years), career or career-conditional appointment?

Answers:

2. No, I am not a student or I have not met all of the above requirements for graduation and conversion.

10. Are you eligible for non-competitive appointment under a Special Appointing Authority?

Note: Please see the OPM Hiring Authorities website (click here) for more information. You will be asked to tell us which authority you claim and you will be required to provide appropriate supporting documentation with your application.

Answers:

2. No, I do not qualify for any special hiring authorities.

11. Have you accepted a buyout from a Federal agency within the past 5 years?

Answers:

2. No

12. Are you a retiree receiving a Federal annuity, either military or civilian?

Answers:

2. No

(Note: If you are an annuitant, your salary or annuity may be reduced upon re-employment.)

13. If you are a male born after December 31, 1959, between the ages of 18 and 26, have

**Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN**

you registered with the Selective Service System?

Answers:

1. Yes, I am registered for the Selective Service.

(Note: We will verify your registration at www.sss.gov. A false response may be grounds for not hiring you, or for firing you after you begin work.)

14. Does the U.S. Department of Energy, or any of its Power Marketing Administrations, employ any of your relatives? Note: For the purposes of this question, "relative" includes: father, mother, son, daughter, brother, sister, uncle, aunt, first cousin, nephew, niece, husband, wife, father-in-law, mother-in-law, son-in-law, daughter-in-law, brother-in-law, sister-in-law, stepfather, stepmother, stepson, stepdaughter, stepbrother, stepsister, half-brother, or half-sister

Answers:

1. Yes

14.1. You indicated that DOE employs a relative. Please list the full name of each relative, their relation to you, and the agency or office where they are employed.

Answers:

(b)(6)

15. Are you eligible for non-competitive appointment based on prior qualifying service in the Peace Corps or AmeriCorps VISTA programs?

Answers:

2. No, this does not apply to me.

Please click [here](#) to read more about these eligibilities. You will be required to submit documentation which verifies your qualifying service in one of these organizations. You can submit the document under "Other Documents".

16. May we contact your current supervisor for a reference

Answers:

1. Yes

Vacancy Questions and Responses

What locations do you wish to apply to?

Vancouver, WA(US)

What Grades do you wish to apply to?

00

All Grades

1. I understand that the responses provided in this questionnaire must be fully supported in my online resume. I further understand that my resume must provide detailed descriptions and/or examples of my knowledge, skill, and abilities as required in the vacancy announcement and that my failure to do so, may result in my being rated "Ineligible" or "Not Qualified" for this position.

Answers:

1. Yes

2. All current federal employees must have at least a fully successful or equivalent performance rating, or higher, to be considered for placement. Federal employees who have a current unacceptable performance rating will be excluded from consideration.

Answers:

4. Not applicable, I am not a current federal employee.

**Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN**

3. If you are a current federal employee list any incentive awards you received in the last three years.

Answers: NA

4. If you are eligible for non-competitive appointment under a special appointing authority please select all that apply:

Answers:

5. None of the above, this does not apply to me

5. Please tell us how you heard about this job.

Answers:

1. A BPA employee told me about it

6. Select the one statement that best describes your highest level of experience as it relates to your ability to perform the duties of the Electrician, BB-2810-00 position.

Answers:

1. I have independently performed all of the following duties. I am consulted by other employees in difficult situations regarding performance of the following duties: maintaining or installing, modifying, initial setup and testing or calibrating and repairing of; electrical sub-stations, power generation/transmission/distribution equipment and systems at 115,000 to 500,000 volts while being the person who is the "clearance holder" (process for safely isolating equipment from the power system) for said equipment.

If you answered I have independently performed all of the following duties. I am consulted by other employees in difficult situations regarding performance of the following duties: maintaining or installing, modifying, initial setup and testing or calibrating and repairing of; electrical sub-stations, power generation/transmission/distribution equipment and systems at 115,000 to 500,000 volts while being the person who is the "clearance holder" (process for safely isolating equipment from the power system) for said equipment. then answer the following questions.

6.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

7. Applicants must possess at appointment, and maintain thereafter, a valid U.S. State issued Motor Vehicle Operator License (Driver's License) in order to drive and operate U.S. government owned and leased vehicles and equipment. If selected, you will be required to provide a copy of your non-employment driving abstract dated within the last 90 days, and covering the previous 36 months to prove you have good indication of driving. Traffic citations indicating poor driving habits may disqualify applicants. Note: Once employed the incumbent will also be required to provide proof of a valid commercial driver's license (CDL) with all endorsements that are required to operate substation maintenance and construction equipment from the state of residence within 120 days after appointment.

Answers:

1. Yes, I possess a current, valid driver's license. I am willing and able to operate motor vehicles and equipment when required. I have or am willing to obtain and maintain for the duration of my employment the appropriate license.

8. Install, repair, replace transmission or generation equipment in substations, power generating facilities, transformer vaults, and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered I am consulted by other journey persons in difficult situations, or I am

**Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN**

called on to do unusually difficult jobs. then answer the following questions.

8.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

9. Operate equipment such as bucket trucks, aerial booms, digger derricks, winches/capstan used in installations and repairs.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

9.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

10. Install and setup Substation emergency generators.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

10.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

11. Apply an understanding of electrical safety practices such as: Fall protection, Hazardous Energy Control (HEC), Arc Flash, confined space entry, and grounding in the performance of daily duties.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

11.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

12. Analyze data collected from electronic test equipment such as, Doble Power Factor test set, Doble Power Circuit Breaker timing analyzers, and meggers etc. used to install and perform initial setup of high voltage power equipment or to determine the condition and/or extent of repairs needed.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

13. Testing and analyzing operating performance or initial setup and testing of electrical equipment (e.g., transformers, regulators, circuit breakers in substations) to recognize

**Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN**

system malfunctions.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

14. Installation or repair overhead bus and/or underground high voltage electrical distribution systems in substations (up to 500,000 volts) following standardized procedures.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

14.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

15. Determine types and sizes of wires, cables, conduits, transformers, and other electrical equipment and circuit elements based on guidance contained in the National Electric Safety Code.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

15.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

16. Installation, setup, or test high voltage equipment such as transformers, regulators, cables, switches, circuit breakers, mechanical and electronic recording instruments to ensure proper operation using a Power Factor test set, Circuit Breaker Analyzer, Megger and Millivolt Drop Test set and various other testing equipment.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

17. Install, setup or maintain and repair electric power-controlling equipment such as switch gear, transformer banks, and circuit breakers in substations and power-generating facilities.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

17.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

18. Install, setup or repair and modify items including bushings, motors, and other miscellaneous electrical items to prepare for use in testing equipment performance.

**Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN**

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

19. Construct and install all types of conduits. Pull in conductors, assemble bus bars, phase and connect conductors.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

19.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

20. Interpret blueprints of high voltage interconnects such as generators, buses, switches, and circuit breakers to diagnose problems

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

20.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

21. Implement installation drawings for customized devices of high voltage electrical components.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

22. Use schematic, wiring and one-line diagrams to install and trouble shoot electrical circuits and devices on low and high voltage control boards, alarm monitoring systems, circuit panels, metering and relay racks and distribution centers.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

22.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

23. Install, setup or modify mechanical contacts and time-delay intervals of circuit breakers and relays using microprocessor programming equipment.

Answers:

4. I have used my knowledge or ability on my own, under normal supervision.

24. Operate a wide variety of electrical tools such as: conduit benders, pipe threader, drills, hole saws and metal fabrication tools in performing electrical installations.

**Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN**

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

24.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

25. Operate tools including assorted hand tools, air, electric and hydraulic power tools to repair and maintain electrical equipment to perform at peak capacity.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

25.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

26. Use hot-line tools and protective equipment (e.g. hot sticks, standoffs, insulated hoods/covers and tools, rubber gloves, sleeves, insulating blankets).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

26.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

27. Troubleshoot malfunctions with complex electrical equipment (e.g., Transformers, Power Circuit Breakers, load interrupters, reclosers, Series and Shunt Capacitor banks and similar equipment to determine corrective actions.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

27.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

28. Diagnose commonly encountered problems such as locating defective switches or blown high voltage fuses.

Answers:

**Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN**

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

28.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

29. Troubleshoot bus and underground high voltage cable systems to locate shorts, grounds, cable breaks, etc. on circuits from 120 to 13,800 volts.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

29.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

30. Troubleshoot high and low voltage circuits to locate and correct the causes of faults or outages.

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

30.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

31. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (12.5KV to 69KV).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

31.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

32. Perform installation and maintenance of high voltage electrical transmission equipment used in Generation, Transmission or Distribution systems (115KV to 500KV).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

Bonneville Power Administration
All Applicant Data Report
Name: SCOTT SWAN

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

32.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

33. Use circuit diagrams to complete installation, modification, and repair on volt distribution systems (12.5KV to 69KV).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

33.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

34. Use circuit diagrams to complete installation, modification, and repair on volt distribution systems (115KV to 500KV).

Answers:

5. I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.

If you answered **I am consulted by other journey persons in difficult situations, or I am called on to do unusually difficult jobs.** then answer the following questions.

34.1. Where in your resume can the information be found to support your answer to the question above (identify by job title and dates)? In order to receive credit, please be sure that your resume provides adequate details to support your answer or your response will be adjusted accordingly. (Maximum length of 250 characters):

Answers: work history

35. I have been trained in the use and disposal of hazardous materials (e.g., lead, asbestos).

Answers:

1. Yes

36. I have installed electrical protective guards or barriers and Portable Protective Grounds for personal protection.

Answers:

1. Yes

37. I have utilized protective clothing and apparatus when in energized facilities and climbing structures.

Answers:

1. Yes

38. I have used fall protection equipment.

Answers:

1. Yes

Announcement Number: DOE-BPA-20-13794-MP

Document Name: USJOBSResume

Name: SWAN, SCOTT

AIDX: 3241289

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

August 17, 2021

Scott Swan

(b)(6)

About Me:

> I have been working in the mechanical, maintenance, HVAC, and electrical field since I was a child. My father owned a maintenance company called Southern Services since I was three years old. I would spend my summer working alongside my father learning the trade. I was assigned to my own jobs and tasks in my early teens. I learned responsibility and demonstrated strong work ethic. After graduating high school, I entered the US Military. I returned to this career field after my service in the Military. Overtime I took classes and earned certifications related to mechanical, electrical, and maintenance to expand my knowledge of the business. I started my IBEW apprenticeship in early 2000. In 2017 I became a traveler for the IBEW working on power houses and substations. Eventually landing me at Christenson Electric in Portland OR working for BPA on Gary Morgan's crew since November 2018.

CERTIFICATIONS

- > Forklift, scissor-lift , articulation lift, boom- lift certified
- > Caterpillar Heavy Equipment- Safety and Technical certified
- > On File with NYSEG as an insured/ License Electrical Service installer
- > OSHA 10

EDUCATION

- > Williamson Jr/ Sr High School, 1991 graduate
- > AP Classes: Biology, Chemistry, Physics
- > Mansfield University Credits, 1990-1991

WORK EXPERIENCE

IBEW ELECTRICAL UNION, Local 139; Elmira, NY

- > Journeyman status
- > Work in industrial, commercial applications and power house substations. Christenson Electric/Bonneville Power Administration Portland OR— Electrician
- > November 2018 — Present

- > Worked on 69Kv to 500Kv substation construction.
- > Built bus bars, multi run conduit banks above and below ground using benders and threaders.
- > Installed and calibrated high voltage disconnects from 69Kv to 500Kv.
- > Installed and calibrated motor operated disconnects from 345Kv to 500Kv.
- > Installed power transformer banks up to 500Kv.
- > Installed current limiting reactors up to 115Kv.
- > Installed CCVT for hot line indication.
- > Installed 4/0 bare copper for ground mat upgrade and exothermic welding.
- > Installed new pedestal, glass and bus for substation upgrades.
- > Installed, route, and terminate indoor wiring for SCADA and RAS system while working with T&E.
- > Install and removal of racks and term frames while working with T&E on substation upgrades.
- > Install new 480V power transformers, panels and cabling for station service upgrades.
- > Installed new high voltage bushings in transformers, SF6 and oily PCBs.
- > Installed new three phase cabinets and wiring.
- > Installed new 230Kv-500Kv power transformers with associated cable and bus work for temporary use during transformer maintenance.
- > Assisted T&E during new transformer start up and rack/term frame testing.
- > Installed CTs, PTs, load interrupters and surge arresters from 115Kv to 500Kv.
- > Tested and maintenance hot sticks, PPGs and worn 40cal ARC suits, rubber sleeved gloves.
- > Did maintenance and cleaning in high voltage cabinets and switch gear.
- > Diagnosed common problems like defective switches and blown fuses.
- > I located shorts, broken cables and bad grounds from 120v-4160v.
- > Read schematics and blue prints and red line changes with T&E.
- > Distribution of 12.5Kv-69Kv install of equipment for transmission.
- > Use diagrams to install, modify, repair distribution systems for 12.5Kv-500Kv.
- > Held work permits in 115Kv to 500Kv stations.
- > Have worked under work clearances.


MILITARY SERVICE

- > 1992-1995
- > Completed Basic Military Training for the United States Air Force, Washington State

Police Academy, United States Air Force Police Academy, Mechanized Scout School,
M1A1 Tank School, United States Department of Justice Drug Enforcement Highway
Interdiction, US Air Force Student Leadership Program, ABGD certified.
> Earned numerous medals, awards, and Certificates of Recognition form outstanding service over the years of military service.

REFERENCES

(b)(6)

A large black rectangular redaction box covers the majority of the page content below the 'REFERENCES' header.

Announcement Number: DOE-BPA-20-13794-MP

Document Name: VA Letter (Applicant)

Name: SWAN, SCOTT

AIDX: 3241289

Telephone 1: Mobile - (b)(6)

Email: (b)(6)

August 17, 2021

Document VA Letter (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: DD214 (Applicant)

Name: SWAN, SCOTT

AIDX: 3241289

Telephone 1: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document DD214 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: Additional Veteran Documents

Name: SWAN, SCOTT

AIDX: 3241289

Telephone 1: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document Additional Veteran Documents was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: SF15 (Applicant)

Name: SWAN, SCOTT

AIDX: 3241289

Telephone 1: Mobile (b)(6)

Email: (b)(6)

August 17, 2021

Document SF15 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: SF50 (Applicant)

Name: SWAN, SCOTT

AIDX: 3241289

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

August 17, 2021

Document SF50 (Applicant) was not submitted

Announcement Number: DOE-BPA-20-13794-MP

Document Name: Other Documentation (applicant)

Name: SWAN, SCOTT

AIDX: 3241289

Telephone 1: Mobile -(b)(6)

Email: (b)(6)

August 17, 2021

Document Other Documentation (applicant) was not submitted

Bonneville Power Administration
MERIT PROMOTION CERTIFICATE

{C}Vacancy: DOE-BPA-20-13794-MP, Certificate: DOE-BPA-20-13794-MP-00-TFHE-
Vancouver{/C}
{C}Position: Electrician - OPEN CONTINUOUS ANNOUNCEMENT 2810-C Bonneville Power
Administration - BB{/C}

Location: Vancouver, WA, US

Date Certificate Issued: 02/04/2021
Date Certificate Expires: 03/05/2021
Certificate issued by: Gary Skaggs, Jr.

Selecting Official must annotate selection using the appropriate codes as listed in
the HR Admin module.

Series: 2810-C

Grade: 00

(b)(6)

MIDX: 001003775

(b)(6)

MIDX: 003128742


(b)(6)

MIDX: 001413380


MIDX: 002193172

Bonneville Power Administration
MERIT PROMOTION CERTIFICATE

(b)(6)




(b)(6)



MIDX: 000021987

MIDX: 001213373

(b)(6)



MIDX: 000129309


MIDX: 002517374

Bonneville Power Administration
MERIT PROMOTION CERTIFICATE

SWAN, SCOTT

MIDX: 003241289

(b)(6)



EOD:
05/09/202
1

Status: HIRE

Indicate selectee and provide justification. If no selection is made from this certificate, provide a reason.

3{/R}

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13305-B
Job Opening # 13305 Status .045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Malin

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	The Dalles	
(b)(6)	Turley, Jacob O	Electrician	Goshen	EOD: 5/12/2019
(b)(6)		Electrician	Vancouver	



Received
9/24/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 9/24/2019	2. Applicant Name (Last, First, Middle) Turley, Jacob, Owen	
3. Current Job Title (Including Step) Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Malin	7. Mail Stop TFRJ
8. BPA E-Mail Address joturley@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
			Vancouver (DCC)		
CABLE SPLICER, BB 2810			DISPATCHER, GENERATION, BB 5407		
WASHINGTON			WASHINGTON		
Vancouver (Cons. & Maint. Services)			Spokane (MCC)		
			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610					
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin	x	x
WASHINGTON			North Bend	x	x
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)	x	x
Idaho Falls			Keizer (Chemawa)	x	x
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)	x	x	Olympia		
Keizer (Chemawa)	x	x	Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
			Keizer (Chemawa)		
The Dalles (Big Eddy Maint HQ)			North Bend		
WASHINGTON			Redmond		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Ellensburg			WASHINGTON		
Grand Coulee			Chehalis		
Kent (Covington)			Ellensburg		
Olympia			Grand Coulee		
Pasco			Kent (Covington)		
Snohomish			Olympia		
Spokane (Bell)			Pasco		
Vancouver (Ross)			Snohomish		
Vancouver (Equipment Pool Services)			Spokane (Bell)		
IDAHO			LINEMAN FOREMAN I, BL-2810 (CONT)		
Idaho Falls			Vancouver (Ross)		
MONTANA			IDAHO		
Kalispell			Idaho Falls		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			MONTANA		
WASHINGTON			Kalispell		
Spokane					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED)					
BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407 The Dalles (Celilo)			SUBSTATION OPERATOR, BB 5407 (cont) WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407 The Dalles (Celilo)			Spokane (Bell)		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407 The Dalles (Celilo)			Usk		
			Vancouver (Ross)		
			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
EU MATERIAL HANDLER FOREMAN I A BB 6907			OREGON		
WASHINGTON			Redmond		
Vancouver (Mat. Hand. & Trans Svc)			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907			Spokane (Bell)		
WASHINGTON			Vancouver		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)			Spokane (Bell)		
WASHINGTON			Vancouver		
Spokane (MCC)			MONTANA		
			Kalispell		
			I		



3/4/19

CALENDAR YEAR 2019 BID APPLICATION

1. Date 3/4/19	2. Applicant Name (Last, First, Middle) Turley, Jacob, Owen	
3. Current Job Title (Including Step) Electrician	4. Work Phone Number (b)(6)	5. Daytime Phone Number (b)(6)

E-Mail Address is to receive Bid Confirmation Letters & Bid Notification Letters – Hard Copy letters will only be mailed if requested.

6. Present Duty Station Alvey	7. Mail Stop TFEE
8. BPA E-Mail Address joturley@bpa.gov	9. Home E-Mail Address (b)(6)

All hourly jobs are considered as open for bid on a continuous basis. Any BPA employee on a competitive career or career-conditional appointment may, at any time, submit an application for permanent promotions, temporary promotions, reassignments, and/or change of duty stations. In order to assure all interested employees are considered, candidates are solicited annually through a Continuous Vacancy Announcement – Hourly Jobs (Bid List) identifying those jobs and duty locations, for which they wish to be considered. Employees may update their bid application at any time during the year.

However, if applying for a promotion, change in craft, or your 5 year Bid rating has expired, then you must submit a complete application package for 2019 to receive hiring consideration.

Your application must include:

- The Calendar Year 2019 BID Application clearly identifying the positions and duty locations to which you wish to be considered,
- Completed Supplemental Questionnaire (if applicable), **and**
- A detailed Resume that clearly supports your experience, education and/or training completed and provided you with the knowledge, skills and ability to perform the duties of the position as indicated by your answers and/or responses to the Supplemental Questionnaire.

You may submit your application using any of the options listed below:

E-mail with documents attached in an MS printable format to: HourlyBids@bpa.gov

OR

Fax to: (503) 230-4708

OR

Bonneville Power Administration
ATTN: Hourly Bids–NHQ-1
PO Box 3621
Portland, OR 97208-3621

If you have questions, need additional information or a copy of the Supplemental Questionnaire, please contact the Hourly Bids Inbox at HourlyBids@bpa.gov.

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS					
AIRCRAFT PATROL OBSERVER, BB 2810			DISPATCHER, SENIOR SYSTEM, (OUTAGE), BS 5407		
OREGON			WASHINGTON		
Portland (BPA Hangar)			Spokane (MCC)		
Redmond			Vancouver (DCC)		
WASHINGTON			DISPATCHER, SENIOR SYSTEM, (RELIEF), BS 5407		
Spokane (Bell)			WASHINGTON		
			Spokane (MCC)		
CABLE SPLICER, BB 2810			Vancouver (DCC)		
WASHINGTON			DISPATCHER, GENERATION, BB 5407		
Vancouver (Cons. & Maint. Services)			WASHINGTON		
			Spokane (MCC)		
DATA SYSTEMS CRAFTSMAN I, BB 2610			Vancouver (DCC)		
DATA SYSTEMS CRAFTSMAN II, BB 2610			DISPATCHER, GENERATION (RELIEF) BB 5407		
DATA SYSTEMS CRAFTSMAN TR 5, BB 2610			WASHINGTON		
WASHINGTON			Spokane (MCC)		
Spokane (MCC)			Vancouver (DCC)		
Vancouver (DCC)					
			ELECTRICAL RIGGER, BB 5210		
DISPATCHER, ASSISTANT TRAINEE, BB 5407			ELECTRICAL RIGGER FOREMAN I, BL 5210		
WASHINGTON			ELECTRICAL RIGGER FOREMAN II, BS 5210		
Spokane (MCC)			WASHINGTON		
Vancouver (DCC)			Vancouver (Cons. & Maint. Services)		
DISPATCHER, ASSISTANT I, BB 5407					
WASHINGTON			ELECT MECH T & D CRAFTSMAN, BB 2801		
Spokane (MCC)			ELECT MECH T & D TRAINEE, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, ASSISTANT II, BB 5407			Vancouver (Engineering & Tech Services)		
WASHINGTON					
Spokane (MCC)			ELECTRICAL-MECHANICAL WORKER, BB 2801		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM, BB-5407			Vancouver (Construction & Maint Svcs)		
WASHINGTON					
Spokane (MCC)			ELECTRICIAN (CONST & MAINT SVCS) BB 2810		
Vancouver (DCC)			WASHINGTON		
DISPATCHER, SYSTEM (RELIEF) BB 5407			Vancouver (Field)		
WASHINGTON			Vancouver (Complex)		
Spokane (MCC)			Vancouver (High Voltage EQ Repair)		
Vancouver (DCC)			Vancouver (Transformer Crew)		
DISPATCHER, SENIOR SYSTEM BS 5407			ELECTRICIAN FOREMAN I (CONST), BL 2810		
WASHINGTON			WASHINGTON		
Spokane (MCC)			Vancouver (Field)		
Vancouver (DCC)			Vancouver (Complex, High Voltage EQ Repair)		
DISPATCHER, SYSTEM, (OUTAGE), BB 5407					
WASHINGTON					
Spokane (MCC)					
Vancouver (DCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN II (CONST), BS 2810			ELECTRICIAN FOREMAN I (MAINT), BL 2810 (cont.)		
WASHINGTON			WASHINGTON		
Vancouver (Field)			Kent (Covington)		
Vancouver (Transformer Crew)			Longview (Maintenance HQ)		
ELECTRICIAN FOREMAN III (CONST), BS 2810			Olympia		
WASHINGTON			Pasco		
Vancouver (Field)			Richland (Ashe)		
Vancouver (Complex, Transformer)			Snohomish		
ELECTRICIAN (MAINTENANCE) BB 2810			Spokane (Bell)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Hillsboro			IDAHO		
Malin			Lewiston		
North Bend			MONTANA		
Redmond			Kalispell		
Keizer (Chemawa)			ELECTRICIAN FOREMAN II (MAINT), BS 2810		
The Dalles (Big Eddy Maint HQ)			OREGON		
The Dalles (Celilo)			Hillsboro		
Umatilla (McNary)			Malin		
WASHINGTON			North Bend		
Custer			Redmond		
Kent (Covington)			WASHINGTON		
Longview (Maintenance HQ)			Custer		
Olympia			Pasco		
Pasco			Port Angeles		
Port Angeles			IDAHO		
Richland (Ashe)			Burley		
Snohomish			Idaho Falls		
Spokane (Bell)			Lewiston		
Spokane (MCC)			MONTANA		
Vancouver (Ross)			Goldcreek (Garrison)		
East Wenatchee (Sickler)			ELECTRICIAN FOREMAN III (MAINT), BS 2810		
IDAHO			OREGON		
Burley			Goshen (Alvey)		
Idaho Falls			Keizer (Chemawa)		
Lewiston			The Dalles (Big Eddy Maint HQ)		
MONTANA			The Dalles (Celilo)		
Kalispell			Umatilla (McNary)		
Goldcreek (Garrison)			WASHINGTON		
ELECTRICIAN FOREMAN I (MAINT), BL 2810			Kent (Covington)		
OREGON			Longview (Maintenance HQ)		
Goshen (Alvey)			Olympia		
Keizer (Chemawa)			Pasco		
Redmond			Richland (Ashe)		
The Dalles (Big Eddy Maint HQ)			Snohomish		
The Dalles (Celilo)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Ross)		
Hillsboro (Keeler)			East Wenatchee (Sickler)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
ELECTRICIAN FOREMAN III (MAINT), BS 2810 (cont.)			LINEMAN, BB 2810		
MONTANA			OREGON		
Kalispell			Goshen (Alvey)		
IDAHO			Keizer (Chemawa)		
Lewiston			North Bend		
			Redmond		
ELECTRICIAN HELPER, BB 2810			The Dalles (Big Eddy Maint HQ)		
WASHINGTON			WASHINGTON		
Vancouver (Const & Maint Services)			Chehalis		
			Ellensburg		
ELECTRONIC INSTRUMENTATION WKR, BB 2602			Grand Coulee		
WASHINGTON			Kent (Covington)		
Vancouver (Eng. & Tech. Services)			Olympia		
			Pasco		
INSTRUMENTATION CRAFTSMAN (LAB) BB 2602			Snohomish		
WASHINGTON			Spokane (Bell)		
Vancouver (Eng. & Tech. Services)			Vancouver (Ross)		
INSTRUMENTATION CRAFTSMN (LAB) TR 5 BB 2602			IDAHO		
WASHINGTON			Idaho Falls		
Vancouver (Eng. & Tech. Services)			MONTANA		
			Kalispell		
LINE EQUIPMENT OPERATOR BB 2810			LINEMAN (LIVE LINE), BB 2810		
OREGON			WASHINGTON		
Goshen (Alvey)			Spokane		
Keizer (Chemawa)			LINEMAN FOREMAN I, BL 2810		
North Bend			OREGON		
Redmond			Goshen (Alvey)		
The Dalles (Big Eddy Maint HQ)			Keizer (Chemawa)		
WASHINGTON			North Bend		
Chehalis			Redmond		
Ellensburg			The Dalles (Big Eddy Maint HQ)		
Grand Coulee			WASHINGTON		
Kent (Covington)			Chehalis		
Olympia			Ellensburg		
Pasco			Grand Coulee		
Snohomish			Kent (Covington)		
Spokane (Bell)			Olympia		
Vancouver (Ross)			Pasco		
Vancouver (Equipment Pool Services)			Snohomish		
IDAHO			Spokane (Bell)		
Idaho Falls			LINEMAN FOREMAN I, BL-2810 (CONT)		
MONTANA			Vancouver (Ross)		
Kalispell			IDAHO		
LINE EQUIPMENT OPERATOR A, BB 2810 (LIVE LINE)			Idaho Falls		
WASHINGTON			MONTANA		
Spokane			Kalispell		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
LINEMAN FOREMAN I (LIVE LINE)			PSC CRAFTSMAN TRAINEE, BB 2604 (CONT)		
WASHINGTON			Vancouver (Dittmer)		
Spokane			Vancouver (Mod Repair & Training Center)		
LINEMAN FOREMAN III, BS 2810			Vancouver (Ross)		
OREGON			East Wenatchee (Sickler)		
Goshen (Alvey)			IDAHO		
Keizer (Chemawa)			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
WASHINGTON			Kalispell		
Chehalis			PSC CRAFTSMAN BB 2604		
Ellensburg			OREGON		
Grand Coulee			Goshen (Alvey)		
Kent (Covington)			Keizer (Chemawa)		
Olympia			Malin		
Pasco			North Bend		
Snohomish			Redmond		
Spokane (Bell)			The Dalles (Big Eddy Maint HQ)		
Vancouver (Ross)			Umatilla (McNary)		
IDAHO			WASHINGTON		
Idaho Falls			Ellensburg		
MONTANA			Grand Coulee		
Kalispell			Kent (Covington)		
LINEMAN FOREMAN III (LIVE LINE)			Longview (Maintenance HQ)		
WASHINGTON			Olympia		
Spokane			Pasco (Franklin)		
			Richland (Ashe)		
PSC CRAFTSMAN TRAINEE (UNASSIGNED) BB2604			Snohomish		
All /Locations Unassigned			Spokane (Bell)		
PSC CRAFTSMAN TRAINEE, BB 2604			Vancouver (Mod Repair & Training Center)		
OREGON			Vancouver (Ross)		
Goshen (Alvey)			East Wenatchee (Sickler)		
Keizer (Chemawa)			IDAHO		
Malin			Idaho Falls		
North Bend			Lewiston		
Redmond			MONTANA		
The Dalles (Big Eddy Maint HQ)			Garrison		
Umatilla (McNary)			Kalispell		
WASHINGTON			PSC CRAFTSMAN (CONTROL CENTER), BB 2604		
Ellensburg			WASHINGTON		
Grand Coulee			Spokane (MCC)		
Kent (Covington)			Vancouver (DCC)		
Longview (Maintenance H.Q.)					
Olympia					
Pasco (Franklin)					
Richland (Ashe)					
Snohomish					
Spokane (Bell)					
Spokane (MCC)					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
DC SUBSTATION OPERATOR, BB 5407 The Dalles (Celilo)			SUBSTATION OPERATOR, BB 5407 (cont) WASHINGTON		
SR. DC SUBSTATION OPERATOR, BL 5407 The Dalles (Celilo)			Spokane (Bell)		
SR. DC SUBSTATION OPER, (RELIEF) BL 5407 The Dalles (Celilo)			Usk		
			Vancouver (Ross)		
			East Wenatchee (Sickler)		
			IDAHO		
SUBSTATION OPERATOR, BB 5407			Burley		
OREGON			Idaho Falls		
Albany (Alvey District)			Lewiston		
Arlington			Sandpoint		
Bandon			MONTANA		
Coquille (Fairview)			Columbia Falls (Conkelley)		
Florence (Wendson)			Goldcreek (Garrison)		
Gold Beach (Rogue)			Hot Springs		
Goshen (Alvey District)			Kalispell		
Hillsboro (Keeler)			Libby		
Keizer (Chemawa)			Missoula		
La Pine			Saltese (Taft)		
Malin					
North Bend			SUBSTATION OPERATOR TRAINEE		
Oregon City (Ostrander)			All Locations		
Redmond					
Stayton (Marion)			CHIEF SUBSTATION OPERATOR III, BS 5407		
The Dalles (Big Eddy Maint HQ)			OREGON		
Umatilla (McNary)			Goshen (Alvey)		
Wilsonville (Pearl)			Keizer (Chemawa)		
WASHINGTON			Malin		
Aberdeen			North Bend		
Bridgeport (Chief Joseph)			Redmond		
Centralia (C.W. Paul)			The Dalles (Celilo)		
Chehalis			The Dalles (Big Eddy Maint HQ)		
Colville			Umatilla (McNary)		
Custer			WASHINGTON		
Ellensburg			Kent (Covington)		
Bremerton (Kitsap)			Longview (Maintenance HQ)		
Grand Coulee			Olympia		
Grandview			Pasco (Franklin)		
Kent (Covington)			Richland (Ashe)		
Longview (Maintenance HQ)			Snohomish		
Newport			Spokane (Bell)		
North Bonneville			Vancouver (Ross)		
Olympia			East Wenatchee (Sickler)		
Omak			IDAHO		
Pasco (Franklin)			Idaho Falls		
Port Angeles			MONTANA		
Richland (Ashe)			Kalispell		
Rock Island (Columbia)					
Shelton					
Snohomish					

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
ELECTRICAL JOBS (cont.)					
HVDC PCS CRAFTSMAN I, BB-2606			SPC CRAFTSMAN, BB2606		
HVDC PCS CRAFTSMAN II, BB-2606			OREGON		
HVDC PCS CRAFTSMAN TRAINEE 5, BB-2606			Goshen (Alvey)		
HVDC PCS CRAFTSMAN TRAINEE 6, BB-2606			Hillsboro (Keeler)		
HVDC PCS CRAFTSMAN TRAINEE 7, BB-2606			Keizer (Chemawa)		
HVDC PCS CRAFTSMAN TRAINEE 8, BB-2606			Malin		
HVDC PCS CRAFTSMAN TRAINEE 9, BB-2606			North Bend		
HVDC PCS CRAFTSMAN TRAINEE 10, BB-2606			Redmond		
The Dalles (Celilo)			The Dalles (Celilo)		
			The Dalles (Big Eddy Maint HQ)		
SPC CRAFTSMAN TRAINEE (UNASSIGNED) BB2606			Umatilla (McNary)		
All Location(s) Unassigned			WASHINGTON		
SPC CRAFTSMAN TRAINEE, BB 2606			Ellensburg		
OREGON			Gorst (Kitsap)		
Goshen (Alvey)			Kent (Covington)		
Keizer (Chemawa)			Longview		
Malin			Olympia		
North Bend			Pasco (Franklin)		
Redmond			Richland (Ashe)		
The Dalles (Celilo)			Snohomish		
The Dalles (Big Eddy Maint HQ)			Spokane (Bell)		
Umatilla (McNary)			Vancouver (Eng. & Tech. Services)		
WASHINGTON			Vancouver (Ross)		
Ellensburg			East Wenatchee (Sickler)		
Bremerton (Kitsap)			IDAHO		
Kent (Covington)			Burley		
Longview			Idaho Falls		
Olympia			Lewiston		
Pasco (Franklin)			MONTANA Goldcreek (Garrison)		
Richland (Ashe)			Goldcreek (Garrison)		
Snohomish			Kalispell		
Spokane (Bell)					
Vancouver (Eng. & Tech. Services)					
Vancouver (Ross)			NON-ELECTRICAL JOBS		
East Wenatchee (Sickler)					
IDAHO			AIRCRAFT MAINT TECH, BB 8852		
Burley			AIRCRAFT MAIN TECH FOREMAN III, BS 8852		
Idaho Falls			OREGON		
Lewiston			Portland (BPA Hanger)		
MONTANA					
Goldcreek (Garrison)			EU CARPENTER, BB 4607		
Kalispell			EU CARPENTER FOREMAN I, BL 4607		
			EU CARPENTER FOREMAN II, BS 4607		
			EU CARPENTER FOREMAN III BS 4607		
			WASHINGTON		
			Vancouver (all positions)		

CALENDAR YEAR 2019 HOURLY BID APPLICATION

JOB TITLE AND LOCATION	"X" For Bid		JOB TITLE AND LOCATION	"X" For Bid	
	Perm	Temp		Perm	Temp
NON-ELECTRICAL JOBS (cont.)					
EU MATERIAL HANDLER TRAINEE, BB 6907			HEAVY EQUIP OPERATOR, BB 5716		
WASHINGTON			Washington		
Vancouver (Mat. Hand. & Trans Svc)			Vancouver		
EU MATERIAL HANDLER , BB 6907			HEAVY EQUP OPERATOR FOREMAN II, BB 5716		
WASHINGTON			Washington		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
Vancouver (Field) (Material Mgmt)					
Vancouver (Const. & Maint. Svc)					
EU MATERIAL HANDLER FOREMAN I A BB 6907			HEAVY MOBILE EQUIP MECHANIC, BB 5803		
WASHINGTON			OREGON		
Vancouver (Mat. Hand. & Trans Svc)			Redmond		
			The Dalles (Big Eddy Maint HQ)		
EU MATERIAL HANDLER FOREMAN II BS 6907			WASHINGTON		
WASHINGTON			Olympia		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Pasco		
Vancouver (Field) (Material Mgmt)			Snohomish		
EU MATERIAL HANDLER FOREMAN III, BS 6907					
WASHINGTON			Spokane (Bell)		
Vancouver (Ross) (Mat. Hand. & Trans Svc)			Vancouver		
			MONTANA		
			Kalispell		
FACILITIES MAINTENANCE WORKER, BB 4749			HEAVY MOBILE EQUIP MECHANIC (1 MECH SHOP), BB 5803		
OREGON			OREGON		
Goshen (Alvey)			Goshen (Alvey)		
Keizer			Keizer (Chemawa)		
Redmond			North Bend		
The Dalles (Big Eddy Maint HQ)			WASHINGTON		
Umatilla (McNary)			Ellensburg		
WASHINGTON			Grand Coulee		
Kent (Covington)			Kent		
Longview			IDAHO		
Olympia			Idaho Falls		
Pasco (Franklin)			MONTANA		
Snohomish			Kalispell		
Spokane (Bell)			HVY. MOB. EQ MECH FOREMAN I, BL 5803		
Vancouver (Const & Maint Svc)			OREGON		
East Wenatchee (Sickler)			Redmond		
IDAHO			The Dalles (Bid Eddy Maint HQ)		
Idaho Falls			WASHINGTON		
Lewiston			Olympia		
MONTANA			Pasco		
Kalispell			Snohomish		
FACILITIES MAINTENANCE TECHNICIAN (HVAC)					
WASHINGTON			Spokane (Bell)		
Spokane (MCC)			Vancouver		
			MONTANA		
			Kalispell		
			I		

No Selections Made

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13515BL
Job Opening # 13515 Status 030 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Umatilla

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician Apprentice VII	Spokane	
		Electrician	Lewiston	

No selection made, bidders declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13597BL
Job Opening # 13597 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	

No selection made

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13248-B
Job Opening # 13248 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		System Protection Control Craftsman I	Spokane	

No selection made, bidder declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13263-B
Job Opening # 13263 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Richland

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Kent	

No selection made, bidder declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13306-B
Job Opening # 13306 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		System Protection Control Craftsman I	Spokane	

No selection made, bidder declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13424BL
Job Opening # 13424 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Goshen

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician Apprentice VII	Eugene	
(b)(6)		Electrician	Port Angeles	

No selection made, bidder declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13458BL
Job Opening # 13458 Status 030 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Richland

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician Apprentice VII	Spokane	
(b)(6)		Electrician	Kent	
(b)(6)		Electrician	Pasco	

No selection made

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 19-13472BL
Job Opening # 13472 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Olympia

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Redmond	
(b)(6)		Electrician	Longview	

No selection made, bidders declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12769-00

Job Opening # 12769 Status 045 Type Bid List

Jobcode J00767 BB - 2810 - 00 Electrician

Location Richland

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Umatilla	
(b)(6)		Electrician	Vancouver	

No selection made, bidders declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12666-00

Job Opening # 12666 Status 045 Type Bid List

Jobcode J00767 BB - 2810 - 00 Electrician

Location The Dalles

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Kent	

Canceled: location incorrect

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12770-00
Job Opening # 12770 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Port Angeles

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Longview	
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	

No selection made, bidder declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12780-00
Job Opening # 12780 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Snohomish

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Vancouver	

No selection made

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12908-00
Job Opening # 12908 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician
Location Goldcreek

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	The Dalles	

No selection made, bidder declined

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12928-00
Job Opening # 12928 Status 045 Type Bid List
Jobcode 100767 BB - 2810 - 00 Electrician
Location Umatilla

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Umatilla	
(b)(6)		Electrician	Malin	

No selection made

Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants

Certificate # 12935-00

Job Opening # 12935 Status 045 Type Bid List

Jobcode J00767 BB - 2810 - 00 Electrician

Location The Dalles

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Vancouver	

No selection made

**Department of Energy - Bonneville Power Administration
Continuous Bid Program Certificate List of Applicants**

Certificate # 12940-00
Job Opening # 12940 Status 045 Type Bid List
Jobcode J00767 BB - 2810 - 00 Electrician

Location Vancouver

Non-Competitive Other

Employee	Name	Current Position	Current Location	Priority Placement
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician Apprentice VII	Longview	
(b)(6)		Electrician	Vancouver	
(b)(6)		Electrician	Vancouver	

No selection made

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

Vacancy number: DOE-BPA-20-13793-MP,
Certificate number: DOE-BPA-20-13793-MP-NC-00-TFWE- East Wenatchee
Position: High Voltage Electrician - OPEN CONTINUOUS ANNOUNCEMENT 2810-C Bonneville
Power Administration - BB
Location: East Wenatchee, WA, US

Date Certificate Issued: 01/15/2021
Date Certificate Expires: 02/14/2021
Certificate issued by: Gary Skaggs, Jr.

Selecting Official must annotate certificate selection using the codes contained in
the HR Admin module.

Series: 2810-C

Grade: 00

(b)(6)



MIDX: 003128742

MIDX: 003151456

(b)(6)




MIDX: 003208097

MIDX: 003245898

Bonneville Power Administration
NON-COMPETITIVE CERTIFICATE

(b)(6)



MIDX: 003195695

Indicate selectee and provide justification. If no selection is made from this certificate, provide a reason.

2{/R}

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-R-TFEE-Goshen, OR

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-R-TFEE-Goshen, OR	Status: Closed
Series: 2810	Expiration Date: 05/04/2021
Total Score Transmutation: On	

00 [Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** 05/2/2021 **Signed By:** (b)(6) on 05/02/2021 **Action:** Please refer additional names [Email to HR](#)

Showing 1 to 1 of 1 applications

<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							3	0.00		Actions

25 results per page | Page 1 / 1

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-R-TFKJ-Gold Creek, MT

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-R-TFKJ-Gold Creek, MT	Status: Closed
Series: 2810	Expiration Date: 05/28/2021
Total Score Transmutation: On	

[00](#) [Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** **Signed By:** (b)(6) on 05/25/2021 **Action:** I do not wish to select any of the candidates [Comments](#) [Email to HR](#)

Showing 1 to 2 of 2 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							4	0.00		Actions
	(b)(6)							6	0.00		Actions

25 results per page | Page / 1

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFCE- Kent, WA

1 applicant has been updated. ✕

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFCE- Kent, WA

Status: Open, expired

Series: 2810

Expiration Date: 07/17/2020

Carried Over: Yes

Total Score Transmutation: On

00

[Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#) ▾

Selecting Official: (b)(6) **Selection Date:** **Signed By:** (b)(6) on 07/14/2020 **Action:** Other - See Comments. [Comments](#) [Email to HR](#)

Showing 1 to 1 of 1 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							2 ▾	0.00		Actions ▾

25 ▾ results per page | Page 1 / 1

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFLE, Keizer, OR

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFLE, Keizer, OR	Status: Open, expired
Series: 2810	Expiration Date: 12/01/2020
Total Score Transmutation: On	

00 [Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** **Signed By:** (b)(6) on 11/03/2020 **Action:** Other - See Comments. [Comments](#) [Email to HR](#)

Showing 1 to 1 of 1 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							2	0.00		Actions

25 results per page | Page / 1

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFLJ-Hillsboro, OR

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFLJ-Hillsboro, OR	Status: Open, expired
Series: 2810	Expiration Date: 12/01/2020
Total Score Transmutation: On	

00 [Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** **Signed By:** (b)(6) on 11/03/2020 **Action:** Other - See Comments. [Comments](#) [Email to HR](#)

Showing 1 to 1 of 1 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							2	0.00		Actions

25 results per page | Page / 1

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFNE- Snohomish, WA

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFNE- Snohomish, WA	Status: Open, expired
Series: 2810	Expiration Date: 12/01/2020
Total Score Transmutation: On	

00 [Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** **Signed By:** (b)(6) on 11/25/2020 **Action:** I do not wish to select any of the candidates [Comments](#) [Email to HR](#)

Showing 1 to 2 of 2 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							1	0.00		Actions
	(b)(6)							2	0.00		Actions

25 results per page | Page 1 / 1

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFVJ, Vancouver, WA

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFVJ, Vancouver, WA	Status: Open, expired
Series: 2810	Expiration Date: 08/22/2020
Total Score Transmutation: On	

00 [Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** **Signed By:** (b)(6) on 07/27/2020 **Action:** I do not wish to select any of the candidates [Comments](#) [Email to HR](#)

Showing 1 to 2 of 2 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							2	0.00		Actions
	(b)(6)							2	0.00		Actions

25 results per page | Page 1 / 1

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-TFWE, East Wenatchee,WA23310

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-TFWE, East Wenatchee,WA23310
Series: 2810
Total Score Transmutation: On

Status: Open, expired
Expiration Date: 12/01/2020

00

Showing 1 to 1 of 1 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Docs	Total Score	OB Status	Actions
	(b)(6)					2	0.00		Actions

25 results per page | Page 1 / 1

Cert not used

Hiring Management

Applicant Listing

Certificate DOE-BPA-20-J00767m-BL-R-TFLJ-Hillsboro, OR

[Staging Area](#) [Certificate Listing](#)



Certificate: DOE-BPA-20-J00767m-BL-R-TFLJ-Hillsboro, OR	Status: Closed
Series: 2810	Expiration Date: 07/09/2021
Total Score Transmutation: On	

[00](#) [Annotations](#)

There is 1 annotation for this certificate! [Annotation Version 1](#)

Selecting Official: (b)(6) **Selection Date:** 06/21/2021 **Signed By:** (b)(6) on 06/21/2021 **Action:** Selection(s) made [Comments](#) [Email to HR](#)

Showing 1 to 1 of 1 applications



<input type="checkbox"/>	Applicant Name	Vet Pref.	Claims	Custom Status	System Status	Rank	Disposition	Docs	Total Score	OB Status	Actions
	(b)(6)							4	0.00		Actions

25 results per page | Page 1 / 1